


Sixth Grade - Mathematics

Kentucky Core Academic Standards with Targets
Student Friendly Targets



College and Career Readiness Anchor Standards for Math

The 6-8 standards on the following pages define what students should understand and be able to do by the end of each grade. They correspond to eight mathematical practices: 1) Make sense of problems and persevere in solving them, 2) Reason abstractly and quantitatively, 3) Construct viable arguments and critique the reasoning of others, 4) Model with mathematics, 5) Use appropriate tools strategically, 6) Attend to precision, 7) Look for and make use of structure, and 8) Look for express regularity in repeated reasoning.

Mathematics is divided into five domains: 1) Ratios and Proportional Relationships (RP), 2) The Number Systems (NS), 3) Expressions and Equations (EE), 4) Geometry (G), and 5) Statistics and Probability (SP).

Development of Pacing Document

During the summer 2011, Anderson County teachers and administrators developed learning targets for each of the Kentucky Core Content Standards. In winter 2012, curriculum resource teachers verified the congruency of the standards and targets and recommended revisions. Teachers refined the work and began planning the development of common assessments to ensure students learn the intended curriculum. Anderson County Schools would like to thank each of our outstanding teachers and administrators who contributed to this important math curriculum project. Special thanks to Robin Basham, Nick Cann, Ken Fenwick, Natalie Frasure, Gina Fultz, Tammy Gilkison, Sandy Hendry, Sharon Jackman, Steve Karsner, Mindi Kerbaugh, Janice Meredith, and Jim Tyler.

North Carolina State Board of Education created a most helpful document entitled “Common Core Instructional Support Tools - Unpacking Standards”. The document answers the question “What do the standards mean that a student must know and be able to do?” The “unpacking” is included in our “What Does This Standard Mean?” section. The complete North Carolina document can be found at <http://www.dpi.state.nc.us/docs/acre/standards/common-core-tools/unpacking/math/6th.pdf>

Grade 6

Grade 6 Overview

Ratios and Proportional Relationships (RP)

- Understand ratio concepts and use ratio reasoning to solve problems.

The Number System (NS)

- Apply and extend previous understandings of multiplication and division to divide fractions by fractions.
- Compute fluently with multi-digit numbers and find common factors and multiples.
- Apply and extend previous understandings of numbers to the system of rational numbers.

Expressions and Equations (EE)

- Apply and extend previous understandings of arithmetic to algebraic expressions.
- Reason about and solve one-variable equations and inequalities.
- Represent and analyze quantitative relationships between dependent and independent variables.

Geometry (G)

- Solve real-world and mathematical problems involving area, surface area, and volume.

Statistics and Probability (SP)

- Develop understanding of statistical variability.
- Summarize and describe distributions.

Mathematical Practices (MP)

1. Make sense of problems and persevere in solving them.
2. Reason abstractly and quantitatively.
3. Construct viable arguments and critique the reasoning of others.
4. Model with mathematics.
5. Use appropriate tools strategically.
6. Attend to precision.
7. Look for and make use of structure.
8. Look for and express regularity in repeated reasoning.

In Grade 6, instructional time should focus on four critical areas: (1) connecting ratio and rate to whole number multiplication and division and using concepts of ratio and rate to solve problems; (2) completing understanding of division of fractions and extending the notion of number to the system of rational numbers, which includes negative numbers; (3) writing, interpreting, and using expressions and equations; and (4) developing understanding of statistical thinking.

(1) Students use reasoning about multiplication and division to solve ratio and rate problems about quantities. By viewing equivalent ratios and rates as deriving from, and extending, pairs of rows (or columns) in the multiplication table, and by analyzing simple drawings that indicate the relative size of quantities, students connect their understanding of multiplication and division with ratios and rates. Thus students expand the scope of problems for which they can use multiplication and division to solve problems, and they connect ratios and fractions. Students solve a wide variety of problems involving ratios and rates.


(2) Students use the meaning of fractions, the meanings of multiplication and division, and the relationship between multiplication and division to understand and explain why the procedures for dividing fractions make sense. Students use these operations to solve problems. Students extend their previous understandings of number and the ordering of numbers to the full system of rational numbers, which includes negative rational numbers, and in particular negative integers. They reason about the order and absolute value of rational numbers and about the location of points in all four quadrants of the coordinate plane.

(3) Students understand the use of variables in mathematical expressions. They write expressions and equations that correspond to given situations, evaluate expressions, and use expressions and formulas to solve problems. Students understand that expressions in different forms can be equivalent, and they use the properties of operations to rewrite expressions in equivalent forms. Students know that the solutions of an equation are the values of the variables that make the equation true. Students use properties of operations and the idea of maintaining the equality of both sides of an equation to solve simple one-step equations. Students construct and analyze tables, such as tables of quantities that are in equivalent ratios, and they use equations (such as $3x = y$) to describe relationships between quantities.

(4) Building on and reinforcing their understanding of number, students begin to develop their ability to think statistically. Students recognize that a data distribution may not have a definite center and that different ways to measure center yield different values. The median measures center in the sense that it is roughly the middle value. The mean measures center in the sense that it is the value that each data point would take on if the total of the data values were redistributed equally, and also in the sense that it is a balance point. Students recognize that a measure of variability (interquartile range or mean absolute deviation) can also be useful for summarizing data because two very different sets of data can have the same mean and median yet be distinguished by their variability. Students learn to describe and summarize numerical data sets, identifying clusters, peaks, gaps, and symmetry, considering the context in which the data were collected.

Students in Grade 6 also build on their work with area in elementary school by reasoning about relationships among shapes to determine area, surface area, and volume. They find areas of right triangles, other triangles, and special quadrilaterals by decomposing these shapes, rearranging or removing pieces, and relating the shapes to rectangles. Using these methods, students discuss, develop, and justify formulas for areas of triangles and parallelograms. Students find areas of polygons and surface areas of prisms and pyramids by decomposing them into pieces whose area they can determine. They reason about right rectangular prisms with fractional side lengths to extend formulas for the volume of a right rectangular prism to fractional side lengths. They prepare for work on scale drawings and constructions in Grade 7 by drawing polygons in the coordinate plane.

Coding for Document



Anderson County Middle School

Math

Grade 6

Ratios and Proportional Relationships Understand ratio concepts and use ratio reasoning to solve problems.			
Kentucky Core Academic Standard	ACT College Readiness Standard for EXPLORE	Common Core Mathematical Practice Standard	What Does This Standard Mean?
<p>6.RP.1. Understand the concept of a ratio and use ratio language to describe a ratio relationship between two quantities. For example, “The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak.” “For every vote candidate A received, candidate C received nearly three votes.”</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Write ratio notation ___:___, ___ to ___, ___/___. <i>I can write ratios using correct order.</i> <input type="checkbox"/> Know order matters when writing a ratio. <input type="checkbox"/> Know ratios can be simplified. <i>I can simplify ratios.</i> <input type="checkbox"/> Know ratios compare two quantities; the quantities do not have to be the same unit of measure. <i>I can compare two quantities of the same or different units of measure.</i> <input type="checkbox"/> Recognize that ratios appear in a variety of different contexts; part-to-whole, part-to-part, and rates. 	<p>Basic Operations and Applications:</p> <ul style="list-style-type: none"> -Solve routine two-step or three-step arithmetic problems involving concepts such as rate and proportion, tax added, percentage off, and computing with a given average. -Solve multistep arithmetic problems that involve planning or converting units of measure (e.g., feet per second to miles per hour) 	<p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.6. Attend to precision.</p>	<p>A ratio is a comparison of two quantities which can be written as a to b, $\frac{a}{b}$, or $a:b$.</p> <p>A rate is a ratio where two measurements are related to each other. When discussing measurement of different units, the word rate is used rather than ratio. Understanding rate, however, is complicated and there is no universally accepted definition. When using the term rate, contextual understanding is critical. Students need many opportunities to use models to demonstrate the relationships between quantities before they are expected to work with rates numerically.</p> <p>A comparison of 8 black circles to 4 white circles can be written as the ratio of 8:4 and can be regrouped into 4 black circles to 2 white circles (4:2) and 2 black circles to 1 white circle (2:1).</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Students should be able to identify all these ratios and describe them using “For every...., there are ...”</p>

<p><i>I can recognize different ratio contexts (part-to-whole, part-to-part, rates.)</i></p> <p>Reasoning Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Generalize that all ratios relate two quantities or measures within a given situation in a multiplicative relationship. <p><i>I can explain that all ratios relate two quantities in a multiplicative relationship.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Analyze your context to determine which kind of ratio is represented. <p><i>I can analyze context to determine which kind of ratio is represented.</i></p>			
<p>6.RP.2. Understand the concept of a unit rate a/b associated with a ratio $a:b$ with $b \neq 0$, and use rate language in the context of a ratio relationship. For example, “This recipe has a ratio of 3 cups of flour to 4 cups of sugar, so there is $3/4$ cup of flour for each cup of sugar.” “We paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger.” (Expectations for unit rates in this grade are limited to non-complex fractions.)</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Identify and calculate a unit rate. <p><i>I can identify and calculate a unit rate.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Use appropriate math terminology as related to rate. <p><i>I can use appropriate math terminology as related to rate.</i></p> <p>Reasoning Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Analyze the relationship between a ratio $a:b$ and a unit rate a/b where $b \neq 0$. <p><i>I can analyze the relationship between a ratio $a:b$ and a unit rate a/b where $b \neq 0$.</i></p>	<p>Basic Operations and Applications:</p> <ul style="list-style-type: none"> -Solve routine two-step or three-step arithmetic problems involving concepts such as rate and proportion, tax added, percentage off, and computing with a given average. -Solve multistep arithmetic problems that involve planning or converting units of measure (e.g., feet per second to miles per hour) 	<p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.6. Attend to precision.</p>	<p>A unit rate compares a quantity in terms of one unit of another quantity. Students will often use unit rates to solve missing value problems. Cost per item or distance per time unit are common unit rates, however, students should be able to flexibly use unit rates to name the amount of either quantity in terms of the other quantity. Students will begin to notice that related unit rates are reciprocals as in the first example. It is not intended that this be taught as an algorithm or rule because at this level, students should primarily use reasoning to find these unit rates.</p> <p>In Grade 6, students are not expected to work with unit rates expressed as complex fractions. Both the numerator and denominator of the original ratio will be whole numbers.</p> <p>Examples:</p> <ul style="list-style-type: none"> • On a bicycle you can travel 20 miles in 4 hours. What are the unit rates in this situation, (the distance you can travel in 1 hour and the amount of time required to travel 1 mile)? Solution: You can travel 5 miles in 1 hour written as $\frac{5 \text{ mi}}{1 \text{ hr}}$ and it takes $\frac{1}{5}$ of a hour to travel each mile written as $\frac{1}{5} \text{ hr}$. Students can represent the relationship between 20 miles and 4 hours.

<p>6.RP.3. Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.</p> <p>a. Make tables of equivalent ratios relating quantities with whole-number measurements, find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios.</p> <p>b. Solve unit rate problems including those involving unit pricing and constant speed. For example, if it took 7 hours to mow 4 lawns, then at that rate, how many lawns could be mowed in 35 hours? At what rate were lawns being mowed?</p> <p>c. Find a percent of a quantity as a rate per 100 (e.g., 30% of a quantity means $\frac{30}{100}$ times the quantity); solve problems involving finding the whole, given a part and the percent.</p> <p>d. Use ratio reasoning to convert measurement units; manipulate and transform units appropriately when multiplying or dividing quantities.</p> <p>Knowledge Targets:</p> <p><input type="checkbox"/> Make a table of equivalent ratios using whole numbers.</p>	<p>Basic Operations and Applications:</p> <p>-Solve multistep arithmetic problems that involve planning or converting units of measure (e.g., feet per second to miles per hour)</p>	<p>6.MP.1. Make sense of problems and persevere in solving them.</p> <p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.4. Model with mathematics</p> <p>6.MP.5. Use appropriate tools strategically.</p> <p>6.MP.7. Look for and make use of structure.</p>	<p>Examples:</p> <ul style="list-style-type: none"> Using the information in the table, find the number of yards in 24 feet. <table border="1" data-bbox="1409 581 1843 647"> <tr> <td>Feet</td> <td>3</td> <td>6</td> <td>9</td> <td>15</td> <td>24</td> </tr> <tr> <td>Yards</td> <td>1</td> <td>2</td> <td>3</td> <td>5</td> <td>?</td> </tr> </table> <p>There are several strategies that students could use to determine the solution to this problem.</p> <ul style="list-style-type: none"> Add quantities from the table to total 24 feet (9 feet and 15 feet); therefore the number of yards must be 8 yards (3 yards and 5 yards). Use multiplication to find 24 feet: 1) 3 feet \times 8 = 24 feet; therefore 1 yard \times 8 = 8 yards, or 2) 6 feet \times 4 = 24 feet; therefore 2 yards \times 4 = 8 yards. <ul style="list-style-type: none"> Compare the number of black to white circles. If the ratio remains the same, how many black circles will you have if you have 60 white circles? <p style="text-align: center;">● ● ● ● ○ ○ ○</p> <table border="1" data-bbox="1373 1138 1879 1203"> <tr> <td>Black</td> <td>4</td> <td>40</td> <td>20</td> <td>60</td> <td>?</td> </tr> <tr> <td>White</td> <td>3</td> <td>30</td> <td>15</td> <td>45</td> <td>60</td> </tr> </table>	Feet	3	6	9	15	24	Yards	1	2	3	5	?	Black	4	40	20	60	?	White	3	30	15	45	60
Feet	3	6	9	15	24																						
Yards	1	2	3	5	?																						
Black	4	40	20	60	?																						
White	3	30	15	45	60																						

I can construct a table of equivalent ratios using whole numbers.

- Find the missing values in a table of equivalent ratios.

I can identify missing values in a table of equivalent ratios

- Plot pairs of values that represent equivalent ratios on the coordinate plane.

I can graph equivalent ratios as ordered pair on the coordinate plane.

- Know that a percent is a ratio of a number to 100.

I can identify that a percent is a ratio of a number to 100.

- Find a % of a number as a rate per 100.

I can calculate the percent of a number as a rate per 100.

Reasoning Targets:

- Use tables to compare proportional quantities.

I can compare proportional quantities using tables.

- Solve real-world and mathematical problems involving ratio and rate, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.

I can solve real-world and mathematical problems involving ratio and rate.


- Apply the concept of unit rate to solve real-world problems involving unit pricing.

I can apply the concept of unit rate to solve real-world problems involving unit pricing.

- Apply the concept of unit rate to solve real-world problems involving constant speed.

I can apply the concept of unit rate to solve real-world problems involving

- If 6 is 30% of a value, what is that value? (Solution: 20)



- A credit card company charges 17% interest on any charges not paid at the end of the month. Make a ratio table to show how much the interest would be for several amounts. If your bill totals \$450 for this month, how much interest would you have to pay if you let the balance carry to the next month? Show the relationship on a graph and use the graph to predict the interest charges for a \$300 balance.

Charges	\$1	\$50	\$100	\$200	\$450
Interest	\$0.17	\$8.50	\$17	\$34	?

<p>constant speed.</p> <p><input type="checkbox"/> Solve real-world problems involving finding whole, given a part and a percent.</p> <p><i>I can solve real-world problems involving finding whole, given a part and a percent.</i></p> <p><input type="checkbox"/> Apply ratio reasoning to convert measurement unit in real-world and mathematical problems.</p> <p><i>I can apply ratio reasoning to convert measurement unit in real-world and mathematical problems.</i></p> <p><input type="checkbox"/> Apply ratio reasoning to convert measurement units by multiplying or dividing in real-world and mathematical problems.</p> <p><i>I can apply ratio reasoning to convert measurement unit by multiplying or dividing in real-world and mathematical problems.</i></p>			
---	--	--	--

The Number System

Apply and extend previous understandings of multiplication and division to divide fractions by fractions.

Kentucky Core Academic Standard	ACT College Readiness Standard for EXPLORE	Common Core Mathematical Practice Standard	What Does This Standard Mean?
<p>6.NS.1. Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. For example, create a story context for $(2/3) \div (3/4)$ and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that $(2/3) \div (3/4) = 8/9$ because $3/4$ of $8/9$ is $2/3$. (In general, $(a/b) \div (c/d) = ad/bc$.) How much chocolate will each</p>	<p>Basic Operations and Applications:</p> <p>-Solve routine two-step or three-step arithmetic problems involving concepts such as rate and proportion, tax added, percentage off, and computing</p>	<p>6.MP.1. Make sense of problems and persevere in solving them.</p> <p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.3. Construct viable arguments and critique the reasoning</p>	<p>Contexts and visual models can help students to understand quotients of fractions and begin to develop the relationship between multiplication and division. Model development can be facilitated by building from familiar scenarios with whole or friendly number dividends or divisors. Computing quotients of fractions build upon and extends student understandings developed in Grade 5. Students make drawings, model situations with manipulatives, or manipulate computer generated models.</p> <p>Examples:</p> <ul style="list-style-type: none"> • 3 people share $\frac{1}{2}$ pound of chocolate. How much of a

person get if 3 people share $\frac{1}{2}$ lb of chocolate equally? How many $\frac{3}{4}$ -cup servings are in $\frac{2}{3}$ of a cup of yogurt? How wide is a rectangular strip of land with length $\frac{3}{4}$ mi and area $\frac{1}{2}$ square mi?

Knowledge Targets:

- Compute quotients of fractions divided by fractions (including mixed numbers.)

I can compute quotient of fractions divided by fractions (including mixed numbers.)

Reasoning Targets:

- Interpret quotients of fractions.

I can interpret quotients of fractions.

- Solving word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem.

I can use fraction visual models to solve word problems.

with a given average.

Graphical Representations

- Locate points on a coordinate plane.
- Exhibit knowledge of slope.
- Match linear graphs with their equations.
- Interpret and use information from graphs in the coordinate plane.

Graphical Representations

- Locate points in a coordinate plane.

of others.


6.MP.4. Model with mathematics.

6.MP.7. Look for and make use of structure.


6.MP.8. Look for and express regularity in repeated reasoning.

pound of chocolate does each person get?

Solution: Each person gets $\frac{1}{6}$ lb of chocolate.



- Manny has $\frac{1}{2}$ yard of fabric to make book covers. Each book is made from $\frac{1}{8}$ yard of fabric. How many book covers can Manny make? Solution: Manny can make 4 book covers.




- Represent $\frac{1}{2} \div \frac{2}{3}$ in a problem context and draw a model to show your solution.

Context: You are making a recipe that calls for $\frac{2}{3}$ cup of yogurt.

You have $\frac{1}{2}$ cup of yogurt from a snack pack. How much of the recipe can you make?

Explanation of Model:

The first model shows $\frac{1}{2}$ cup. The shaded squares in all three

			<p>models show $\frac{1}{2}$ cup.</p> <p>The second model shows $\frac{1}{2}$ cup and also shows $\frac{1}{3}$ cups horizontally.</p> <p>The third model shows $\frac{1}{2}$ cup moved to fit in only the area shown by $\frac{2}{3}$ of the model.</p> <p>$\frac{2}{3}$ is the new referent unit (whole) .</p> <p>3 out of the 4 squares in the $\frac{2}{3}$ portion are shaded. A $\frac{1}{2}$ cup is only $\frac{3}{4}$ of a $\frac{2}{3}$ cup portion, so you can only make $\frac{3}{4}$ of the recipe.</p> 
--	--	--	---

The Number System

Compute fluently with multi-digit numbers and find common factors and multiples.

Kentucky Core Academic Standard	ACT College Readiness Standard for EXPLORE	Common Core Mathematical Practice Standard	What Does This Standard Mean?
<p>6.NS.2. Fluently divide multi-digit numbers using the standard algorithm.</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Fluently divide multi-digit numbers using the standard algorithm with speed and accuracy. <p><i>I can divide multi-digit numbers using the standard algorithm.</i></p>	<p>Numbers: Concepts and Properties:</p> <ul style="list-style-type: none"> -Exhibit knowledge of elementary number concepts including rounding, the ordering of decimals, pattern 	<p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.7. Look for and make use of structure.</p> <p>6.MP.8. Look for and express regularity in</p>	<p>Students are expected to fluently and accurately divide multi-digit whole numbers. Divisors can be any number of digits at this grade level.</p> <p>As students divide they should continue to use their understanding of place value to describe what they are doing. When using the standard algorithm, students' language should reference place value. For example, when dividing 32 into 8456, as they write a 2 in the quotient they should say, "there are 200 thirty-twos in 8456 " and could write 6400 beneath the 8456</p>

	<p>identification, absolute value, primes and greatest common factor</p> <p>Basic Operations and Applications:</p> <ul style="list-style-type: none"> -Solve some routine two-step arithmetic problems. -Solve routine two-step or three-step arithmetic problems involving concepts such as rate and proportion, tax added, percentage off, and computing with a given average. -Solve multistep arithmetic problems that involve planning or converting units of measure (e.g., feet per second to miles per hour) <p>Graphical Representations</p> <ul style="list-style-type: none"> -Locate points on a coordinate plane. -Exhibit knowledge of slope. -Match linear graphs with their 	repeated reasoning.	<p>rather than only writing 64.</p> <table border="1"> <tr> <td data-bbox="1241 207 1428 313"> $\begin{array}{r} 2 \\ 32 \overline{)8456} \end{array}$ </td> <td data-bbox="1428 207 1982 313">There are 200 thirty twos in 8456.</td> </tr> <tr> <td data-bbox="1241 313 1428 500"> $\begin{array}{r} 2 \\ 32 \overline{)8456} \\ \underline{-6400} \\ 2056 \end{array}$ </td> <td data-bbox="1428 313 1982 500">200 times 32 is 6400. 8456 minus 6400 is 2056.</td> </tr> <tr> <td data-bbox="1241 500 1428 686"> $\begin{array}{r} 26 \\ 32 \overline{)8456} \\ \underline{-6400} \\ 2056 \end{array}$ </td> <td data-bbox="1428 500 1982 686">There are 60 thirty twos in 2056.</td> </tr> <tr> <td data-bbox="1241 686 1428 1063"> $\begin{array}{r} 26 \\ 32 \overline{)8456} \\ \underline{-6400} \\ 2056 \\ \underline{-1920} \\ 136 \end{array}$ </td> <td data-bbox="1428 686 1982 1063">60 times 32 is 1920. 2056 minus 1920 is 136.</td> </tr> <tr> <td data-bbox="1241 1063 1428 1370"> $\begin{array}{r} 264 \\ 32 \overline{)8456} \\ \underline{-6400} \\ 2056 \\ \underline{-1920} \\ 136 \\ \underline{-128} \end{array}$ </td> <td data-bbox="1428 1063 1982 1370">There are 4 thirty twos in 136. 4 times 32 is 128.</td> </tr> </table>	$\begin{array}{r} 2 \\ 32 \overline{)8456} \end{array}$	There are 200 thirty twos in 8456.	$\begin{array}{r} 2 \\ 32 \overline{)8456} \\ \underline{-6400} \\ 2056 \end{array}$	200 times 32 is 6400. 8456 minus 6400 is 2056.	$\begin{array}{r} 26 \\ 32 \overline{)8456} \\ \underline{-6400} \\ 2056 \end{array}$	There are 60 thirty twos in 2056.	$\begin{array}{r} 26 \\ 32 \overline{)8456} \\ \underline{-6400} \\ 2056 \\ \underline{-1920} \\ 136 \end{array}$	60 times 32 is 1920. 2056 minus 1920 is 136.	$\begin{array}{r} 264 \\ 32 \overline{)8456} \\ \underline{-6400} \\ 2056 \\ \underline{-1920} \\ 136 \\ \underline{-128} \end{array}$	There are 4 thirty twos in 136. 4 times 32 is 128.
$\begin{array}{r} 2 \\ 32 \overline{)8456} \end{array}$	There are 200 thirty twos in 8456.												
$\begin{array}{r} 2 \\ 32 \overline{)8456} \\ \underline{-6400} \\ 2056 \end{array}$	200 times 32 is 6400. 8456 minus 6400 is 2056.												
$\begin{array}{r} 26 \\ 32 \overline{)8456} \\ \underline{-6400} \\ 2056 \end{array}$	There are 60 thirty twos in 2056.												
$\begin{array}{r} 26 \\ 32 \overline{)8456} \\ \underline{-6400} \\ 2056 \\ \underline{-1920} \\ 136 \end{array}$	60 times 32 is 1920. 2056 minus 1920 is 136.												
$\begin{array}{r} 264 \\ 32 \overline{)8456} \\ \underline{-6400} \\ 2056 \\ \underline{-1920} \\ 136 \\ \underline{-128} \end{array}$	There are 4 thirty twos in 136. 4 times 32 is 128.												

	<p>equations. -Interpret and use information from graphs in the coordinate plane.</p> <p>Graphical Representations -Locate points in a coordinate plane.</p>		<table border="1" style="width: 100%;"> <tr> <td style="width: 30%; padding: 5px;"> $\begin{array}{r} 264 \\ 32 \overline{)8456} \\ \underline{-6400} \\ 2056 \\ \underline{-1920} \\ 136 \\ \underline{-128} \\ 8 \end{array}$ </td> <td style="padding: 5px;"> <p>The remainder is 8. There is not a full thirty two in 8; there is only part of a thirty two in 8.</p> <p>This can also be written as $\frac{8}{32}$ or $\frac{1}{4}$. There is $\frac{1}{4}$ of a thirty two in 8.</p> <p>$8456 = 264 * 32 + 8$</p> </td> </tr> </table>	$\begin{array}{r} 264 \\ 32 \overline{)8456} \\ \underline{-6400} \\ 2056 \\ \underline{-1920} \\ 136 \\ \underline{-128} \\ 8 \end{array}$	<p>The remainder is 8. There is not a full thirty two in 8; there is only part of a thirty two in 8.</p> <p>This can also be written as $\frac{8}{32}$ or $\frac{1}{4}$. There is $\frac{1}{4}$ of a thirty two in 8.</p> <p>$8456 = 264 * 32 + 8$</p>
$\begin{array}{r} 264 \\ 32 \overline{)8456} \\ \underline{-6400} \\ 2056 \\ \underline{-1920} \\ 136 \\ \underline{-128} \\ 8 \end{array}$	<p>The remainder is 8. There is not a full thirty two in 8; there is only part of a thirty two in 8.</p> <p>This can also be written as $\frac{8}{32}$ or $\frac{1}{4}$. There is $\frac{1}{4}$ of a thirty two in 8.</p> <p>$8456 = 264 * 32 + 8$</p>				
<p>6.NS.3. Fluently add, subtract, multiply, and divide multi-digit decimals using the standard algorithm for each operation.</p> <p>Knowledge Targets:</p> <p><input type="checkbox"/> Fluently add, subtract, multiply, and divide multi-digit decimals using the standard algorithm for each operation with speed and accuracy.</p> <p><i>I can add, subtract, multiply, and divide multi-digit decimals using the standard algorithm.</i></p>	<p>Numbers: Concepts and Properties: -Exhibit knowledge of elementary number concepts including rounding, the ordering of decimals, pattern identification, absolute value, primes and greatest common factor</p> <p>Basic Operations and Applications: -Solve some routine two-step arithmetic problems.</p> <p>Graphical Representations -Locate points in a coordinate plane.</p>	<p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.7. Look for and make use of structure.</p> <p>6.MP.8. Look for and express regularity in repeated reasoning.</p>	<p>The use of estimation strategies supports student understanding of operating on decimals.</p> <p>Example:</p> <ul style="list-style-type: none"> First, students estimate the sum and then find the exact sum of 14.4 and 8.75. An estimate of the sum might be 14 + 9 or 23. Students may also state if their estimate is low or high. They would expect their answer to be greater than 23. They can use their estimates to self-correct. <p>Answers of 10.19 or 101.9 indicate that students are not considering the concept of place value when adding (adding tenths to tenths or hundredths to hundredths) whereas answers like 22.125 or 22.79 indicate that students are having difficulty understanding how the four-tenths and seventy-five hundredths fit together to make one whole and 25 hundredths.</p> <p>Students use the understanding they developed in 5th grade related to the patterns involved when multiplying and dividing by powers of ten to develop fluency with operations with multi-digit decimals.</p>		

6.NS.4. Find the greatest common factor of two whole numbers less than or equal to 100 and the least common multiple of two whole numbers less than or equal to 12. Use the distributive property to express a sum of two whole numbers 1–100 with a common factor as a multiple of a sum of two whole numbers with no common factor. For example, express $36 + 8$ as $4(9+2)$.

Knowledge Targets:

- Identify the factors of two whole numbers less than or equal to 100 and determine the Greatest Common Factor.

I can identify the factors of two whole numbers less than or equal to 100 and determine the Greatest Common Factor.

- Identify the multiples of two whole numbers less than or equal to 12 and determine the Least Common Multiple.

I can identify the multiples of two whole numbers less than or equal to 12 and determine the Least Common Multiple.

Reasoning Targets:

- .Apply the Distributive Property to rewrite addition problems by factoring out the Greatest Common Factor.

I can apply the Distributive Property to rewrite addition problems by factoring out the Greatest Common Factor.

Numbers: Concepts and Properties:

- Exhibit knowledge of elementary number concepts including rounding, the ordering of decimals, pattern identification, absolute value, primes and greatest common factor

Graphical Representations

- Locate points on a coordinate plane.
- Exhibit knowledge of slope.
- Match linear graphs with their equations.
- Interpret and use information from graphs in the coordinate plane.
- Locate points in a coordinate plane.

6.MP.7. Look for and make use of structure.

Examples:

- What is the greatest common factor (GCF) of 24 and 36? How can you use factor lists or the prime factorizations to find the GCF?
Solution: $2^2 * 3 = 12$. Students should be able to explain that both 24 and 36 have 2 factors of 2 and one factor of 3, thus $2 \times 2 \times 3$ is the greatest common factor.)
- What is the least common multiple (LCM) of 12 and 8? How can you use multiple lists or the prime factorizations to find the LCM?
Solution: $2^3 * 3 = 24$. Students should be able to explain that the least common multiple is the smallest number that is a multiple of 12 and a multiple of 8. To be a multiple of 12, a number must have 2 factors of 2 and one factor of 3 ($2 \times 2 \times 3$). To be a multiple of 8, a number must have 3 factors of 2 ($2 \times 2 \times 2$). Thus the least common multiple of 12 and 8 must have 3 factors of 2 and one factor of 3 ($2 \times 2 \times 2 \times 3$).
- Rewrite $84 + 28$ by using the distributive property. Have you divided by the largest common factor? How do you know?
- Given various pairs of addends using whole numbers from 1-100, students should be able to identify if the two numbers have a common factor. If they do, they identify the common factor and use the distributive property to rewrite the expression. They prove that they are correct by simplifying both expressions.

$$\begin{aligned} \circ \quad 27 + 36 &= 9(3 + 4) \\ &63 = 9 \times 7 \\ &63 = 63 \end{aligned}$$

$$\circ \quad 31 + 80$$

There are no common factors. I know that because 31 is a prime number, it only has 2 factors, 1 and 31. I know that 31 is not a factor of 80 because 2×31 is 62 and 3×31 is 93.

The Number System

Apply and extend previous understandings of numbers to the system of rational numbers.


Kentucky Core Academic Standard	ACT College Readiness Standard for EXPLORE	Common Core Mathematical Practice Standard	What Does This Standard Mean?
<p>6.NS.5. Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/debits, positive/negative electric charge); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Identify an integer and its opposite. <i>I can identify an integer and its opposite.</i> <p>Reasoning Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Use integers to represent quantities in real world situations (above/below sea level, etc.) <i>I can use integers to represent quantities in real world situations (above/below sea level, etc.)</i> <input type="checkbox"/> Explain where zero fits into a situation represented by integers. <i>I can explain where zero fits into a situation represented by integers.</i> 	<p>Graphical Representations</p> <ul style="list-style-type: none"> -Locate points on a coordinate plane. -Exhibit knowledge of slope. -Match linear graphs with their equations. -Interpret and use information from graphs in the coordinate plane. -Locate points in a coordinate plane. 	<p>6.MP.1. Make sense of problems and persevere in solving them.</p> <p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.4. Model with mathematics.</p>	
<p>6.NS.6. Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.</p>	<p>Graphical Representations</p> <ul style="list-style-type: none"> -Locate points on a coordinate plane. -Exhibit knowledge of slope. 	<p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.4. Model with mathematics.</p>	<p>Number lines can be used to show numbers and their opposites. Both 3 and -3 are 3 units from zero on the number line. Graphing points and reflecting across zero on a number line extends to graphing and reflecting points across axes on a coordinate grid. The use of both horizontal and vertical number line models facilitates the movement from number lines to coordinate grids.</p>

- a. Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line; recognize that the opposite of the opposite of a number is the number itself, e.g., $-(-3) = 3$, and that 0 is its own opposite.
- b. Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections across one or both axes.
- c. Find and position integers and other rational numbers on a horizontal or vertical number line diagram; find and position pairs of integers and other rational numbers on a coordinate plane.

- Match linear graphs with their equations.
- Interpret and use information from graphs in the coordinate plane.
- Locate points in a coordinate plane.

Knowledge Targets:

- Identify a rational number as a point on the number line.
I can identify a rational number as a point on the number line.
- Identify the location of zero on a number line in relation to positive and negative numbers.
I can identify the location of zero on a number line in relation to positive and negative numbers.
- Recognize opposite signs of numbers as locations on opposite sides of 0 on the number line.
I can recognize opposite signs of numbers as locations on opposite sides of 0 on the number line.
- Recognize the signs of both numbers in an ordered pair indicate which quadrant of the coordinate plane the ordered pair will be located.
I can identify which quadrant an ordered



Example:

- Graph the following points in the correct quadrant of the coordinate plane. If you reflected each point across the x-axis, what are the coordinates of the reflected points? What similarities do you notice between coordinates of the original point and the reflected point?

$\left(\frac{1}{2}, -3\frac{1}{2}\right)$ $\left(-\frac{1}{2}, -3\right)$ $(0.25, -0.75)$

pair is located based on the coordinate.

- Find and position integers and other rational numbers on a horizontal or vertical number line diagram.

I can graph integers and rational numbers on horizontal or vertical number line.

- Find and position pairs of integers and other rational numbers on a coordinate plane.

I can graph ordered pairs on a coordinate plane.

Reasoning Targets:

- Reason that the opposite of the opposite of a number is the number itself.

I can recognize that the opposite of the opposite of a number is the number itself.

- Reason that when only the x value in a set of ordered pairs are opposites, it creates a reflection over the y axis, e.g., (x,y) and $(-x,y)$.




I can recognize the when only the y value in a set of ordered pairs are opposites, it creates a reflection over the x axis, e.g., (x, y) and $(x, -y)$.

- Recognize that when only the y value in a set of ordered pairs are opposites, it creates a reflection over the x axis, e.g., (x,y) and $(x -y)$.

I can recognize that when two ordered pairs differ only by signs, the locations of the point are related by reflections across both axes, e.g., $(-x, -y)$ and (x, y) .

- Reason that when two ordered pairs differ only by signs, the locations of the points are related by reflections across both axes, e.g., $(-x, -y)$ and (x, y) .

I can recognize that when two ordered pairs differ only by signs, the locations of

<p><i>the points are related by reflections across both axes, e.g., $(-x, -y)$ and (x, y).</i></p>			
<p>6.NS.7. Understand ordering and absolute value of rational numbers.</p> <p>a. Interpret statements of inequality as statements about the relative position of two numbers on a number line diagram. <i>For example, interpret $-3 > -7$ as a statement that -3 is located to the right of -7 on a number line oriented from left to right.</i></p> <p>b. Write, interpret, and explain statements of order for rational numbers in real-world contexts. <i>For example, write $-3^{\circ}\text{C} > -7^{\circ}\text{C}$ to express the fact that -3°C is warmer than -7°C.</i></p> <p>c. Understand the absolute value of a rational number as its distance from 0 on the number line; interpret absolute value as magnitude for a positive or negative quantity in a real-world situation. <i>For example, for an account balance of -30 dollars, write $-30 = 30$ to describe the size of the debt in dollars.</i></p> <p>d. Distinguish comparisons of absolute value from statements about order. <i>For example, recognize that an account balance less than -30 dollars represents a debt greater than 30 dollars.</i></p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Order rational numbers on a number line. <p><i>I can order rational numbers on a number line.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Identify absolute value of rational numbers. <p><i>I can identify absolute value of rational numbers.</i></p>	<p>Graphical Representations</p> <ul style="list-style-type: none"> -Locate points on a coordinate plane. -Exhibit knowledge of slope. -Match linear graphs with their equations. -Interpret and use information from graphs in the coordinate plane. -Locate points in a coordinate plane. 	<p>6.MP.1. Make sense of problems and persevere in solving them.</p> <p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.4. Model with mathematics.</p>	<p>Common models to represent and compare integers include number line models, temperature models and the profit-loss model. On a number line model, the number is represented by an arrow drawn from zero to the location of the number on the number line; the absolute value is the length of this arrow. The number line can also be viewed as a thermometer where each point of on the number line is a specific temperature. In the profit-loss model, a positive number corresponds to profit and the negative number corresponds to a loss. Each of these models is useful for examining values but can also be used in later grades when students begin to perform operations on integers.</p> <p>In working with number line models, students internalize the order of the numbers; larger numbers on the right or top of the number line and smaller numbers to the left or bottom of the number line. They use the order to correctly locate integers and other rational numbers on the number line. By placing two numbers on the same number line, they are able to write inequalities and make statements about the relationships between the numbers.</p> <p>Case 1: Two positive numbers</p>  <p>Case 2: One positive and one negative number</p>  <p>Case 3: Two negative numbers</p> 

Reasoning Targets:

- Interpret statements of inequality as statements about relative position of two numbers on a number line diagram.

I can interpret statements of inequality as statements about relative position of two numbers on a number line diagram.

- Write, interpret, and explain statements of order for rational numbers, in real-world contexts.

I can write, interpret, and explain statements of order for rational numbers, in real-world contexts.

- Interpret absolute value as magnitude for a positive or negative quantity in a real-world situation.

I can interpret absolute value as magnitude for a positive or negative quantity in a real-world situation.

- Distinguish comparisons of absolute value from statements about order and apply to real world contexts.


I can distinguish comparisons of absolute value from statements about order and apply to real world contexts.

$-3 > -5$
negative 3 is greater than negative 5
negative 5 is less than negative 3

Comparative statements generate informal experience with operations and lay the foundation for formal work with operations on integers in grade 7.

Example:

- One of the thermometers shows -3°C and the other shows -7°C . Which thermometer shows which temperature? Which is the colder temperature? How much colder? Write an inequality to show the relationship between the temperatures and explain how the model shows this relationship.



Students recognize the distance from zero as the absolute value or magnitude of a rational number. Students need multiple experiences to understand the relationships between numbers, absolute value, and statements about order.

Example:

- The Great Barrier Reef is the world's largest reef system and is located off the coast of Australia. It reaches from

			<p>the surface of the ocean to a depth of 150 meters. Students could represent this value as less than 150 meters or a depth no greater than 150 meters below sea level.</p>
<p>6.NS.8. Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Calculate absolute value. <p><i>I can calculate absolute value</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Graph points in all four quadrants of the coordinate plane. <p><i>I can graph points in all four quadrants of the coordinate plane.</i></p> <p>Reasoning Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Solve real-world problems by graphing points in all four quadrants of a coordinate plane. <p><i>I can solve real-world problems by graphing points in all four quadrants of a coordinate plane.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Given only coordinates, calculate the distances between two points with the same first coordinate or the same second coordinate using absolute value. <p><i>I can calculate the distance between two points when given only coordinates with the same x or same y coordinate using absolute value.</i></p>	<p>Graphical Representations</p> <ul style="list-style-type: none"> -Locate points on a coordinate plane. -Exhibit knowledge of slope. -Match linear graphs with their equations. -Interpret and use information from graphs in the coordinate plane. -Locate points in a coordinate plane. 	<p>6.MP.1. Make sense of problems and persevere in solving them.</p> <p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.4. Model with mathematics.</p> <p>6.MP.5. Use appropriate tools strategically.</p> <p>6.MP.7. Look for and make use of structure.</p>	<p>Example:</p> <ul style="list-style-type: none"> • If the points on the coordinate plane below are the three vertices of a rectangle, what are the coordinates of the fourth vertex? How do you know? What are the length and width of the rectangle? <div data-bbox="1583 526 1871 818" data-label="Figure"> </div> <p>To determine the distance along the x-axis between the point (-4, 2) and (2, 2) a student must recognize that -4 is -4 or 4 units to the left of 0 and 2 is 2 or 2 units to the right of zero, so the two points are total of 6 units apart along the x-axis. Students should represent this on the coordinate grid and numerically with an absolute value expression, $-4 + 2$.</p>

Expressions and Equations

Apply and extend previous understandings of arithmetic to algebraic expressions.

Kentucky Core Academic Standard	ACT College Readiness Standard for EXPLORE	Common Core Mathematical Practice Standard	What Does This Standard Mean?
<p>6.EE.1. Write and evaluate numerical expressions involving whole-number exponents.</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Write numerical expressions involving whole number exponents. Ex. $3^4 = 3 \times 3 \times 3 \times 3$ <p><i>I can write numerical expressions involving whole number exponents.</i> Ex. $3^4 = 3 \times 3 \times 3 \times 3$</p> <ul style="list-style-type: none"> <input type="checkbox"/> Evaluate numerical expressions involving whole number exponents. Ex. $3^4 = 3 \times 3 \times 3 \times 3 = 81$ <p><i>I can evaluate numerical expressions involving whole number exponents.</i> Ex. $3^4 = 3 \times 3 \times 3 \times 3 = 81$</p> <ul style="list-style-type: none"> <input type="checkbox"/> Solve order of operation problems that contain exponents. Ex. $3 + 2^2 - (2 + 3) = 2$ <p><i>I can solve order of operation problems that contain exponents.</i> Ex. $3 + 2^2 - (2 + 3) = 2$</p>	<p>Numbers: Concepts and Properties:</p> <ul style="list-style-type: none"> -Work problems involving positive integer exponents. -Work with squares and square roots of numbers work with cubes and cube roots of numbers. 	<p>6.MP.2. Reason abstractly and quantitatively.</p>	<p>Examples:</p> <ul style="list-style-type: none"> • Write the following as a numerical expressions using exponential notation. <ul style="list-style-type: none"> ○ The area of a square with a side length of 8 m (Solution: $8^2 m^2$) ○ The volume of a cube with a side length of 5 ft: (Solution: $5^3 ft^3$) ○ Yu-Lee has a pair of mice. The mice each have 2 babies. The babies grow up and have two babies of their own: (Solution: 2^3 mice) • Evaluate: <ul style="list-style-type: none"> ○ 4^3 (Solution: 64) ○ $5 + 2^4 \bullet 6$ (Solution: 101) ○ $7^2 - 24 \div 3 + 26$ (Solution: 67)

<p>6.EE.2. Write, read, and evaluate expressions in which letters stand for numbers.</p> <p>a. Write expressions that record operations with numbers and with letters standing for numbers. <i>For example, express the calculation “Subtract y from 5” as $5 - y$.</i></p> <p>b. Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, coefficient); view one or more parts of an expression as a single entity. <i>For example, describe the expression $2(8+7)$ as a product of two factors; view $(8+7)$ as both a single entity and a sum of two terms</i></p> <p>c. Evaluate expressions at specific values of their variables. Include expressions that arise from formulas used in real-world problems. Perform arithmetic operations, including those involving whole-number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations). <i>For example, use the formulas $V=s^3$ and $A=6s^2$ to find the volume and surface area of a cube with sides of length $s=1/2$.</i></p>	<p>Expressions, Equations, and Inequalities:</p> <ul style="list-style-type: none"> -Solve routine first-degree equations. -Find solutions to systems of linear equations. -Write expressions, equations, or inequalities with a single variable for common pre-algebra settings (e.g., rate and distance problems and problems that can be solved by using proportions.) 	<p>6.MP.1. Make sense of problems and persevere in solving them.</p> <p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>6.MP.4. Model with mathematics.</p> <p>6.MP.6. Attend to precision.</p>	<p>It is important for students to read algebraic expressions in a manner that reinforces that the variable represents a number.</p> <ul style="list-style-type: none"> • $r + 21$ as “some number plus 21 as well as “r plus 21” • $n \cdot 6$ as “some number times 6 as well as “n times 6” • $\frac{s}{6}$ and $s \div 6$ as “as some number divided by 6” as well as “s divided by 6” <p>Students should identify the parts of an algebraic expression including variables, coefficients, constants, and the names of operations (sum, difference, product, and quotient). Development of this common language helps students to understand the structure of expressions and explain their process for simplifying expressions.</p> <p>Terms are the parts of a sum. When the term is an explicit number, it is called a constant. When the term is a product of a number and a variable, the number is called the coefficient of the variable.</p> <p>Variables are letters that represent numbers. There are various possibilities for the numbers they can represent; students can substitute these possible numbers for the letters in the expression for various different purposes.</p> <p>Consider the following expression: $x^2 + 5y + 3x + 6$</p> <p>The variables are x and y. There are 4 terms, x^2, 5y, 3x, and 6. There are 3 variable terms, x^2, 5y, 3x. They have coefficients of 1, 5, and 3 respectively. The coefficient of x^2 is 1, since $x^2 = 1x^2$. The term 5y represent 5 y’s or $5 \cdot y$. There is one constant term, 6. The expression shows a sum of all four terms.</p> <p>Examples:</p> <ul style="list-style-type: none"> • 7 more than 3 times a number (Solution: $3x + 7$) • 3 times the sum of a number and 5 (Solution: $3(x + 5)$) • 7 less than the product of 2 and a number (Solution:
<p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Use numbers and variables to represent desired operations. <p><i>I can use numbers and variables to represent desired operations.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Identify parts of an expression using mathematical terms (sum, term, produce, factor, quotient, coefficient). <p><i>I can identify parts of an expression using mathematical terms (sum, term, produce, factor, quotient, coefficient.)</i></p>			

<p><input type="checkbox"/> Identify parts of an expression as a single entity, even if not a monomial. <i>I can identify parts of an expression as a single entity, even if not a monomial.</i></p> <p><input type="checkbox"/> Substitute specific values for variables. <i>I can substitute specific values for variables.</i></p> <p><input type="checkbox"/> Evaluate algebraic expressions including those that arise from real-world problems. <i>I can evaluate algebraic expressions including those that arise from real-world problems.</i></p> <p><input type="checkbox"/> Apply order of operations when there are no parentheses for expressions that include whole number exponents. <i>I can apply order of operations when there are no parentheses for expressions that include whole number exponents.</i></p> <p>Reasoning Targets:</p> <p><input type="checkbox"/> Translating written phrases into algebraic expressions. <i>I can translate written phrases into algebraic expressions.</i></p> <p><input type="checkbox"/> Translating algebraic expressions into written phrases. <i>I can translate algebraic expressions into written phrases.</i></p>			<p>$2x - 7$)</p> <ul style="list-style-type: none"> Twice the difference between a number and 5 (Solution: $2(z - 5)$) Evaluate $5(n + 3) - 7n$, when $n = \frac{1}{2}$. The expression $c + 0.07c$ can be used to find the total cost of an item with 7% sales tax, where c is the pre-tax cost of the item. Use the expression to find the total cost of an item that cost \$25. The perimeter of a parallelogram is found using the formula $p = 2l + 2w$. What is the perimeter of a rectangular picture frame with dimensions of 8.5 inches by 11 inches.
<p>6.EE.3. Apply the properties of operations to generate equivalent expressions. For example, apply the distributive property to the expression $3(2 + x)$ to produce the equivalent expression $6 + 3x$; apply the distributive property to the expression $24x + 18y$ to produce the equivalent expression $6(4x + 3y)$; apply properties of operations to $y + y + y$ to produce the equivalent expression $3y$.</p>		<p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>6.MP.4. Model with mathematics.</p>	<p>Students use their understanding of multiplication to interpret $3(2 + x)$. For example, 3 groups of $(2 + x)$. They use a model to represent x, and make an array to show the meaning of $3(2 + x)$. They can explain why it makes sense that $3(2 + x)$ is equal to $6 + 3x$.</p> <p>An  array with 3 columns and $x + 2$ in each column:</p>

<p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Generate equivalent expressions using the properties of operations (e.g. distributive property, associative property, adding like terms with the addition property of equality, etc.). <p><i>I can generate equivalent expressions using the properties of operations (e.g. distributive property, associative property, adding like terms with the addition property of equality, etc.)</i></p> <p>Reasoning Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Apply the properties of operations to generate equivalent expressions. <p><i>I can apply the properties of operations to generate equivalent expressions.</i></p>		<p>6.MP.6. Attend to precision.</p> <p>6.MP.7. Look for and make use of structure.</p>	<p>Students interpret y as referring to one y. Thus, they can reason that one y plus one y plus one y must be $3y$. They also use the distributive property, the multiplicative identity property of 1, and the commutative property for multiplication to prove that $y + y + y = 3y$:</p> $y + y + y = y \times 1 + y \times 1 + y \times 1 = y \times (1 + 1 + 1) = y \times 3 = 3y$
<p>6.EE.4. Identify when two expressions are equivalent (i.e., when the two expressions name the same number regardless of which value is substituted into them). For example, the expressions $y + y + y$ and $3y$ are equivalent because they name the same number regardless of which number y stands for.</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Recognize when two expressions are equivalent. <p><i>I can recognize when two expressions are equivalent.</i></p> <p>Reasoning Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Prove (using various strategies) that two equations are equivalent no matter what number is substituted. <p><i>I can prove (using various strategies) that two equations are equivalent no matter what number is substituted.</i></p>		<p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>6.MP.4. Model with mathematics.</p> <p>6.MP.6. Attend to precision.</p> <p>6.MP.7. Look for and make use of structure.</p>	<p>Students connect their experiences with finding and identifying equivalent forms of whole numbers and can write expressions in various forms. Students generate equivalent expressions using the associative, commutative, and distributive properties. They can prove that the expressions are equivalent by simplifying each expression into the same form.</p> <p>Example:</p> <ul style="list-style-type: none"> • Are the expressions equivalent? How do you know? $4m + 8 \qquad 4(m+2) \qquad 3m + 8 + m \qquad 2 + 2m$ $+ m + 6 + m$ <p>Solution: See next page</p>

			Expression	Simplifying the Expression	Explanation
			$4m + 8$	$4m + 8$	Already in simplest form
			$4(m+2)$	$4(m+2)$ $4m + 8$	<i>Distributive property</i>
			$3m + 8 + m$	$3m + 8 + m$ $3m + m + 8$ $(3m + m) + 8$ $4m + 8$	<i>Combined like terms</i>
			$2 + 2m + m + 6 + m$	$2 + 2m + m + 6 + m$ $2 + 6 + 2m + m + m$ $(2 + 6) + (2m + m + m)$ $8 + 4m$ $4m + 8$	<i>Combined like terms</i>


Expressions and Equations

Reason about and solve one-variable equations and inequalities.

Kentucky Core Academic Standard	ACT College Readiness Standard for EXPLORE	Common Core Mathematical Practice Standard	What Does This Standard Mean?
<p>6.EE.5. Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a specified set makes an equation or inequality true.</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Recognize solving an equation or inequality as a process of answering “which values from a specified set, if any, make the equation or inequality true?” <p><i>I can recognize solving an equation or</i></p>	<p>Numbers: Concepts and Properties:</p> <ul style="list-style-type: none"> -Work scientific notation -Work problems involving positive integer exponents. -Work with squares and square roots of numbers work with cubes and cube roots of numbers. <p>Basic Operations</p>	<p>6.MP.1. Make sense of problems and persevere in solving them.</p> <p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.4. Model with mathematics.</p> <p>6.MP.7. Look for and make use of structure.</p>	<p>Beginning experiences in solving equations should require students to understand the meaning of the equation as well as the question being asked. Solving equations using reasoning and prior knowledge should be required of students to allow them to develop effective strategies such as using reasoning, fact families, and inverse operations. Students may use balance models in representing and solving equations and inequalities.</p> <p>Consider the following situation: Joey had 26 papers in his desk. His teacher gave him some more and now he has 100. How many papers did his teacher give him?</p> <p>This situation can be represented by the equation $26 + n = 100$ where n is the number of papers the teacher gives to Joey. This equation can be stated as “some number was added to 26 and</p>

<p><i>inequality as a process of answering “which values from a specified set, if any, make the equation or inequality true?”</i></p> <p><input type="checkbox"/> Know that the solutions of an equation or inequality are the values that make the equation or inequality true.</p> <p><i>I can know that the solutions of an equation or inequality are the values that make the equation or inequality true.</i></p> <p><input type="checkbox"/> Use substitution to determine whether a given number in a specified set makes an equation or inequality true.</p> <p><i>I can use substitution to determine whether a given number in a specified set makes an equation or inequality true.</i></p>	<p>and Applications:</p> <p>--Solve multistep arithmetic problems that involve planning or converting units of measure (e.g., feet per second to miles per hour)</p>		<p>the result was 100”. Students ask themselves “What number was added to 26 to get 100?” to help them determine the value of the variable that makes the equation true. Students could use several different strategies to find a solution to the problem.</p> <ul style="list-style-type: none"> ○ Reasoning: $26 + 70$ is 96. $96 + 4$ is 100, so the number added to 26 to get 100 is 74. ○ Use knowledge of fact families to write related equations: $n + 26 = 100$, $100 - n = 26$, $100 - 26 = n$. Select the equation that helps you find n easily. ○ Use knowledge of inverse operations: Since subtraction “undoes” addition then subtract 26 from 100 to get the numerical value of n ○ Scale model: There are 26 blocks on the left side of the scale and 100 blocks on the right side of the scale. All the blocks are the same size. 74 blocks need to be added to the left side of the scale to make the scale balance. ○ Bar Model: Each bar represents one of the values. Students use this visual representation to demonstrate that 26 and the unknown value together make 100. <div style="text-align: center;"> <table border="1" style="margin: auto;"> <tr> <td colspan="2" style="text-align: center;">100</td> </tr> <tr> <td style="text-align: center;">26</td> <td style="text-align: center;">n</td> </tr> </table> </div> <p>Examples:</p> <ul style="list-style-type: none"> • The equation $0.44s = 11$ where s represents the number of stamps in a booklet. The booklet of stamps costs 11 dollars and each stamp costs 44 cents. How many stamps are in the booklet? Explain the strategies you used to determine your answer. Show that your solution is correct using substitution. • Twelve is less than 3 times another number can be shown by the inequality $12 < 3n$. What numbers could possibly make this a true statement? • 	100		26	n
100							
26	n						
<p>6.EE.6. Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown</p>		<p>6.MP.2. Reason abstractly and quantitatively.</p>	<p>Connecting writing expressions with story problems and/or drawing pictures will give students a context for this work. It is important for students to read algebraic expressions in a manner that reinforces that the variable represents a number.</p>				

<p>number, or, depending on the purpose at hand, any number in a specified set.</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Recognize that a variable can represent an unknown number, or depending on the purpose at hand, any number in a specified set. <p><i>I can recognize that a variable can represent an unknown number, or depending on the purpose at hand, any number in a specified set.</i></p> <p>Reasoning Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Relate variables to a context. <p><i>I can relate variables to a context.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Write expressions when solving a real-world or mathematical problem. <p><i>I can write expressions when solving a real-world or mathematical problems.</i></p>		<p>6.MP.4. Model with mathematics.</p> <p>6.MP.7. Look for and make use of structure.</p>	<p>Examples:</p> <ul style="list-style-type: none"> • Maria has three more than twice as many crayons as Elizabeth. Write an algebraic expression to represent the number of crayons that Maria has. (Solution: $2c + 3$ where c represents the number of crayons that Elizabeth has.) • An amusement park charges \$28 to enter and \$0.35 per ticket. Write an algebraic expression to represent the total amount spent. (Solution: $28 + 0.35t$ where t represents the number of tickets purchased) • Andrew has a summer job doing yard work. He is paid \$15 per hour and a \$20 bonus when he completes the yard. He was paid \$85 for completing one yard. Write an equation to represent the amount of money he earned. (Solution: $15h + 20 = 85$ where h is the number of hours worked) • Describe a problem situation that can be solved using the equation $2c + 3 = 15$; where c represents the cost of an item • Bill earned \$5.00 mowing the lawn on Saturday. He earned more money on Sunday. Write an expression that shows the amount of money Bill has earned. (Solution: $\\$5.00 + n$) 						
<p>6.EE.7. Solve real-world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which p, q and x are all nonnegative rational numbers.</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Define inverse operation. <p><i>I can define inverse operation.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Know how inverse operations can be used in solving one-variable equations. <p><i>I can know how inverse operations can be used in solving one-variable equations.</i></p>		<p>6.MP.1. Make sense of problems and persevere in solving them.</p> <p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>6.MP.4. Model with mathematics.</p>	<p>Students create and solve equations that are based on real world situations. It may be beneficial for students to draw pictures that illustrate the equation in problem situations. Solving equations using reasoning and prior knowledge should be required of students to allow them to develop effective strategies.</p> <p>Example:</p> <ul style="list-style-type: none"> • Meagan spent \$56.58 on three pairs of jeans. If each pair of jeans costs the same amount, write an algebraic equation that represents this situation and solve to determine how much one pair of jeans cost. <table border="1" data-bbox="1501 1302 1934 1393" style="margin-left: auto; margin-right: auto;"> <tr> <td colspan="3" style="text-align: center;">\$56.58</td> </tr> <tr> <td style="text-align: center;">J</td> <td style="text-align: center;">J</td> <td style="text-align: center;">J</td> </tr> </table>	\$56.58			J	J	J
\$56.58									
J	J	J							

<p>Reasoning Targets:</p> <ul style="list-style-type: none"> □ Apply rules of the form $x + p = q$ and $px = q$, for cases in which p, q and x are all nonnegative rational numbers, to solve real world and mathematical problems (There is only one unknown quantity). <p><i>I can apply the rules of solving one step equations.</i></p> <ul style="list-style-type: none"> □ Develop a rule for solving one-step equations using inverse operations with nonnegative rational coefficients. <p><i>I can develop a rule for solving one-step equations using inverse operations.</i></p> <ul style="list-style-type: none"> □ Solve and write equations for real-world mathematical problems containing one unknown. <p><i>I can solve and write equations for real-world mathematical problems containing one unknown.</i></p>		<p>6.MP.7. Look for and make use of structure.</p>	<p>Sample Solution:</p> <p>Students might say: “I created the bar model to show the cost of the three pairs of jeans. Each bar labeled J is the same size because each pair of jeans costs the same amount of money. The bar model represents the equation $3J = \\$56.58$. To solve the problem, I need to divide the total cost of 56.58 between the three pairs of jeans. I know that it will be more than \$10 each because 10×3 is only 30 but less than \$20 each because 20×3 is 60. If I start with \$15 each, I am up to \$45. I have \$11.58 left. I then give each pair of jeans \$3. That’s \$9 more dollars. I only have \$2.58 left. I continue until all the money is divided. I ended up giving each pair of jeans another \$0.86. Each pair of jeans costs \$18.86 ($15+3+0.86$). I double check that the jeans cost \$18.86 each because $\\$18.86 \times 3$ is \$56.58.”</p> <ul style="list-style-type: none"> • Julio gets paid \$20 for babysitting. He spends \$1.99 on a package of trading cards and \$6.50 on lunch. Write and solve an equation to show how much money Julio has left. (Solution: $20 = 1.99 + 6.50 + x$, $x = \\$11.51$) <table border="1" data-bbox="1278 915 1965 1008"> <tr> <td colspan="3" style="text-align: center;">20</td> </tr> <tr> <td style="text-align: center;">1.99</td> <td style="text-align: center;">6.50</td> <td style="text-align: center;">money left over (m)</td> </tr> </table>	20			1.99	6.50	money left over (m)
20									
1.99	6.50	money left over (m)							
<p>6.EE.8. Write an inequality of the form $x > c$ or $x < c$ to represent a constraint or condition in a real-world or mathematical problem. Recognize that inequalities of the form $x > c$ or $x < c$ have infinitely many solutions; represent solutions of such inequalities on number line diagrams.</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> □ Identify the constraint or condition in a real-world or mathematical problem in order to set up an inequality. 		<p>6.MP.1. Make sense of problems and persevere in solving them.</p> <p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.3. Construct viable arguments and critique the reasoning</p>	<p>Examples:</p> <ul style="list-style-type: none"> • Graph $x \leq 4$.  <ul style="list-style-type: none"> • Jonas spent more than \$50 at an amusement park. Write an inequality to represent the amount of money Jonas spent. What are some possible amounts of money Jonas could have spent? Represent the situation on a number line. 						

I can identify the constraint or condition in a real-world or mathematical problem in order to set up an inequality.

- Recognize that inequalities of the form $x > c$ or $x < c$ have infinitely many solutions.

I can recognize that inequalities of the form $x > c$ or $x < c$ have infinitely many solutions.

Reasoning Targets:

- Write an inequality of the form $x > c$ or $x < c$ to represent a constraint or condition in a real-world or mathematical problem.

I can write an inequality of the form $x > c$ or $x < c$ to represent a constraint or condition in a real-world or mathematical problem.

- Represent solutions to inequalities or the form $x > c$ or $x < c$, with infinitely many solutions, on a number line diagrams.

I can represent solutions to inequalities or the form $x > c$ or $x < c$, with infinitely many solutions, on a number line diagrams.


of others.

6.MP.4. Model with mathematics.

6.MP.7. Look for and make use of structure.


- Less than \$200.00 was spent by the Flores family on groceries last month. Write an inequality to represent this amount and graph this inequality on a number line.

Solution: $200 > x$



Expressions and Equations

Represent and analyze quantitative relationships between dependent and independent variables.

Kentucky Core Academic Standard	ACT College Readiness Standard for EXPLORE	Common Core Mathematical Practice Standard	What Does This Standard Mean?										
<p>6.EE.9. Use variables to represent two quantities in a real-world problem that change in relationship to one another; write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation. For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation $d = 65t$ to represent the relationship between distance and time.</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Define independent and dependent variables. <p><i>I can define independent and dependent variables.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Use variables to represent two quantities in a real-world problem that change in relationship to one another. <p><i>I can use variables to represent two quantities in a real-world problem that change in relationship to one another.</i></p> <p>Reasoning Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Write an equation to express one quantity (dependent) in terms of the other quantity (independent). <p><i>I can write an equation to express one quantity (dependent) in terms of the other</i></p>		<p>6.MP.1. Make sense of problems and persevere in solving them.</p> <p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>6.MP.4. Model with mathematics.</p> <p>6.MP.7. Look for and make use of structure.</p> <p>6.MP.8. Look for and express regularity in repeated reasoning.</p>	<p>Students can use many forms to represent relationships between quantities. Multiple representations include describing the relationship using language, a table, an equation, or a graph. Translating between multiple representations helps students understand that each form represents the same relationship and provides a different perspective on the function.</p> <p>Examples:</p> <ul style="list-style-type: none"> • What is the relationship between the two variables? Write an expression that illustrates the relationship. <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse; text-align: center;"> <tr> <td style="padding: 2px 5px;">x</td> <td style="padding: 2px 5px;">1</td> <td style="padding: 2px 5px;">2</td> <td style="padding: 2px 5px;">3</td> <td style="padding: 2px 5px;">4</td> </tr> <tr> <td style="padding: 2px 5px;">y</td> <td style="padding: 2px 5px;">2.5</td> <td style="padding: 2px 5px;">5</td> <td style="padding: 2px 5px;">7.5</td> <td style="padding: 2px 5px;">10</td> </tr> </table> <ul style="list-style-type: none"> • Use the graph below to describe the change in y as x increases by 1. <div style="text-align: center; margin: 10px 0;">  </div> <ul style="list-style-type: none"> • Susan started with \$1 in her savings. She plans to add \$4 per week to her savings. Use an equation, table and graph to demonstrate the relationship between the 	x	1	2	3	4	y	2.5	5	7.5	10
x	1	2	3	4									
y	2.5	5	7.5	10									

quantity (independent.)

- Analyze the relationship between the dependent variable and independent variable using tables and graphs.

I can analyze the relationship between the dependent variable and independent variable using tables and graphs.

- Relate the data in a graph and table to the corresponding equation.

I can relate the data in a graph and table to the corresponding equation.

number of weeks that pass and the amount in her savings account.


- Language: Susan has \$1 in her savings account. She is going to save \$4 each week.

- Equation: $y = 4x + 1$

- Table:


x	y
0	1
1	5
2	9


- Graph:




Geometry

Solve real-world and mathematical problems involving area, surface area, and volume.


Kentucky Core Academic Standard	ACT College Readiness Standard for EXPLORE	Common Core Mathematical Practice Standard	What Does This Standard Mean?
<p>6.G.1. Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving real-world and mathematical problems.</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Recognize and know how to compose and decompose polygons into triangles and rectangles. <p><i>I can recognize and know how to compose and decompose polygons into triangles and rectangles.</i></p> <p>Reasoning Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Compare the area of a triangle to the area of the composed rectangle. (Decomposition addressed in previous grade.) <p><i>I can compare the area of a triangle to the area of the composed rectangle. (Decomposition addressed in previous grade.)</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Apply the techniques of composing and/or decomposing to find the area of triangles, special quadrilaterals and polygons to solve mathematical and real world problems. <p><i>I can apply the techniques of composing and/or decomposing to find the area of triangles, special quadrilaterals and polygons to solve mathematical and real</i></p>	<p>Measurement:</p> <ul style="list-style-type: none"> -Use geometric formulas when all necessary information is given. 	<p>6.MP.1. Make sense of problems and persevere in solving them.</p> <p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>6.MP.4. Model with mathematics.</p> <p>6.MP.5. Use appropriate tools strategically.</p> <p>6.MP.6. Attend to precision.</p> <p>6.MP.7. Look for and make use of structure.</p> <p>6.MP.8. Look for and express regularity in repeated reasoning.</p>	<p>Special quadrilaterals include rectangles, squares, parallelograms, trapezoids, rhombi, and kites. Students can use tools such as the Isometric Drawing Tool on NCTM's Illuminations site to shift, rotate, color, decompose and view figures in 2D or 3D (http://illuminations.nctm.org/ActivityDetail.aspx?ID=125)</p> <p>Examples:</p> <ul style="list-style-type: none"> • Find the area of a triangle with a base length of three units and a height of four units. • Find the area of the trapezoid shown below using the formulas for rectangles and triangles. <div style="text-align: center;">  </div> <ul style="list-style-type: none"> • A rectangle measures 3 inches by 4 inches. If the lengths of each side double, what is the effect on the area? • The area of the rectangular school garden is 24 square units. The length of the garden is 8 units. What is the length of the fence needed to enclose the entire garden? • The sixth grade class at Hernandez School is building a giant wooden H for their school. The H will be 10 feet tall and 10 feet wide and the thickness of the block letter will be 2.5 feet. <ul style="list-style-type: none"> ○ How large will the H be if measured in square feet? ○ The truck that will be used to bring the wood from the lumber yard to the school can only hold a piece of wood that is 60 inches by 60 inches. What pieces of wood (how many pieces and what dimensions) are needed to complete the project?

<p>world problems.</p> <p><input type="checkbox"/> Discuss, develop and justify formulas for triangles and parallelograms (6th grade introduction).</p> <p><i>I can discuss, develop and justify formulas for triangles and parallelograms (6th grade introduction).</i></p>			
<p>6.G.2. Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas $V = lwh$ and $V = bh$ to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems.</p> <p>Knowledge Targets:</p> <p><input type="checkbox"/> Know how to calculate the volume of a right rectangular prism.</p> <p><i>I can explain how to calculate the volume of a right rectangular prism.</i></p> <p>Reasoning Targets:</p> <p><input type="checkbox"/> Apply volume formulas for right rectangular prisms to solve real-world and mathematical problems involving rectangular prisms with fractional edge lengths.</p> <p><i>I can apply volume formulas for right rectangular prisms to solve real-world and mathematical problems involving rectangular prisms with fractional edge lengths.</i></p> <p>Performance Skill Targets:</p> <p><input type="checkbox"/> Model the volume of a right rectangular prism with fractional edge lengths by</p>		<p>6.MP.1. Make sense of problems and persevere in solving them.</p> <p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>6.MP.4. Model with mathematics.</p> <p>6.MP.5. Use appropriate tools strategically.</p> <p>6.MP.6. Attend to precision.</p> <p>6.MP.7. Look for and make use of structure.</p> <p>6.MP.8. Look for and express regularity in repeated reasoning.</p>	<p>Students need multiple opportunities to measure volume by filling rectangular prisms with blocks and looking at the relationship between the total volume and the area of the base. Through these experiences, students derive the volume formula (volume equals the area of the base times the height). Students can explore the connection between filling a box with unit cubes and the volume formula using interactive applets such as the Cubes Tool on NCTM's Illuminations (http://illuminations.nctm.org/ActivityDetail.aspx?ID=6).</p> <p>In addition to filling boxes, students can draw diagrams to represent fractional side lengths, connecting with multiplication of fractions. This process is similar to composing and decomposing two dimensional shapes.</p> <p>Examples:</p> <ul style="list-style-type: none"> The model shows a cubic foot filled with cubic inches. The cubic inches can also be labeled as a fractional cubic unit with dimensions of $\frac{1}{12} \text{ ft}^3$.


packing it with unit cubes of the appropriate unit fraction edge lengths. ***I can model the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths.***



- The models show a rectangular prism with dimensions $3/2$ inches, $5/2$ inches, and $5/2$ inches. Each of the cubic units in the model is $\frac{1}{8}$ in³. Students work with the model to illustrate $3/2 \times 5/2 \times 5/2 = (3 \times 5 \times 5) \times 1/8$. Students reason that a small cube has volume $1/8$ because 8 of them fit in a unit cube.



<p>6.G.3. Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques in the context of solving real-world and mathematical problems.</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Draw polygons in the coordinate plane. <i>I can draw polygons in the coordinate plane.</i> <input type="checkbox"/> Use coordinates (with the same x-coordinate or the same y-coordinate) to find the length of a side of a polygon. <i>I can use coordinates (with the same x-coordinate or the same y-coordinate) to find the length of a side of a polygon.</i> <p>Reasoning Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Apply the technique of using coordinates to find the length of a side of a polygon drawn in the coordinate plane to solve real-world and mathematical problems. <i>I can apply the technique of using coordinates to find the length of a side of a polygon drawn in the coordinate plane to solve real-world and mathematical problems.</i> 		<p>6.MP.1. Make sense of problems and persevere in solving them.</p> <p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.4. Model with mathematics.</p> <p>6.MP.5. Use appropriate tools strategically.</p> <p>6.MP.7. Look for and make use of structure.</p>	<p>Example:</p> <ul style="list-style-type: none"> • On a map, the library is located at (-2, 2), the city hall building is located at (0,2), and the high school is located at (0,0). Represent the locations as points on a coordinate grid with a unit of 1 mile. <ul style="list-style-type: none"> ○ What is the distance from the library to the city hall building? The distance from the city hall building to the high school? How do you know? ○ What shape is formed by connecting the three locations? The city council is planning to place a city park in this area. How large is the area of the planned park?
<p>6.G.4. Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Know that 3-D figures can be represented by nets. <i>I can identify 3-D figures can be represented by nets.</i> 		<p>6.MP.1. Make sense of problems and persevere in solving them.</p> <p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.3. Construct viable arguments and</p>	<p>Students construct models and nets of three dimensional figures, describing them by the number of edges, vertices, and faces. Solids include rectangular and triangular prisms. Students are expected to use the net to calculate the surface area.</p> <p>Students can create nets of 3D figures with specified dimensions using the Dynamic Paper Tool on NCTM's Illuminations (http://illuminations.nctm.org/ActivityDetail.aspx?ID=205).</p> <p>Students also describe the types of faces needed to create a three-dimensional figure. Students make and test conjectures by</p>

<p>Reasoning Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Represent three-dimensional figures using nets made up of rectangles and triangles. <p><i>I can represent three-dimensional figures using nets made up of rectangles and triangles.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Apply knowledge of calculating the area of rectangles and triangles to a net, and combine the areas for each shape into one answer representing the surface area of a 3-dimensional figure. <p><i>I can apply knowledge of calculating the area of rectangles and triangles to a net, and combine the areas for each shape into one answer representing the surface area of a 3-dimensional figure.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Solve real-world and mathematical problems involving surface area using nets. <p><i>I can solve real-world and mathematical problems involving surface area using nets.</i></p>		<p>critique the reasoning of others.</p> <p>6.MP.4. Model with mathematics.</p> <p>6.MP.5. Use appropriate tools strategically.</p> <p>6.MP.6. Attend to precision.</p> <p>6.MP.7. Look for and make use of structure.</p> <p>6.MP.8. Look for and express regularity in repeated reasoning.</p>	<p>determining what is needed to create a specific three-dimensional figure.</p> <p>Examples:</p> <ul style="list-style-type: none"> • Describe the shapes of the faces needed to construct a rectangular pyramid. Cut out the shapes and create a model. Did your faces work? Why or why not? • Create the net for a given prism or pyramid, and then use the net to calculate the surface area. <div style="text-align: center;">  </div>
--	--	--	--


Statistics and Probability

Develop understanding of statistical variability.

Kentucky Core Academic Standard	ACT College Readiness Standard for EXPLORE	Common Core Mathematical Practice Standard	What Does This Standard Mean?
<p>6.SP.1. Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for it in the answers. For example, “How old am I?” is not a statistical question, but “How old are the students in my school?” is a statistical question because one anticipates variability in students’ ages.</p>	<p>Probability, Statistics and Data Analysis:</p> <ul style="list-style-type: none"> -Read tables and graphs. -Perform computations on data from tables 	<p>6.MP.1. Make sense of problems and persevere in solving them.</p> <p>6.MP.3. Construct viable arguments and critique the reasoning</p>	<p>Statistics are numerical data relating to an aggregate of individuals; statistics is also the name for the science of collecting, analyzing and interpreting such data. A statistical question anticipates an answer that varies from one individual to the next and is written to account for the variability in the data. Data are the numbers produced in response to a statistical question. Data are frequently collected from surveys or other sources (i.e. documents).</p>

<p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Recognize that data can have variability. <i>I can recognize that data can have variability.</i> <input type="checkbox"/> Recognize a statistical question (examples versus non-examples). <i>I can recognize a statistical question (examples versus non-examples).</i> 	<p>and graphs.</p> <ul style="list-style-type: none"> -Manipulate data from tables and graphs. -Interpret and use information from figures, tables and graphs. 	<p>of others.</p> <p>6.MP.6. Attend to precision.</p>	<p>Questions can result in a narrow or wide range of numerical values. For example, asking classmates “How old are the students in my class in years?” will result in less variability than asking “How old are the students in my class in months?”</p> <p>Students might want to know about the fitness of the students at their school. Specifically, they want to know about the exercise habits of the students. So rather than asking "Do you exercise?" they should ask about the amount of exercise the students at their school get per week. A statistical question for this study could be: “How many hours per week on average do students at Jefferson Middle School exercise?”</p> <p>To collect this information, students might design a survey question that anticipates variability by providing a variety of possible anticipated responses that have numerical answers, such as: 3 hours per week, 4 hours per week, and so on. Be sure that students ask questions that have specific numerical answers.</p>
<p>6.SP.2. Understand that a set of data collected to answer a statistical question has a distribution which can be described by its center, spread, and overall shape.</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Know that a set of data has a distribution. <i>I can identify the distribution of a set of data.</i> <input type="checkbox"/> Describe a set of data by its center, e.g., mean and median. <i>I can describe a set of data by its center, e.g., mean and median.</i> <input type="checkbox"/> Describe a set of data by its spread and overall shape, e.g. by identifying data clusters, peaks, gaps and symmetry. <i>I can describe a set of data by its spread and overall shape, e.g. by identifying data clusters, peaks, gaps and symmetry.</i> 	<p>Probability, Statistics and Data Analysis:</p> <ul style="list-style-type: none"> -Read tables and graphs. -Perform computations on data from tables and graphs. -Translate from one representation of data to another (e.g., a bar graph to a circle graph) 	<p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.4. Model with mathematics.</p> <p>6.MP.5. Use appropriate tools strategically.</p> <p>6.MP.6. Attend to precision.</p> <p>6.MP.7. Look for and make use of structure.</p>	<p>The two dot plots show the 6-trait writing scores for a group of students on two different traits, organization and ideas. The center, spread and overall shape can be used to compare the data sets. Students consider the context in which the data were collected and identify clusters, peaks, gaps, and symmetry. Showing the two graphs vertically rather than side by side helps students make comparisons. For example, students would be able to see from the display of the two graphs that the ideas scores are generally higher than the organization scores. One observation students might make is that the scores for organization are clustered around a score of 3 whereas the scores for ideas are clustered around a score of 5.</p>

			<p style="text-align: center;">6-Trait Writing Rubric Scores for Organization</p> <pre style="text-align: center;"> x 0 1 2 3 4 5 6 </pre> <p style="text-align: center;">6-Trait Writing Rubric Scores for Ideas</p> <pre style="text-align: center;"> x 0 1 2 3 4 5 6 </pre>
<p>6.SP.3. Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.</p> <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Recognize there are measures of central tendency for a data set, e.g., mean, median, mode. <p><i>I can recognize there are measures of central tendency for a data set, e.g., mean, median, mode.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Recognize there are measures of variances for a data set, e.g., range, interquartile range, mean absolute deviation. <p><i>I can recognize there are measures of variances for a data set, e.g., range, interquartile range, mean absolute deviation.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Recognize measures of central 		<p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.4. Model with mathematics.</p> <p>6.MP.5. Use appropriate tools strategically.</p> <p>6.MP.6. Attend to precision.</p> <p>6.MP.7. Look for and make use of structure.</p>	<p>When using measures of center (mean, median, and mode) and range, students are describing a data set in a single number. The range provides a single number that describes how the values vary across the data set. The range can also be expressed by stating the minimum and maximum values.</p> <p>Example:</p> <ul style="list-style-type: none"> • Consider the data shown in the dot plot of the six trait scores for organization for a group of students. <ul style="list-style-type: none"> ○ How many students are represented in the data set? ○ What are the mean, median, and mode of the data set? What do these values mean? How do they compare? ○ What is the range of the data? What does this value mean?

<p>tendency for a data set summarizes the data with a single number.</p> <p><i>I can recognize measures of central tendency for a data set summarizes the data with a single number.</i></p> <p><input type="checkbox"/> Recognize measures of variation for a data set describes how its values vary with a single number.</p> <p><i>I can recognize measures of variation for a data set describes how its values vary with a single number.</i></p>			<p>6-Trait Writing Rubric Scores for Organization</p> 
--	--	--	---

Statistics and Probability
Summarize and Describe Distributions

Kentucky Core Academic Standard	ACT College Readiness Standard for EXPLORE	Common Core Mathematical Practice Standard	What Does This Standard Mean?
<p>6.SP.4. Display numerical data in plots on a number line, including dot plots, histograms, and box plots.</p> <p>Knowledge Targets:</p> <p><input type="checkbox"/> Identify the components of dot plots, histograms and box plots.</p> <p><i>I can identify the components of dot plots, histograms and box plots.</i></p> <p><input type="checkbox"/> Find the median, quartile and interquartile range of a set of data.</p> <p><i>I can calculate the median, quartile and interquartile range of a set of data.</i></p> <p>Reasoning Targets:</p> <p><input type="checkbox"/> Analyze a set of data to determine its variance.</p> <p><i>I can analyze a set of data to determine its variance.</i></p> <p>Product Targets:</p>		<p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.4. Model with mathematics.</p> <p>6.MP.5. Use appropriate tools strategically.</p> <p>6.MP.6. Attend to precision.</p> <p>6.MP.7. Look for and make use of structure.</p>	<p>In order to display numerical data in dot plots, histograms or box plots, students need to make decisions and perform calculations. Students are expected to display data graphically in a format appropriate for that data set as well as reading data from graphs generated by others students or contained in reference materials. Students can use applets to create data displays. Examples of applets include the Box Plot Tool and Histogram Tool on NCTM's Illuminations.</p> <p>Box Plot Tool - http://illuminations.nctm.org/ActivityDetail.aspx?ID=77</p> <p>Histogram Tool -- http://illuminations.nctm.org/ActivityDetail.aspx?ID=78</p> <p>Dot plots are simple plots on a number line where each dot represents a piece of data in the data set. Dot plots are suitable for small to moderate size data sets and are useful for highlighting the distribution of the data including clusters, gaps, and outliers.</p> <p>In most real data sets, there is a large amount of data and many numbers will be unique. A graph (such as a dot plot) that shows how many ones, how many twos, etc. would not be meaningful;</p>

- Create a dot plot to display a set of numerical data.

I can create a dot plot to display a set of numerical data.

- Create a histogram to display a set of numerical data

I can create a histogram to display as set of numerical data.

- Create a box plot to display a set of numerical data.


I can create a box plot and box-and-whisker plots to display a set of numerical data.

however, a histogram can be used. Students organize the data into convenient ranges and use these intervals to generate a frequency table and histogram. Note that changing the size of the range changes the appearance of the graph and the conclusions you may draw from it.

Box plots are another useful way to display data and are plotted horizontally or vertically on a number line. Box plots are generated from the five number summary of a data set consisting of the minimum, maximum, median, and two quartile values. Students can readily compare two sets of data if they are displayed with side by side box plots on the same scale. Box plots display the degree of spread of the data and the skewness of the data.

Examples:


- Nineteen students completed a writing sample that was scored using the six traits rubric. The scores for the trait of organization were 0, 1, 2, 2, 3, 3, 3, 3, 3, 3, 4, 4, 4, 5, 5, 5, 6, 6. Create a data display. What are some observations that can be made from the data display?



- Grade 6 students were collecting data for a math class project. They decided they would survey the other two grade 6 classes to determine how many DVDs each student owns. A total of 48 students were surveyed. The data are shown in the table below in no specific order. Create a data display. What are some observations that can be made from the data display?

11	21	5	12	10	31	19	13	23	33
10	11	25	14	34	15	14	29	8	5
22	26	23	12	27	4	25	15	7	
2	19	12	39	17	16	15	28	16	

A histogram using 5 ranges (0-9, 10-19, ...30-39) to organize the data is displayed below.




- Ms. Wheeler asked each student in her class to write their age in months on a sticky note. The 28 students in the class brought their sticky note to the front of the room and posted them in order on the white board. The data set is listed below in order from least to greatest. Create a data display. What are some observations that can be made from the data display?

130	130	131	131	132	132	132	133	134	136
137	137	138	139	139	139	140	141	142	142
142	143	143	144	145	147	149	150		

Five number summary

Minimum – 130 months
 Quartile 1 (Q1) – $(132 + 133) \div 2 = 132.5$ months
 Median (Q2) – 139 months
 Quartile 3 (Q3) – $(142 + 143) \div 2 = 142.5$ months
 Maximum – 150 months

			<p style="text-align: center;">Ages in Months of a Class of 6th Grade Students</p>  <p>This box plot shows that</p> <ul style="list-style-type: none"> • $\frac{1}{4}$ of the students in the class are from 130 to 132.5 months old • $\frac{1}{4}$ of the students in the class are from 142.5 months to 150 months old • $\frac{1}{2}$ of the class are from 132.5 to 142.5 months old • the median class age is 139 months.
<p>6.SP.5. Summarize numerical data sets in relation to their context, such as by:</p> <ol style="list-style-type: none"> Reporting the number of observations. Describing the nature of the attribute under investigation, including how it was measured and its units of measurement Giving quantitative measures of center (median and/or mean) and variability (interquartile range and/or mean absolute deviation), as well as describing any overall pattern and any striking deviations from the overall pattern with reference to the context in which the data were gathered. Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered. <p>Knowledge Targets:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Organize and display data in tables and graphs. <p><i>I can organize and display data in tables and graphs.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Report the number of observations in a 		<p>6.MP.2. Reason abstractly and quantitatively.</p> <p>6.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>6.MP.4. Model with mathematics.</p> <p>6.MP.5. Use appropriate tools strategically.</p> <p>6.MP.6. Attend to precision.</p> <p>6.MP.7. Look for and make use of structure.</p>	<p>Students summarize numerical data by providing background information about the attribute being measured, methods and unit of measurement, the context of data collection activities, the number of observations, and summary statistics. Summary statistics include quantitative measures of center, spread, and variability including extreme values (minimum and maximum), mean, median, mode, range, quartiles, interquartile ranges, and mean absolute deviation.</p> <p>The measure of center that a student chooses to describe a data set will depend upon the shape of the data distribution and context of data collection. The mode is the value in the data set that occurs most frequently. The mode is the least frequently used as a measure of center because data sets may not have a mode, may have more than one mode, or the mode may not be descriptive of the data set. The mean is a very common measure of center computed by adding all the numbers in the set and dividing by the number of values. The mean can be affected greatly by a few data points that are very low or very high. In this case, the median or middle value of the data set might be more descriptive. In data sets that are symmetrically distributed, the mean and median will be very close to the same. In data sets that are skewed, the mean and median will be different, with the median frequently providing a better overall description of the data set.</p>

data set or display.

I can report the number of observations in a data set or display.

- Describe the data being collected including how it was measured and its units of measurement.

I can describe the data begin collected including how it was measured and its units of measurement.

- Calculate quantitative measures of center, e.g., mean, median, mode.

I can calculate quantitative measures of center, e.g., mean, median, mode.

- Calculate quantitative measure of variance, e.g., range, interquartile range, mean absolute deviation.

I can calculate quantitative measure of variance, e.g., range, interquartile range, mean absolute deviation.

- Identify outliers.

I can identify outliers.

Reasoning Targets:

- Determine the effect of outliers on quantitative measures of a set of data, e.g., mean, median, mode, range, interquartile range, mean absolute deviation.

I can determine the effect of outliers on quantitative measures of a set of data, e.g., mean, median, mode, range, interquartile range, mean absolute deviation.

- Choose the appropriate measure of central tendency to represent the data.

I can choose the appropriate measure of central tendency to represent the data.

- Analyze the shape of the data distribution and the context in which the data were gathered to choose the appropriate measures of central tendency and variability and justify why


Understanding the Mean

The mean measures center in the sense that it is the value that each data point would take on if the total of the data values were redistributed equally, and also in the sense that it is a balance point. Students develop understanding of what the mean represents by redistributing data sets to be level or fair. The leveling process can be connected to and used to develop understanding of the computation of the mean.

For example, students could generate a data set by measuring the number of jumping jacks they can perform in 5 seconds, the length of their feet to the nearest inch, or the number of letters in their names. It is best if the data generated for this activity are 5 to 10 data points which are whole numbers between 1 and 10 that are easy to model with counters or stacking cubes.

Students generate a data set by drawing eight student names at random from the popsicle stick cup. The number of letters in each of the names is used to create the data set. If the names drawn were Carol, Mike, Maria, Luis, Monique, Sierra, John, and Karen there would be 3 names with 4 letters each, 3 names with 5 letters each, 1 name with 6 letters and 1 name with 7 letters.

This data set could be represented with stacking cubes.




Students can model the mean by “leveling” the stacks or distributing the blocks so the stacks are “fair”. Students are seeking to answer the question “If all of the students had the same number of letters in their name, how many letters would

this measure is appropriate in terms of the context.

I can analyze the shape of the data distribution and the context in which the data were gathered to choose the appropriate measures of central tendency and variability and justify why this measure is appropriate in terms of the context.

each person have?"

One block from the stack of six and two blocks from the stack of 7 can be moved down to the stacks of 4 and then all the stacks have five blocks. If all students had the same number of letters in their name, they would have five letters. The mean number of letters in a name in this data set is 5.




If it was not possible to make the stacks exactly even, students could begin to consider what part of the extra blocks each stack would have.

Understanding Mean Absolute Deviation



The use of mean absolute deviation in 6th grade is mainly exploratory. The intent is to build a deeper understanding of variability. Students would understand the mean distance between the pieces of data and the mean of the data set expresses the spread of the data set. Students can see that the larger the mean distance, the greater the variability. Comparisons can be made between different data sets.

In the previous data set, the names drawn were Carol, Mike, Maria, Luis, Monique, Sierra, John, and Karen. There were 3 names with 4 letters each, 3 names with 5 letters each, 1 name with 6 letters and 1 name with 7 letters. This data can be represented on a dot plot. The mean of the data set is 5.



To find the mean absolute deviation, students examine each of

the data points and its difference from the mean. This analysis can be represented on the dot plot itself or in a table. Each of the names with 4 letters has one fewer letter than the mean, each of the names with 5 letters has zero difference in letters as compared to the mean, each of the names with 6 letters has one more letter than the mean, and each of the names with 7 letters has two more letters than the mean. The absolute deviations are the absolute value of each difference.



The mean of the absolute deviations is found by summing the absolute deviations and dividing by the number of data points. In this case, the mean absolute deviation would be $6 \div 8$ or $\frac{3}{4}$ or 0.75. The mean absolute deviation is a small number, indicating that there is little variability in the data set.

Consider a different data set also containing 8 names. If the names were Sue, Joe, Jim, Amy, Sabrina, Monique, Timothy, and

Name	Number of letters in a name	Deviation from the Mean	Absolute Deviation from the Mean
John	4	-1	1
Luis	4	-1	1
Mike	4	-1	1
Carol	5	0	0
Maria	5	0	0
Karen	5	0	0
Sierra	6	+1	1
Monique	7	+2	2
Total	40	0	6

Adelita. Summarize the data set and its variability. How does this compare to the first data set?

The mean of this data set is still 5.

$$\frac{(3+3+3+3+7+7+7)}{8} = \frac{40}{8} = 5$$

Name	Number of letters in a name	Deviation from the Mean	Absolute Deviation from the Mean
Sue	3	-2	2
Joe	3	-2	2
Jim	3	-2	2
Amy	3	-2	2
Sabrina	7	+2	2

		<p>there are 4 values which is an even number of values. Q1 would be the average of the 2nd and 3rd value in the data set or 4. Students find quartile 3 (Q3) by examining the upper half of the data. Q3 would be the average of the 6th and 7th value in the data set or 5.5. The mean of the data set was 5 and the median is also 5, showing that the values are probably clustered close to the mean. The interquartile range is 1.5 (5.5 – 4). The interquartile range is small, showing little variability in the data.</p> <p style="text-align: center;"> $4 \ 4 \ 4 \ 5 \ 5 \ 5 \ 6 \ 7$ $\begin{array}{ccccccc} \uparrow & & \uparrow & & \uparrow & & \\ Q1 = 4 & & Q3 = 5.5 & & & & \\ \text{Median} = 5 & & & & & & \end{array}$ </p>
--	--	---

Common Core Mathematical Practice Standard	Explanations and Examples
6.MP.1. Make sense of problems and persevere in solving them.	In grade 6, students solve problems involving ratios and rates and discuss how they solved them. Students solve real world problems through the application of algebraic and geometric concepts. Students seek the meaning of a problem and look for efficient ways to represent and solve it. They may check their thinking by asking themselves, “What is the most efficient way to solve the problem?”, “Does this make sense?”, and “Can I solve the problem in a different way?”.
6.MP.2. Reason abstractly and quantitatively.	In grade 6, students represent a wide variety of real world contexts through the use of real numbers and variables in mathematical expressions, equations, and inequalities. Students contextualize to understand the meaning of the number or variable as related to the problem and decontextualize to manipulate symbolic representations by applying properties of operations.
6.MP.3. Construct viable arguments and critique the reasoning of others.	In grade 6, students construct arguments using verbal or written explanations accompanied by expressions, equations, inequalities, models, and graphs, tables, and other data displays (i.e. box plots, dot plots, histograms, etc.). They further refine their mathematical communication skills through mathematical discussions in which they critically evaluate their own thinking and the thinking of other students. They pose questions like “How did you get that?”, “Why is that true?” “Does that always work?” They explain their thinking to others and respond to others’ thinking.
6.MP.4. Model with mathematics.	In grade 6, students model problem situations symbolically, graphically, tabularly, and contextually. Students form expressions, equations, or inequalities from real world contexts and connect symbolic and graphical representations. Students begin to explore covariance and represent two quantities simultaneously. Students use number lines to compare numbers and represent inequalities. They use measures of center and variability and data displays (i.e. box plots and histograms) to draw inferences about and make comparisons between data sets. Students need many opportunities to connect and explain the connections between the different representations. They should be able to use all of these representations as appropriate to a problem context.

6.MP.5. Use appropriate tools strategically.	Students consider available tools (including estimation and technology) when solving a mathematical problem and decide when certain tools might be helpful. For instance, students in grade 6 may decide to represent similar data sets using dot plots with the same scale to visually compare the center and variability of the data. Additionally, students might use physical objects or applets to construct nets and calculate the surface area of three-dimensional figures.
6.MP.6. Attend to precision.	In grade 6, students continue to refine their mathematical communication skills by using clear and precise language in their discussions with others and in their own reasoning. Students use appropriate terminology when referring to rates, ratios, geometric figures, data displays, and components of expressions, equations or inequalities.
6.MP.7. Look for and make use of structure.	Students routinely seek patterns or structures to model and solve problems. For instance, students recognize patterns that exist in ratio tables recognizing both the additive and multiplicative properties. Students apply properties to generate equivalent expressions (i.e. $6 + 2x = 2(3 + x)$ by distributive property) and solve equations (i.e. $2c + 3 = 15$, $2c = 12$ by subtraction property of equality; $c=6$ by division property of equality). Students compose and decompose two- and three-dimensional figures to solve real world problems involving area and volume.
6.MP.8. Look for and express regularity in repeated reasoning.	In grade 6, students use repeated reasoning to understand algorithms and make generalizations about patterns. During multiple opportunities to solve and model problems, they may notice that $a/b \div c/d = ad/bc$ and construct other examples and models that confirm their generalization. Students connect place value and their prior work with operations to understand algorithms to fluently divide multi-digit numbers and perform all operations with multi-digit decimals. Students informally begin to make connections between covariance, rates, and representations showing the relationships between quantities.