

Class _____ Date _____

Additional Vocabulary Support 5-1 Midsegments of Triangles

There are two sets of note cards below that show how to find AB and CD for the triangle at the right. The set on the left explains the thinking. The set on the right shows the steps. Write the thinking and the steps in the correct order.






Think About a Plan Midsegments of Triangles

Coordinate Geometry The coordinates of the vertices of a triangle are *E*(1, 2), F(5, 6), and G(3, -2).

- **a.** Find the coordinates of *H*, the midpoint of \overline{EG} , and *J*, the midpoint of \overline{FG} .
- **b.** Show that $\overline{HJ} \parallel \overline{EF}$.
- **c.** Show that $HJ = \frac{1}{2}EF$.
- **1.** In part (a), what formula would you use to find the midpoints of \overline{EG} and \overline{FG} ? Write this formula. Midpoint Formula; $\binom{x_1 + x_2}{2}, \frac{y_1 + y_2}{2}$
- **2.** Substitute the *x* and *y*-coordinates of *E* and *G* into the formula. $(\frac{1+3}{2}, \frac{2+(-2)}{2})$
- **3.** Simplify to find the coordinates of H, the midpoint of \overline{EG} . (2, 0)
- **4.** Use the coordinates of F and G to find the coordinates of J, the midpoint of \overline{FG} . (4, 2)
- **5.** In part (b), what information do you need to show $\overline{HJ} \parallel \overline{EF}$? Write the formula you would use. need to show the slopes are equal; $m = \frac{y_2 - y_1}{x_2 - x_1}$

6. Substitute the x- and y-coordinates of H and J into the formula. $m = \frac{2-0}{4-2}$


- **7.** Simplify to find the slope of \overline{HJ} . **1**
- **8.** Use the coordinates of *E* and *F* to find the slope of \overline{EF} .
- **9.** Is $\overline{HJ} \parallel \overline{EF}$? Explain. Yes; both segments have the same slope.
- 10. In part (c), what formula would you use to find HJ and EF? Write this formula. Distance Formula; $d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$
- 11. Substitute the *x* and *y*-coordinates of *H* and *J* into the formula. $d = \sqrt{(4-2)^2 + (2-0)^2}$
- **12.** Simplify to find *HJ*. Keep in simplest radical form. $2\sqrt{2}$
- **13.** Use the coordinates of *E* and *F* to find *EF*. Keep in simplest radical form. $d = \sqrt{(5-1)^2 + (6-2)^2} = 4\sqrt{2}$
- **14.** What is the relationship between *HJ* and *EF*? $HJ = \frac{1}{2}EF$



| Name | | Class | Date |
|---|--|--------------|-----------------|
| 5-1 | Practice (continue Midsegments of Tr | • | Form G |
| - | bint of \overline{AB} . <i>E</i> is the mid 70, find $m \angle BDE$. 70 | | B |
| 25. If $m \angle BED$ 26. If $DE = 23$, | = 73, find <i>m</i>∠<i>C</i>. 73, find <i>AC</i>. 46 | | D E C |
| 27. If $AC = 83$, | | aash diasman | A |
| | 1 ce across the lake in | e | |
| 28. | 13 mi 29 . | 2.9 mi | 30. 7 km |

Use the diagram at the right for Exercises 31 and 32.

- 31. Which segment is shorter for kayaking across the lake, AB or BC? Explain. **BC** is shorter because BC is half of 5 mi, while AB is half of 6 mi.
- **32.** Which distance is shorter, kayaking from *A* to *B* to *C*, or walking from A to X to C? Explain. Neither; the distance is the same because $\overline{BC} \cong \overline{AX}$ and $\overline{AB} \cong \overline{XC}$.
- 33. Open-Ended Draw a triangle and all of its midsegments. Make a conjecture about what appears to be true about the four triangles that result. What postulates could be used to prove the conjecture? Check students' drawings. Conjecture: The four triangles formed by the midsegments of a triangle are congruent. The SAS or SSS postulates can be used in each case to show that each triangle is congruent to the others.
- **34.** Coordinate Geometry The coordinates of the vertices of a triangle are *K*(2, 3), L(-2, -1), and M(5, 1).
 - **a.** Find the coordinates of *N*, the midpoint of \overline{KM} , and *P*, the midpoint of \overline{LM} . N(3.5, 2); P(1.5, 0)
 - **b.** Show that $\overline{NP} \parallel \overline{KL}$. The slope of $\overline{NP} = \frac{2-0}{3.5-1.5} = 1$ and the slope of $\overline{KL} = \frac{3-(-1)}{2-(-2)} = 1$. Because the slopes are equal, $\overline{NP} \parallel \overline{KL}$.
 - c. Show that $NP = \frac{1}{2}KL$. $NP = \sqrt{(3.5 1.5)^2 + (2 0)^2} = 2\sqrt{2}$ and $KL = \sqrt{(-2 2)^2 + (-1 3)^2} = 4\sqrt{2}$ so $NP = \frac{1}{2}KL$.



Class


Date


| Name | | | Date |
|--|---|--|---------|
| 5-1 | Practice Midsegments of Triar | ngles | Form K |
| Identify three 1. $\overline{AB} \parallel \underline{?}$ | pairs of parallel sides in XZ | the diagram. | B X |
| 2. BC _? | | | |
| | YZ e that is parallel to the | | M X Y C |
| given side. 4. MN BC | | 5. <u>ON</u> <u>AC</u> | |
| 6. \overline{AB} \overline{MO} 8. \overline{OM} \overline{AB} | | 7. \overrightarrow{CB} \overrightarrow{MN} 9. \overrightarrow{AC} \overrightarrow{ON} | 0 B |
| | | | |

Points *J*, *K*, and *L* are the midpoints of the sides of $\triangle XYZ$.


10. Find *LK*. **6**

To start, identify what kind of segment \overline{LK} is. Then identify which relationship in the Triangle Midsegment Theorem will help you find the length.





17. Draw a triangle and label it *ABC*. Draw all the midpoints and label them. Identify pairs of parallel sides and congruent angles in your triangle. Check students' work.



Class _____ Date __

5-

Standardized Test Prep


Midsegments of Triangles

Gridded Response

Solve each exercise and enter your answer on the grid provided.

In $\triangle RST$, *U* is the midpoint of \overline{RS} , *V* is the midpoint of \overline{ST} , and W is the midpoint of \overline{TR} .


1. What is the length of \overline{RS} ?



- **2.** What is the value of *x*?
- **3.** What is the value of *y*?

4. What is the length of \overline{UW} ?

5. What is the length of \overline{UV} ?



Class

5-1


Enrichment

Midsegments of Triangles

Triangles and Maps

You can use the same reasoning behind the Triangle Midsegment Theorem to find the lengths of other line segments connecting the sides of a triangle.

Given the triangle at the right, write a paragraph proof for the following.




- **1.** $FG = \frac{1}{4}BC$
- $JK = \frac{1}{2}BC$ by the \triangle Midsegment Thm. $FG = \frac{1}{2}JK$ by the \triangle Midsegment Thm. Therefore, $FG = \frac{1}{4}BC$.
- **2.** $DE = \frac{1}{8}BC$

 $DE = \frac{1}{2}FG$ by the \triangle Midsegment Thm. $FG = \frac{1}{4}BC$ by Exercise 1. Therefore, $DE = \frac{1}{8}BC$.

- 3. $NO = \frac{3}{4}BC$ $\frac{AN}{AB} = \frac{AO}{AC} = \frac{3}{4}$. By SAS ~, $\triangle ANO \sim \triangle ABC$, so $NO = \frac{3}{4}BC$.
- 4. $HI = \frac{3}{8}BC$ $HI = \frac{1}{2}NO$ by the \triangle Midsegment Thm. $NO = \frac{3}{4}BC$ by Exercise 3. Therefore, $HI = \frac{3}{8}BC$.
- 5. $LM = \frac{5}{8}BC$ $\frac{AL}{AB} = \frac{AM}{AC} = \frac{5}{8}$. By SAS ~, $\triangle ALM \sim \triangle ABC$, so $LM = \frac{5}{8}BC$.
- 6. $PQ = \frac{7}{8}BC$ $\frac{AP}{AB} = \frac{AQ}{AC} = \frac{7}{8}$. By SAS ~, $\triangle APQ \sim \triangle ABC$, so $PQ = \frac{7}{8}BC$.

Use the diagram at the right for Exercise 7.

7. Nan is at point *N*, one-fourth of the way from her home at *H* to school at *S*. Bob is at *B*, which is three-quarters of the way from his apartment to Nan's home. Bob's apartment is at *A*, which is 3 mi from school. How far apart are Nan and Bob?
0.75 mi



Reteaching


Midsegments of Triangles

Connecting the midpoints of two sides of a triangle creates a segment called a *midsegment* of the triangle.

Point *X* is the midpoint of \overline{AB} .

Point *Y* is the midpoint of \overline{BC} .

So, \overline{XY} is a midsegment of $\triangle ABC$.



There is a special relationship between a midsegment and the side of the triangle that is not connected to the midsegment.

Triangle Midsegment Theorem

- The midsegment is parallel to the third side • of the triangle.
- The length of the midsegment is half the length • of the third side.

$$\overline{XY} \parallel \overline{AC}$$
 and $XY = \frac{1}{2}AC$.

Connecting each pair of midpoints, you can see that a triangle has three midsegments.

 \overline{XY} , \overline{YZ} , and \overline{ZX} are all midsegments of $\triangle ABC$.

Because *Z* is the midpoint of \overline{AC} , $XY = AZ = ZC = \frac{1}{2}AC$.




 \overline{QR} is a midsegment of $\triangle MNO$.


What is the length of \overline{MO} ?


Start by writing an equation using the Triangle Midsegment Theorem.

$$\frac{1}{2}MO = QR$$
$$MO = 2QR$$
$$= 2(20)$$
$$= 40$$

So, MO = 40.








_____ Class _____ Date _

Reteaching (continued) Midsegments of Triangles

Problem


 \overline{AB} is a midsegment of $\triangle GEF$. What is the value of *x*?


$$2AB = GF$$
$$2(2x) = 20$$
$$4x = 20$$
$$x = 5$$




Exercises

Find the length of the indicated segment.





3. SU 5.3




4. MO 4.4


















Algebra In each triangle, \overline{AB} is a midsegment. Find the value of x.



Additional Vocabulary Support Perpendicular and Angle Bisectors 5-2

Complete the vocabulary chart by filling in the missing information.

| Word or Word Phrase | Statement of Theorem | Picture or Example |
|---|---|--------------------------------|
| Perpendicular Bisector Theorem | If a point is on the perpendicular bisector of a segment, then it is equidistant from the endpoints of the segment. | $A \leftarrow + + + \bullet B$ |
| Converse of Perpendicular Bisector Theorem | If a point is equidistant from the endpoints of a segment, then it is on the perpendicular bisector of the segment. | |
| Angle Bisector Theorem | 2. If a point is on the bisector of an angle, then the point is equidistant from the sides of the angle. | B C X |
| Converse of Angle Bisector Theorem | If a point in the interior of an angle is equidistant from the sides of the angle, then the point is on the angle bisector. | 3. |

5-2 Think About a Plan Perpendicular and Angle Bisectors


- a. **Constructions** Draw a large acute scalene triangle, $\triangle PQR$. Construct the perpendicular bisectors of each side.
- **b. Make a Conjecture** What appears to be true about the perpendicular bisectors?
- c. Test your conjecture with another triangle.
- For part (a), what is an acute scalene triangle?
 a triangle in which all angles are acute and no side lengths are equal
- Sketch a large acute scalene triangle. Use a protractor to make sure each angle is less than 90°. Label the vertices *P*, *Q*, and *R*. Check to make sure the triangle is scalene by comparing the side lengths.
- **3.** To construct the perpendicular bisector for \overline{PQ} , set the compass to greater than $\underline{\frac{1}{2}QP}$. Draw two arcs, one from *P* and one from *Q*. The arcs <u>intersect</u> at two points. Draw a segment connecting the points. This segment is the <u>perpendicular bisector</u>.
- **4.** Construct the perpendicular bisectors of \overline{QR} and \overline{RP} .
- **5.** For part (b), examine the three perpendicular bisectors. Write a conjecture about the perpendicular bisectors in all triangles.

Answers may vary. Sample: The perpendicular bisectors of any triangle intersect at one


point inside the triangle.

 6. For part (c), repeat Steps 1–4 for an obtuse, equilateral, or isosceles triangle. Does the conjecture appear to be true for this triangle?
 Answers may vary. Sample: No; for an obtuse triangle, the intersection of the perpendicular bisectors lies outside the triangle.


12




R



Class Name Date **Practice** Form G Perpendicular and Angle Bisectors Use the figure at the right for Exercises 1-4. 3x + 20М L **1.** What is the relationship between \overline{LN} and \overline{MO} ? \overline{LN} is the perpendicular bisector of \overline{MO} . 5x 2. What is the value of *x*? 10 4. Find LO. 50 3. Find LM. 50 \cap Use the figure at the right for Exercises 5-8. 3.7 **5.** From the information given in the figure, how is \overline{TV} related to \overline{SU} ? \overline{TV} is the perpendicular bisector of \overline{SU} . 6. Find *TS*. 3.7 7. Find UV. 7.9 8. Find SU. 6 7 9. At the right is a layout for the lobby of a building Statue placed on a coordinate grid. a. At which of the labeled points would a receptionist chair 8 Entrance be equidistant from both entrances? **B** 4 **b.** Is the statue equidistant from the entrances? How do you know? Yes; the statue is at a point that lies 0 on the perpendicular bisector of a segment joining the entrances. 10. In baseball, the baseline is a segment connecting the bases. A Shortstop 2nd shortstop is told to play back 3 yd from the baseline and exactly the same distance from second base and third base. Describe how 30 yd 3rd 1st the shortstop could estimate the correct spot. There are 30 yd between bases. Assume that the shortstop has a stride of 36 in. Answers may vary. Sample: Pace off 15 strides (15 yd) from third Home base, make a 90° left turn, and count off three more strides (3 yd). Use the figure at the right for Exercises 11-15. **11.** According to the figure, how far is A from \overline{CD} ? From \overline{CB} ? **15**; **15 12.** How is \overrightarrow{CA} related to $\angle DCB$? Explain. 15 \overrightarrow{CA} bisects $\angle DCB$; Converse of \angle Bis. Thm. **13.** Find the value of x. **29** $2x^{\circ}$ $(3x - 29)^{\circ}$ С **14.** Find $m \angle ACD$ and $m \angle ACB$. **58**; **58 15.** Find $m \angle DAC$ and $m \angle BAC$. **32: 32**





Class

Date

Practice

Perpendicular and Angle Bisectors

Use the figure at the right for Exercises 1–3.

1. What is the value of *x*? **4**

To start, determine the relationship between \overline{AC} and \overline{BD} . Then write an equation to show the relationships of the sides. *A* **perpendicular** \overline{BD} is the <u>?</u> bisector of \overline{AC} . Therefore, point *B* is equidistant from points *A* and **C**. $4x = \underline{?} 3x + 4$


- **2.** Find *AB*. **16**
- 3. Find *BC*. 16

Use the figure at the right for Exercises 4-7.


- **4.** \overline{MO} is the perpendicular bisector of \overline{NP}
- 5. Find MP. 4.5
- 6. Find NO. 9.5
- 7. Find NP. 6.4


Use the figure at the right for Exercises 8-13.


- **8.** How far is *M* from \overline{KL} ? **8**
- **9.** How far is M from \overline{JK} ? **8**
- **10.** How is \overline{KM} related to $\angle JKL$? \overline{KM} bisects $\angle JKL$.
- **11.** Find the value of *x*. **18**
- **12.** Find *m∠MKL*. **54**
- **13.** Find $m \angle JMK$ and $m \angle LMK$. **36; 36**





Form K













19. x, IK 3; 18




21. *x*, *m*∠*TPS*, *m*∠*RPS* **19**; **32**; **32**

20. *x*, *m*∠*UWV*, *m*∠*UWT* **4; 20; 20**







_____ Class _____ Date ____

Standardized Test Prep 5-2


Perpendicular and Angle Bisectors

Multiple Choice

| For Exercises 1–6, choose Use the figure at the righ | | A | D fc |
|---|---|--------|---|
| 1. Which ray is a bisector (A) \overrightarrow{BC} (B) \overrightarrow{BD} | or of $\angle ABC$? B $\bigcirc \overrightarrow{BA}$ $\bigcirc \overrightarrow{BF}$ | F 10j | $ \begin{array}{c} 3x \\ G \\ H \\ S \\ S \\ H \\ S \\ S$ |
| 2. What is <i>GH</i> ? H (F) 5 | G 10 | H 15 | 1 25 |
| 3. What is the value of y (A) 2 | ? A B 4 | C 16 | D 20 |
| 4. What is $m \angle DBE$? H (F) 20 | G 30 | (H) 40 | ① 50 |
| 5. What is $m \angle ABE$? D (A) 20 | B 30 | C 40 | D 60 |
| 6. If $m \angle FBA = 7x + 6y$ F 40 | y, what is $m∠FBA$? H G 44 | (H) 47 | (1) 60 |

Short Response

7. Construct the bisector of $\angle ABC$. **Answers may vary. Sample:**



[2] Student construction is accurate and complete, including three arcs and a bisector labeled with two points. [1] The construction is incorrect or there are key elements, such as one of the arcs, missing. [0] There is no ray added to the diagram.

Enrichment 5-2

Perpendicular and Angle Bisectors

Angle Bisectors and Daisy Designs


Materials

- Compass
- Straightedge


Follow the directions to replicate the daisy design.


- **1.** Use a compass to construct a circle.
- 2. Pick a point on the circle, keeping the radius the same, and mark a full arc that intersects the circle.
- **3.** From the intersection point of the arc and circle, make another full arc and continue around the circle.
- 4. Create a point at each intersection.
- 5. Using two consecutive points on the circle and the center of the circle, draw an angle with the vertex at the center of the circle.
- 6. Bisect that angle.
- 7. Mark the point of intersection with the circle.
- 8. Using this point and the original radius of the circle, make an arc and continue around the circle. Create a point at each intersection.
- 9. Starting from any point, draw full arcs to connect two points on the circle.
- **10.** Continue around the circle. When the figure is complete, erase any unnecessary marks. Check students' work. Sample:

Use your knowledge of straightedge and compass constructions to create the daisy design below.



Check students' work. Give hint: $m \angle AOB = 45^{\circ}$. Sample:





Class

-2 Reteaching

Perpendicular and Angle Bisectors

Perpendicular Bisectors


There are two useful theorems to remember about perpendicular bisectors.

Perpendicular Bisector Theorem


If a point is on the perpendicular bisector of a segment, then it is equidistant from the endpoints of the segment.

Converse of the Perpendicular Bisector Theorem

If a point is equidistant from the endpoints of a segment, then it is on the perpendicular bisector of the segment. X is on the perpendicular bisector, so it is equidistant from the endpoints A and B.



Because X is equidistant from the endpoints C and D, it is on the perpendicular bisector of the segment.




Problem

What is the value of *x*?

Since *A* is equidistant from the endpoints of the segment, it is on the perpendicular bisector of \overline{EG} . So, EF = GF and x = 4.

Exercises

Find the value of *x*.



Reteaching (continued)

Perpendicular and Angle Bisectors


Angle Bisectors

There are two useful theorems to remember about angle bisectors.

Angle Bisector Theorem

If a point is on the bisector of an angle, then the point is equidistant from the sides of the angle.


X is on the angle bisector and is therefore equidistant from the sides of the angle.



Converse of the Angle **Bisector Theorem**

If a point in the interior of an angle is equidistant from the sides of an angle, then the point is on the angle bisector.

Because X is in the interior of the angle and is equidistant from the sides, *X* is on the angle bisector.



Problem


What is the value of *x*?

Because point A is in the interior of the angle and it is equidistant from the sides of the angle, it is on the bisector of the angle.

$$\angle BCA \cong \angle ECA$$
$$x = 40$$


Exercises

Find the value of *x*.



Prentice Hall Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.

20




10

Additional Vocabulary Support **Bisectors in Triangles**

For Exercises 1–5, match the term in Column A with its description in Column B. The first one is done for you.

| Column A | Column B |
|-----------------------------------|---|
| concurrent | _ the point of intersection of three or more lines |
| 1. point of concurrency | the intersection point of the three angle bisectors of a triangle |
| 2. circumcenter of a triangle | when a circle is tangent to the three sides of a triangle |
| 3. circumscribed about | when three or more lines intersect at a single point |
| 4 . incenter of a triangle | when a circle passes through the three vertices of a triangle |
| 5 . inscribed in | the intersection point of the three perpendicular bisectors of a triangle |

For Exercises 6-8, match the phrase in Column A with the diagram in Column B that describes point P.



5-3 Think About a Plan Bisectors in Triangles

Writing Ivars found an old piece of paper inside an antique book. It read:

From the spot I buried Olaf's treasure, equal sets of paces did I measure; each of three directions in a line, there to plant a seedling Norway pine. I could not return for failing health; now the hounds of Haiti guard my wealth. —Karl

After searching Caribbean islands for five years, Ivars found an island with three tall Norway pines. How might Ivars find where Karl buried Olaf's treasure?

Know

- 1. Make a sketch as you answer the questions. Check students' drawings.
- 2. "From the spot I buried Olaf's treasure ..." Mark a point X on your paper.
- **3.** "... equal sets of paces I did measure; each of the three directions in a line ..." This tells you to draw segments that have an endpoint at *X*.
 - a. Explain how you know these are segments. the words "in a line"
 - b. How many segments should you draw? 3
 - **c.** What do you know about the length of the segments? <u>They are equal.</u>
 - d. What do you know about the endpoints of the segments?Each segment has an endpoint at *X* and an endpoint at a Norway pine.
- **4.** You do not know in which direction to draw each segment, but you can choose three directions for your sketch. Mark the locations of the trees. Draw a triangle with the trees at its vertices. What is the name of the point where *X* is located? circumcenter

Need

5. Look at your sketch. What do you need to find? point X, the location of the circumcenter

Plan


- 6. Describe how to find the treasure. The first step is done for you.
 - Step 1 Find the midpoints of each side of the triangle.
 - Step 2 Use the midpoints to draw perpendicular bisectors for each side.
 - Step 3 Find the point of concurrency of the perpendicular bisectors. This is the

circumcenter, where point X is located.


| Name | | (| Class | Date | |
|-------------------------|---------------------------------|--|---------------------|------------------|---------------|
| 5-3 | Practice | | | | Form G |
| 55 | Bisectors in Tric | angles | | | |
| Coordinate G | ieometry Find the | e circumcenter of | f each triangle. | | |
| 1. 4y 4 2 0y 2 | 4 6 | 2. -4 -4 -4 -4 -4 -3 | 3. | | |
| (3.5, 2) | | (0, -2) | | (-2, 2) | |
| Coordinate G | eometry Find the | e circumcenter of | f $\triangle ABC$. | | |
| | .5, 2.5) 5. <i>A</i> (2, | | | | |
| B(4, 3) C(4, 2) | B(-4) | | | | |
| C(4, 2) | C(-4 | ŧ, −7) | C(1, 6) | C(0, - | -3) |
| <i>B</i> (5, 3) | | ŀ, −2) | <i>B</i> (1, -3) | B(-1) | , 2) |
| <i>C</i> (5, 2) | C(-4) | I, −7) | <i>C</i> (1, 6) | C(-1 | , -3) |
| Name the poin | nt of concurrency | of the angle bisec | tors. | | |
| 12. M | | 3. | A I 14. | Q | W |
| A | c | F | C | V W/ U X T | s |
| 15. | \wedge | 6. Q | № 17. | N | Р |
| - | G | N | > R | R S | |
| | $\sim C$ | P M S | | TP | \rightarrow |
| A | E | | | MCQ | 0 101 |
| | | | | | |

| Name | | Class | Date | |
|-------------------|---|----------------------|----------------------------|---------------|
| 5-3 | Practice (continue Bisectors in Triangl | | | Form G |
| Find the value | e of <i>x</i> . | | | |
| 18. 2 <i>x</i> | 3 19. x + 3 | 5 3x 2x + 5 | 20. $x+2$ $2x-2x-2$ | 5 |
| 21. x + 5 | -1 22. 3x + 7 | 2.5 $5x - 4$ $x + 6$ | 23. $5x + 7$ | 0.25 x + 8 |


24. Where should the farmer place the hay bale so that it is equidistant from the three gates? (0, 1.6)




26. Construction Construct three perpendicular bisectors for $\triangle LMN$. Then use the point of concurrency to construct the circumscribed circle.



25. Where should the fire station be placed so that it is equidistant from the grocery store, the hospital, and the police station? (1, 1)



27. Construction Construct two angle bisectors for $\triangle ABC$. Then use the point of concurrency to construct the inscribed circle.



VAR

0 Ρ -2

0


Х


Form K

Bisectors in Triangles

Practice

Coordinate Geometry Find the coordinates of the circumcenter of each triangle.






Coordinate Geometry Find the circumcenter of $\triangle PQR$.

3. P(0, 0) (1.5, 2) Q(3, 4) R(0, 4)

To start, graph the vertices and connect them on a coordinate plane. Then draw two perpendicular bisectors.

4. *P*(1, -5) (2.5, -3.5) Q(4, -5)R(1, -2)





6. *P*(-6, 6) (-1.5, 4) Q(3, 6)R(-6, 2)

7. P(4, 6) (2.5, 2)

Q(1, 6)R(1, -2)

- **8. a.** Which point is equidistant from the three posts? **Y**
 - **b.** Where are the coordinates of this point? (3, 5)
- 9. Construction Construct three perpendicular bisectors for $\triangle ABC$. Then use the point of concurrency to construct the circumscribed circle.





| Name | | Class | Date |
|---|---|--------------|---|
| 5-3 | Practice (continued) | | Form K |
| 0-0 | Bisectors in Triangles | | |
| Name the poin | nt of concurrency of the angle | e bisectors. | |
| 10. | B Q A | 11. | E U ∢ |
| A | T S Q C | D | T V F |
| 12. J | K X W Y L V | 13. | N Z Z B A O |
| Find the value | e of x. | | |
| line segme Because th the <u>?</u> m angle bise Then write | lentify the relationship betwee ents that are labeled. The segments meet at the point eet, the segments are <u>?</u> . ctors; congruent e an equation to find x: 2x + 4 | 3x - | 4 $2x + 4$ |
| 15. | x + 9 $3x + 5$ | 16. 2; | 11 $x + 13$ $x + 2$ |
| | tion Construct two angle bise he point of concurrency to con circle. | | x y y y y y y y y y y y y y y y y y y y |

Standardized Test Prep

Bisectors in Triangles

Multiple Choice

5-3

For Exercises 1–5, choose the correct letter. Use the figure below.

| | A X T W | , z c | |
|--|--------------------------------------|---|--------------------------|
| 1. Which point is the in | center of $\triangle ABC$? B | | |
| $\bigcirc X$ | B T | $\bigcirc R$ | $\bigcirc Y$ |
| 2. Which point is the circle x | rcumcenter of $\triangle ABC$? | H H R | I Y |
| 3. Which segment is an | angle bisector of $\triangle AB$ | C? A | |
| $\bigcirc \overline{BX}$ | $\bigcirc \overline{SX}$ | \bigcirc \overline{AS} | $\bigcirc \overline{RZ}$ |
| 4. Which segment is a probability \overline{BW} | G \overline{SB} | of $\triangle ABC$? I (H) \overline{AS} | $\bigcirc \overline{RZ}$ |
| 5. If $RC = x + 3$ and R | 2A = 3x - 3, what is th | e value of <i>x</i> ? A | |
| A 3 | B 6 | C 7 | D 9 |

Extended Response

6. Draw $\triangle ABC$. Construct three angle bisectors. Use the point of concurrency to construct the inscribed circle.

[4] Student draws $\triangle ABC$, constructs three angle bisectors, and constructs the inscribed circle. [3] Student draws $\triangle ABC$, constructs two angle bisectors and the inscribed circle. [2] Student submits an incomplete but accurate drawing. [1] Student drawing is inaccurate. [0] Student fails to submit a drawing or constructs no angle bisectors.

В

0

G



Enrichment

Bisectors in Triangles

Circumcenter of a Quadrilateral

While all triangles have a circumcenter, not all polygons have circumcenters. Quadrilaterals that have circumcenters are called *cyclic quadrilaterals*, because there is a circle that goes through all four vertices. Here you will construct the circumcenter of a given cyclic quadrilateral.

Use a compass and straightedge to perform the following construction for the circumcenter of quadrilateral ABDC.

- 1. Choose a point inside quadrilateral ABDC. Label it point P.
- 2. Construct perpendicular bisectors to find the circumcenter of $\triangle CAP$. Label the circumcenter *E*.
- **3.** Construct the perpendicular bisectors of $\triangle ABP$. Label the circumcenter F.
- 4. Construct the perpendicular bisectors of $\triangle BDP$. Label the circumcenter G.
- 5. Construct the perpendicular bisectors of $\triangle DCP$. Label the circumcenter *H*.
- **6.** Draw diagonals \overline{AD} and \overline{BC} . Label their intersection point *I*.
- **7.** Draw \overleftarrow{EG} and \overrightarrow{FH} . Label their intersection point *K*.
- **8.** Draw \overrightarrow{KI} .
- **9.** Mark a point on \overrightarrow{KI} that is the same distance from K as is I, but on the other side of *K*. Label this *O*. This is the circumcenter.
- **10.** To draw a circle that circumscribes quadrilateral *ABDC*, put your compass point at O and your pencil on one of the vertices and draw a circle through the vertices of the quadrilateral.



Reteaching


Bisectors in Triangles

The Circumcenter of a Triangle

If you construct the perpendicular bisectors of all three sides of a triangle, the constructed segments will all intersect at one point. This point of concurrency is known as the circumcenter of the triangle.

It is important to note that the circumcenter of a triangle can lie inside, on, or outside the triangle.

The circumcenter is equidistant from the three vertices. Because of this, you can construct a circle centered on the circumcenter that passes through the triangle's vertices. This is called a circumscribed circle.




Problem

Find the circumcenter of right $\triangle ABC$.


First construct perpendicular bisectors of the two legs, \overline{AB} and \overline{AC} . These intersect at (2, 2), the circumcenter.


Notice that for a right triangle, the circumcenter is on the hypotenuse.



Exercises

Coordinate Geometry Find the circumcenter of each right triangle.







Coordinate Geometry Find the circumcenter of $\triangle ABC$.

4. A(0, 0) (5, 4) B(0, 8)

C(10, 8)





6. A(-5, 2) (-1, 4) B(3, 2)*C*(3, 6)




Reteaching (continued)

Bisectors in Triangles

The Incenter of a Triangle

If you construct angle bisectors at the three vertices of a triangle, the segments will intersect at one point. This point of concurrency where the angle bisectors intersect is known as the *incenter of the triangle*.

It is important to note that the incenter of a triangle will always lie inside the triangle.



В

C



The incenter is equidistant from the sides of the triangle. You can draw a circle centered on the incenter that just touches the three sides of the triangle. This is called an inscribed circle.

Problem

Find the value of *x*.

The angle bisectors intersect at *P*. The incenter *P* is equidistant from the sides, so SP = PT. Therefore, x = 9.

Note that \overline{PV} , the continuation of the angle bisector, is not the correct segment to use for the shortest distance from *P* to \overline{AC} .

14


3.5


2x + 7

Exercises


10.


Find the value of *x*.






2







Additional Vocabulary Support

Medians and Altitudes

Concept List

5-4

| altitude | centroid | circumcenter |
|------------------|----------------------|--------------|
| concurrent lines | incenter | median |
| orthocenter | point of concurrency | vertex |

Choose the concept from the list above that best represents the item in each box.


| 1. | 2 . Point <i>Z</i> | 3 . Point <i>Q</i> |
|-----------------------------|---|---|
| median | point of concurrency | centroid |
| 4. Point W W incenter | 5. Three or more lines that meet at a single point concurrent lines | 6. Point <i>K</i> |
| 7. Altitude | 8. Point <i>P</i> | 9. Point <i>A</i> , <i>B</i> , or <i>C</i> A B C vertex |

Think About a Plan

Medians and Altitudes

Coordinate Geometry $\triangle ABC$ has vertices A(0, 0), B(2, 6), and C(8, 0). Define the points L, M, and N such that AL = LB, BM = MC, and CN = NA. Complete the following steps to verify the Concurrency of Medians Theorem for $\triangle ABC$.

- **a.** Find the coordinates of midpoints *L*, *M*, and *N*.
- **b.** Find equations of \overrightarrow{AM} , \overrightarrow{BN} , and \overrightarrow{CL} .
- **c.** Find the coordinates of *P*, the intersection of \overrightarrow{AM} and \overrightarrow{BN} . This is the centroid.
- **d.** Show that point *P* is on \overleftarrow{CL} .
- e. Use the Distance Formula to show that point *P* is two-thirds of the distance from each vertex to the midpoint of the opposite side.
- **1.** Write the midpoint formula. $\left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2}\right)$
- 2. Use the formula to find the coordinates of L, M, and N. (1, 3); (5, 3); (4, 0)
- **3.** Find the slopes of \overrightarrow{AM} , \overrightarrow{BN} , and \overrightarrow{CL} . $\frac{3}{5}$; -3; $-\frac{3}{7}$
- **4.** Write the general point-slope form of a linear equation. $y y_1 = m(x x_1)$
- 5. Write the point-slope form equations of \overrightarrow{AM} , \overrightarrow{BN} , and \overrightarrow{CL} . $y = \frac{3}{5}x$ or $y 3 = \frac{3}{5}(x 5)$; y = -3(x - 4) or y - 6 = -3(x - 2); $y = -\frac{3}{7}(x - 8)$ or $y - 3 = -\frac{3}{7}(x - 1)$
- 6. Solve the system of equations for \overrightarrow{AM} and \overrightarrow{BN} to find the point of intersection. (3¹/₂, 2)
- 7. Show that the coordinates of point P satisfy the equation of \overrightarrow{CL} . $2 = -\frac{3}{7}(3\frac{1}{3} 8)$
- 8. Use the distance formula to find AM, BN, and CL. Use a calculator and round to the nearest hundredth. 5.83; 6.32; 7.62
- 9. Use the distance formula to find AP, BP, and CP. 3.89; 4.22; 5.08
- **10.** Check to see that $AP = \frac{2}{3}AM$, $BP = \frac{2}{3}BN$, and $CP = \frac{2}{3}CL$. $5.83 \times \frac{2}{3} = 3.89; 6.32 \times \frac{2}{3} = 4.21; 7.62 \times \frac{2}{3} = 5.08$





Class


Form G


Practice (continued)

Medians and Altitudes

In Exercises 14–18, name each segment.

- **14.** a median in $\triangle ABC \quad \overline{C}$
- **15.** an altitude for $\triangle ABC \quad \overline{AH}$
- **16.** a median in $\triangle AHC \mid \overline{H}$
- **17.** an altitude for $\triangle AHB \quad \overline{AH} \text{ or } \overline{BH}$
- **18.** an altitude for $\triangle AHG \quad \overline{AH} \text{ or } \overline{GH}$
- **19.** A(0, 0), B(0, -2), C(-3, 0). Find the orthocenter of $\triangle ABC$. (0, 0)
- **20.** Cut a large isosceles triangle out of paper. Paper-fold to construct the medians and the altitudes. How are the altitude to the base and the median to the base related? **They are the same**.
- **21.** In which kind of triangle is the centroid at the same point as the orthocenter? **equilateral**
- **22.** *P* is the centroid of $\triangle MNO$. MP = 14x + 8y. Write expressions to represent *PR* and *MR*. *PR* = 7x + 4y; *MR* = 21x + 12y
- **23.** *F* is the centroid of $\triangle ACE$. $AD = 15x^2 + 3y$. Write expressions to represent *AF* and *FD*. *AF* = $10x^2 + 2y$; *FD* = $5x^2 + y$





24. Use coordinate geometry to prove the following statement. **Given:** $\triangle ABC$; A(c, d), B(c, e), C(f, e)**Prove:** The circumcenter of $\triangle ABC$ is a point on the triangle.

Sample: The circumcenter is the intersection of the perpendicular bisectors of a triangle. The midpoints of \overline{AB} and \overline{BC} are $(c, \frac{d+e}{2})$ and $(\frac{c+f}{2}, e)$. So, the equations of their perpendicular bisectors are $x = \frac{c+f}{2}$ and $y = \frac{d+e}{2}$. Their intersection is $(\frac{c+f}{2}, \frac{d+e}{2})$, which is the midpoint of AC.

Form K


Practice


Medians and Altitudes

- In $\triangle XYZ$, A is the centroid.
 - **1.** If DZ = 12, find ZA and AD. **8**; **4**

To start, write an equation relating the distance between the vertex and centroid to the length of the median.


$$ZA = \boxed{\frac{2}{3}}DZ$$






3. If AC = 3, find CX and AX. 9; 6


Is \overline{MN} a median, an altitude, or neither? Explain.



To start, identify the relationship between \overline{MN} and the side it intersects.


 \overline{MN} ? the side of the triangle it intersects. **bisects** Median; MN bisects the opposite side.






In Exercises 7–10, name each segment.

- **7.** a median in $\triangle STU$ **SB**
- **8.** an altitude in $\triangle STU \overline{AU}$
- **9.** a median in $\triangle SBU$ **CB**
- **10.** an altitude in $\triangle CBU \square DU$



11. *Q* is the centroid of $\triangle JKL$. PK = 9x + 21y. Write expressions to represent PQ and QK. PQ = 3x + 7y, QK = 6x + 14y





Class

Form K

5-4 Practice (continued) Medians and Altitudes

Find the orthocenter of each triangle.







Coordinate Geometry Find the coordinates of the orthocenter of $\triangle ABC$.

14. *A*(6, 10), *B*(2, 2), *C*(10, 2) (6, 4)

To start, graph the vertices of the triangle in a coordinate plane.





15. *P*(1, 7), *Q*(1, 2), *R*(11, 2) (1, 2)



17. Which triangle has a centroid at the same point as the orthocenter? $\triangle GHI$

16. D(5, 11), E(2, 5), F(11, 5) (5, 8)






Class Date **Standardized Test Prep** Medians and Altitudes **Multiple Choice** For Exercises 1–5, choose the correct letter. **1.** Z is the centroid of $\triangle ABC$. If AZ = 12, what is ZY? **A** (A) 6 C 12 **B** 9 D 18 **2.** What is the best description of \overline{AB} ? **F (F)** altitude G perpendicular bisector (H) median ① angle bisector **3.** What is the best description of *P*? **D** (A) incenter (B) centroid C circumcenter **D** orthocenter Use $\triangle XYZ$ for Exercises 4 and 5. **4.** Which is an altitude of $\triangle XYZ$? **F** (F) \overline{AZ} (H) \overline{XB} $\bigcirc \overline{ZY}$ $\bigcirc \overline{XY}$ **5.** Which is a median of $\triangle XYZ$? **B** $\bigcirc \overline{AZ}$ \overline{X} $\bigcirc \overline{BX}$ $\bigcirc \overline{YZ}$ **Short Response 6.** *M* is the centroid of $\triangle QRS$, and QM = 22x + 10y. What expressions can you write for MV and QV?


[2] MV = 11x + 5y AND QV = 33x + 15y


[1] MV = 11x + 5y OR QV = 33x + 15y


[0] No correct response is given.



Prentice Hall Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.







Date

Enrichment Medians and Altitudes Constructions – Centroid and Orthocenter 9. **Materials** 1., 2. A Compass • Straightedge Card stock Follow the directions below to locate a point of concurrency of $\triangle ABC$. 1. Using a construction or folding, find the midpoint of each side of the triangle. 2. Draw all three medians of the triangle. 3. What word names the point of intersection of three medians? Label this point D. centroid **4.** Is this point in the interior or the exterior of $\triangle ABC$? interior 5. Is it possible for this point to lie outside a triangle? Explain. It is not possible for the centroid to be on the exterior because all the medians are in the interior of the triangle. 11. Trace $\triangle XYZ$ on a piece of card stock 6 Center or cardboard, and cut it out. of gravity **6.** Find the balancing point of the triangle using constructions. 7. Test your answer by placing the point on the tip of a pencil and observing whether the triangle is balanced. Check students' work. 8. Did you find the circumcenter, incenter, centroid, or 7 orthocenter of the triangle? centroid Follow the directions below to locate a point of concurrency of $\triangle EFH$. **9.** Construct all three altitudes of $\triangle EFH$. (*Hint:* Remember that some altitudes may lie outside the triangle.) 10. What word names the point of intersection of the altitudes? Label this point *I.* orthocenter **11.** Construct two altitudes of $\triangle ABC$ and $\triangle XYZ$. Check students' work. 12. Where do the orthocenters for obtuse, right, and acute triangles lie? for an obtuse triangle, exterior to the triangle; for a right triangle, on the vertex of the right angle; for an acute triangle, on the triangle interior


Reteaching

Medians and Altitudes

A median of a triangle is a segment that runs from one vertex of the triangle to the midpoint of the opposite side. The point of concurrency of the medians is called the *centroid*.

The medians of $\triangle ABC$ are \overline{AM} , \overline{CX} , and \overline{BL} .


The centroid is point *D*.




An *altitude* of a triangle is a segment that runs from one vertex perpendicular to the line that contains the opposite side. The orthocenter is the point of concurrency for the altitudes. An altitude may be inside or outside the triangle, or a side of the triangle.

The altitudes of $\triangle QRS$ are \overline{QT} , \overline{RU} , and \overline{SN} .

The orthocenter is point *V*.



Determine whether \overline{AB} is a median, an altitude, or neither.




Reteaching (continued)

Medians and Altitudes

The medians of a triangle intersect at a point two-thirds of the distance from a vertex to the opposite side. This is the Concurrency of Medians Theorem.

CJ and *AH* are medians of $\triangle ABC$ and point *F* is the centroid.

 $CF = \frac{2}{3}CJ$



Problem

Point *F* is the centroid of $\triangle ABC$. If CF = 30, what is *CJ*?

| $CF = \frac{2}{3}CJ$ | Concurrency of Medians Theorem |
|------------------------------|---------------------------------------|
| $30 = \frac{2}{3} \times CJ$ | Fill in known information. |
| $\frac{3}{2} \times 30 = CJ$ | Multiply each side by $\frac{3}{2}$. |
| 45 = CJ | Solve for <i>CJ</i> . |


Exercises


In $\triangle VYX$, the centroid is Z. Use the diagram to solve the problems.

- **7.** If XR = 24, find XZ and ZR. **16**; **8**
- **8.** If *XZ* = 44, find *XR* and *ZR*. **66**; **22**
- **9.** If VZ = 14, find VP and ZP. **21**; **7**
- **10.** If VP = 51, find VZ and ZP. **34**; **17**
- **11.** If *ZO* = 10, find *YZ* and *YO*. **20**; **30**
- **12.** If *YO* = 18, find *YZ* and *ZO*. **12**; 6

In Exercises 13–16, name each segment.

- **13.** a median in $\triangle DEF$ **D**
- **14.** an altitude in $\triangle DEF \in FK$
- **15.** a median in $\triangle EHF$ **H**
- **16.** an altitude in $\triangle HEK$ **HK** or **KE**





Additional Vocabulary Support

Indirect Proof

Use the chart below to review vocabulary. These vocabulary words will help you complete this page.

| Related Words | Explanations | Examples |
|---|---|---|
| Assume uh SOOM | to say or believe something to be true | The weather has been cold every day this week. I <i>assume</i> it will be cold today, too. |
| Assumption uh SUMP shun | something taken to be true, or believed to be true | My <i>assumption</i> is that the weather in Canada is cold. |
| Reason (noun) REE zun | a basis for a belief or an action | My <i>reason</i> for believing that the sun will rise tomorrow is that it has always risen before. |
| Reason (verb) REE zun | to think or argue logically; to form conclusions | Dirk <i>reasons</i> with his sister to get her to eat her vegetables. |
| Reasoning REE zun ing | way of thinking, analysis | inductive <i>reasoning,</i> deductive <i>reasoning</i> |
| Reasonable REE zuh nuh bul | to be logical, to make sense | After solving a problem, Maria checks to see if her answer is <i>reasonable</i> . |

Circle the correct answer. The first one is done for you.

I [reason assume] that people use umbrellas when it rains.

- **1.** A student multiplies 21×43 to get 903. She checks to see if her answer is (reasonable) assumption] by comparing it to the product of 20 and 40.
- 2. A dad could not find his children's sandals. He made the [reason/assumption] that his children wore the sandals to the beach.

Use the vocabulary above to fill in the blanks.

- **3.** Before he jumped into the pool, a swimmer made the <u>assumption</u> that the water would be warm.
- **4.** A girl's <u>reason</u> for believing that all cats purr is that every cat she knows purrs.
- 5. Everybody likes the chef's cooking. A diner concludes using inductive <u>reasoning</u> that she will enjoy the dinner the chef is cooking tonight.

5-5 Think About a Plan

Write an indirect proof.

Given: $\triangle XYZ$ is isosceles.

Prove: Neither base angle is a right angle.

- What is the first step in writing an indirect proof?
 State the opposite of what you want to prove as a temporary assumption.
- Write the first step for this indirect proof.
 Assume temporarily that at least one of the base angles is a right angle.
- 3. What is the second step in writing an indirect proof?Show that the temporary assumption leads to a contradiction.
- **4.** Find the contradiction:
 - a. How are the base angle measures of an isosceles triangle related?
 The base angles have equal measures.
 - b. What must be the measure of each base angle?90; 90
 - c. What is the sum of the angle measures in a triangle? _____
 - **d.** If both base angles of $\triangle XYZ$ are right angles, and the non-base angle has a measure greater than 0, what must be true of the sum of the angle measures?

The sum of the angle measures must be greater than 180.

- e. What does your assumption contradict? the Triangle Angle-Sum Theorem
- 5. What is your conclusion?

The assumption is false. Therefore, neither base angle in an isosceles triangle is a

right angle.

Form G

Indirect Proof


Practice

Write the first step of an indirect proof of the given statement.

- **1.** A number g is divisible by 2. Assume temporarily that *q* is not divisible by 2.
- **2.** There are more than three red houses on the block. Assume temporarily that there are at most three red houses on the block.
- **3.** $\triangle ABC$ is equilateral. Assume temporarily that $\triangle ABC$ is not equilateral.
- **4.** $m \angle B < 90$ Assume temporarily that $m \angle B \ge 90$.
- **5.** $\angle C$ is not a right angle. Assume temporarily that $\angle C$ is a right angle.
- 6. There are less than 15 pounds of apples in the basket. Assume temporarily that there are 15 or more pounds of apples in the basket.
- 7. If the number ends in 4, then it is not divisible by 5. Assume temporarily that a number that ends in 4 is divisible by 5.
- **8.** If $\overline{MN} \cong \overline{NO}$, then point N is on the perpendicular bisector of \overline{MO} . Assume temporarily that point N is not on the perpendicular bisector of \overline{MO} .
- 9. If two right triangles have congruent hypotenuses and one pair of congruent legs, then the triangles are congruent. Assume temporarily that there are two right triangles that are not congruent but have congruent hypotenuses and one pair of congruent legs.
- **10.** If two parallel lines are intersected by a transversal, then alternate interior angles are congruent. Assume temporarily that there are two parallel lines intersected by a transversal, with alternate interior angles that are not congruent.
- **11. Developing Proof** Fill in the blanks to prove the following statement: In right $\triangle ABC$, $m \angle B + m \angle C = 90$.

Given: right $\triangle ABC$

Prove: $m \angle B + m \angle C = 90$



Assume temporarily that $m \angle B + m \angle C _ \neq 90$. If $m \angle B + m \angle C _ \neq 90$, then $m \angle A + m \angle B + m \angle C \neq 180$. According to the Triangle Angle-Sum Theorem, $m \angle A + m \angle B + m \angle C = 180$. This contradicts the previous statement, so the temporary assumption is false . Therefore, $\underline{m \angle B} + \underline{m \angle C} = 90$

12. Use indirect reasoning to eliminate all but one of the following answers. In what year was Barack Obama born? C

| A 1809 | B 1909 | C 1961 | D 2000 |
|--------|---------------|--------|--------|
|--------|---------------|--------|--------|

Prentice Hall Gold Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.

| Name | | Cla | 155 | Date |
|---|--|---|--|---|
| 5-5 | Practio | Ce (continued) Proof | | Form G |
| 00 | Indirect | Proof | | |
| Identify the t | wo stateme | nts that contradict each oth | ner. | |
| 13. I. △ <i>ABC</i> i | s acute. | II. $\triangle ABC$ is scalene. | III. $\triangle ABC$ | is equilateral. II and III |
| 14. I. <i>m</i> ∠ <i>B</i> ≤ | 90 | II. $\angle B$ is acute. | III. $\angle B$ is a | right angle. II and III |
| III. <i>FA</i> and I. Victori II. Victori III. Victori III. Victori III. CAMN III. △ABC | d \overline{AC} are ske d \overline{AC} do not ia has art cla ia has math ia has math ia has math O is acute. I ntroid and t O is equilate C such that 2 C such that 2 | intersect. I and II ss from 9:00 to 10:00 on Mo class from 10:30 to 11:30 on class from 9:00 to 10:00 on M I and III he orthocenter for $\triangle MNO$ a ral. A is obtuse. I and II B is obtuse. | Mondays. Mondays. are at different | |
| III. △ABC Write an indi | C is an acute rect proof. | triangle. | | C |
| Prove: C Assume t Then, m∠ m∠BCX - If m∠BX0 Angle-Su | $\overline{X} \perp \overline{BD}$ emporarily $\Delta BXC \neq 90.$ + $m \angle BXC + C$ $\Xi \neq 90, thenm Theorem$ |), $m ∠ BCX = 60$, $∠XCD \cong$ that \overline{CX} and \overline{BD} are not per m ∠XBC = 60 + m ∠BXC + m ∠BCX + m ∠BXC + m ∠X yields $m ∠BCX + m ∠BXC +$ $m ∠XBC \neq 180$. So, $m ∠BXC$ | pendicular. 30 = 90 + m∠ ⟨BC ≠ 180. The · m∠XBC = 180 | Triangle). This contradicts |
| Answers 32°F and will be in | may vary. Sa it is raining. the form of | how that the temperature n ample: Suppose that the ten Because 32°F is the freezin sleet, snow, or freezing rai , the temperature must be | mperature is les og point of wate in. This contrad | ss than or equal to er, any precipitation icts the original |
| | | ntice Hall Gold Geometry • T ht © by Pearson Education, Inc., or its a 44 | | |

Practice Indirect Proof

Form K

Complete the first step of an indirect proof of the given statement.

- 1. There are fewer than 11 pencils in the box. Assume temporarily that there are <u>?</u> pencils in the box. **11 or more**
- 2. If a number ends in 0, then it is not divisible by 3. Assume temporarily that a number that ends in 0? . is divisible by 3
- **3.** 4x + 3 > 12Assume temporarily that $4x + 3 \leq 12$.
- **4.** $\triangle RST$ is not an isosceles triangle. Assume temporarily that ?. $\triangle RST$ is an isosceles triangle

Write the first step of an indirect proof of the given statement.

- 5. There are more than 20 apples in a box. Assume temporarily that there are 20 or fewer apples in a box.
- 6. If a number ends in *x*, then it is a multiple of 5. Assume temporarily that a number that ends in x is not a multiple of 5.
- **7.** $m \angle XYZ < 100$ Assume temporarily that $m \angle XYZ \ge 100$.
- **8.** $\triangle DEF$ is a right triangle. Assume temporarily that $\triangle DEF$ is not a right triangle.

Identify the two statements that contradict each other.

9. I. $\overrightarrow{MN} \parallel \overrightarrow{GH}$ II. \overrightarrow{MN} and \overrightarrow{GH} do not intersect. III. \overrightarrow{MN} and \overrightarrow{GH} are skew. | and III G Н

To start, identify two conditions that cannot be true at the same time.

? lines must be in the same plane. Parallel

? lines must not be in the same plane. Skew

Therefore, two lines cannot be both <u>?</u> and <u>?</u>. parallel; skew

Prentice Hall Foundations Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.

| Nam | 2 | Class | Date |
|------|--|------------------------|-------------|
| | 5-5 Practice (continued) Indirect Proof | | Form K |
| | Indirect Proof | | |
| Ider | tify the two statements that contradict each | other. | |
| | I. $\triangle CDE$ is equilateral. II. $\angle C$ and $\angle E$ have the same measure. II. $m \angle C > 60$ and III | | |
| | I. $\triangle JKL$ is scalene.JII. $\triangle JKL$ is obtuse.JII. $\triangle JKL$ is isosceles.I and III | K | |
| | I. The orthocenter of $\triangle CDE$ is point <i>G</i> . II. The centroid and orthocenter of $\triangle CDE$ are II. $\triangle CDE$ is scalene. II and III | e both point <i>G.</i> | C G H |
| | I. An altitude of $\triangle PQR$ is outside the triangle II. $\triangle PQR$ is acute. II. An median of $\triangle PQR$ is inside the triangle. | | |
| Con | plete the indirect proof. | | R |
| 14. | Given: $\angle S \cong \angle VWU$ $\angle T \cong \angle WVU$ | | Ţ |
| | Prove: $\overline{TS} \parallel \overline{VW}$ | | / X |
| | Assume temporarily that <u>?</u> . 75 is not paral | lel to VW | W W U |
| | Then by the Converse of the $_?$, $\angle S$ and $\angle V$ Corresp. \measuredangle Thm. This contradicts the given information that $_$ | | congruent |
| | Therefore, \overline{TS} must be <u>?</u> \overline{VW} . is parallel to | | |
| | | | |
| | | | |

Standardized Test Prep 5-5

Indirect Proof

Multiple Choice

For Exercises 1–5, choose the correct letter.

| 1. Which two statements contradict each other? A | | | |
|--|-------------------|--------------------------------|--------------------|
| I. $\triangle ABC$ is scalen | .e. | III. $\triangle ABC$ is right. | |
| II. $\triangle ABC$ is isosce | les. | IV. $\triangle ABC$ is acute. | |
| (A) I and II | B I and IV | © II and III | D II and IV |

2. \triangle *MNO* is equilateral. Which is a contradiction to this statement? **H**

| (F) $\triangle MON$ is equilateral. | (H) $m \angle M = 120$ |
|--|----------------------------|
| G $\triangle MNO$ is acute. | $\bigcirc m \angle M = 60$ |

- 3. What is the first step of the following indirect proof? A Given: The side lengths of a triangle are 4, 4, and 6. **Prove:** The triangle is not a right triangle.
 - A Assume the triangle is a right triangle.
 - B Assume the triangle is obtuse.
 - C Assume the side lengths are not 4, 4, and 6.
 - D Assume the side lengths are 4, 5, and 6.
- **4.** MN = PQ. Which is a contradiction to this statement?

| $ (\mathbf{F}) \overline{MN} \parallel \overline{PQ} $ | $\textcircled{H} \overline{MN} \cong \overline{PQ}$ |
|---|--|
| $\bigcirc \overline{MN} \perp \overline{PQ}$ | \bigcirc \overline{MN} is not congruent to \overline{PQ} . |

- 5. What is the first step of an indirect proof of the statement: A number x is not divisible by 5? B
 - A Assume *x* is not divisible by 5. C Assume *x* is divisible by 2. B Assume *x* is divisible by 5. \bigcirc Assume *x* is prime.

Short Response

6. What is the first step of an indirect proof of the following statement? Explain.

If a number ends in 0, then it is divisible by 5. [2] Assume a number that ends in 0 is not divisible by 5. This is the opposite of what I want to prove. [1] Assume the opposite of what I want to prove OR Assume a number that ends in 0 is not divisible by 5. [0] No assumption or explanation is given.

-5 Enrichment

Indirect Proof

Proofs About Triangles

Indirect reasoning is a useful way to prove things. Everyone uses indirect reasoning, sometimes without realizing it.

For instance, on the way to play baseball you feel a drop of water land on you, even though you had thought it was not raining. Now, however, you decide that it must be raining, even though the daylight seems too bright for such weather. You look up at the sky and see that there are no clouds, leading you to reason that it is not raining after all, and you will be able to play baseball.


You have just used the three steps of indirect reasoning. First you assume the opposite of what you want to prove. Next, you show that your assumption leads to a contradiction. Last of all, you conclude that your assumption must have been false and what you wanted to prove is true.

Use indirect reasoning to complete the following proofs of statements that have been proven using direct reasoning earlier in the chapter.

1. Given: $\triangle ABC$, with perpendicular bisectors meeting at point *D*

Prove: AD = BD

Answers may vary. Sample: Assume $AD \neq BD$. Therefore, \overline{DE} is not a perpendicular bisector, because by the Perpendicular Bisector Theorem, all points on the bisector are equidistant from the endpoints of the segment. But it is given that D is the



intersection of the perpendicular bisectors, so \overline{DE} must be a perpendicular bisector because it is perpendicular to \overline{AB} and passes through D. Therefore, AD = BD.

2. Given: The incenter and circumcenter of $\triangle JKL$ are different points.

Prove: $\triangle JKL$ is not equilateral.

Answers may vary. Sample: Assume $\triangle JKL$ is equilateral. The incenter of a triangle is the intersection of the angle bisectors of a triangle. The circumcenter of a triangle is the intersection of the perpendicular bisectors of a triangle. If $\triangle JKL$ is equilateral, then the perpendicular bisector \overline{JM} makes two triangles, $\triangle JKM$ and $\triangle JLM$. $\overline{JM} \cong \overline{JM}$ by the Reflexive Property of \cong . $\overline{JK} \cong \overline{JL}$ because $\triangle JKL$ is equilateral. $\overline{MK} \cong \overline{ML}$ by the Perpendicular Bisector Theorem. So $\triangle JKM \cong \triangle JLM$ by SSS. So by CPCTC, $\angle KJM \cong \angle LJM$. Thus, \overline{JM} is an angle bisector, as are the other perpendicular bisectors. So the incenter and the circumcenter are the same point. But it is given that they are different points. Therefore, $\triangle JKL$ is not equilateral.

5-5 Reteaching

Indirect Proof

In an *indirect proof*, you prove a statement or conclusion to be true by proving the opposite of the statement to be false.

There are three steps to writing an indirect proof.

- **Step 1:** State as a temporary assumption the opposite (negation) of what you want to prove.
- **Step 2:** Show that this temporary assumption leads to a contradiction.
- **Step 3:** Conclude that the temporary assumption is false and that what you want to prove must be true.

Problem

- Given: There are 13 dogs in a show; some are long-haired and the rest are short-haired. There are more long-haired than short-haired dogs.
- **Prove:** There are at least seven long-haired dogs in the show.
- **Step 1:** Assume that fewer than seven long-haired dogs are in the show.
- **Step 2:** Let ℓ be the number of long-haired dogs and *s* be the number of shorthaired dogs. Because $\ell + s = 13$, $s = 13 - \ell$. If ℓ is less than 7, *s* is greater than or equal to 7. Therefore, *s* is greater than ℓ . This *contradicts* the statement that there are more long-haired than short-haired dogs.
- **Step 3:** Therefore, there are at least seven long-haired dogs.

Exercises

Write the temporary assumption you would make as a first step in writing an indirect proof.

- **1.** Given: an integer *q*; Prove: *q* is a factor of 34. Assume *q* is not a factor of 34.
- **2.** Given: $\triangle XYZ$; Prove: XY + XZ > YZ. Assume $XY + XZ \leq YZ$.
- **3.** Given: rectangle *GHIJ*; Prove: $m \angle G = 90$ Assume $m \angle G \neq 90$.
- **4.** Given: \overline{XY} and \overline{XM} ; Prove: XY = XM Assume $XY \neq XM$.

Write a statement that contradicts the given statement.

- 5. Whitney lives in an apartment. Whitney does not live in an apartment.
- 6. Marc does not have three sisters. Marc has three sisters.
- **7.** $\angle 1$ is a right angle. $\angle 1$ is an acute angle.
- 8. Lines *m* and *h* intersect. Lines *m* and *h* do not intersect.

Prentice Hall Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.

Reteaching (continued) Indirect Proof

Problem

Given: $\angle A$ and $\angle B$ are not complementary. **Prove:** $\angle C$ is not a right angle.

Step 1: Assume that $\angle C$ is a right angle.

Step 2: If $\angle C$ is a right angle, then by the Triangle Angle-Sum Theorem, $m \angle A + m \angle B + 90 = 180$. So $m \angle A + m \angle B = 90$. Therefore, $\angle A$ and $\angle B$ are complementary. But $\angle A$ and $\angle B$ are not complementary.

Step 3: Therefore, $\angle C$ is not a right angle.

Exercises

Complete the proofs.

- 9. Arrange the statements given at the right to complete the steps of the indirect proof.
 - Given: $\overline{XY} \cong \overline{YZ}$ **Prove:** $\angle 1 \cong \angle 4$ Step 1: <u></u>**P A.** But $\overline{XY} \cong \overline{YZ}$. X Step 2: _? D **B.** Assume $\angle 1 \cong \angle 4$. **C.** Therefore, $\angle 1 \not\cong \angle 4$. Step 3: ? F Step 4: <u>?</u> E **D.** $\angle 1$ and $\angle 2$ are supplementary, and $\angle 3$ and $\angle 4$ are supplementary. E. According to the Converse of the Isosceles Step 5: ? A Triangle Theorem, XY = YZ or $\overline{XY} \cong \overline{YZ}$. **F.** If $\angle 1 \cong \angle 4$, then by the Congruent Step 6: ? C Supplements Theorem, $\angle 2 \cong \angle 3$.
- **10.** Complete the steps below to write a convincing argument using indirect reasoning.

Given: $\triangle DEF$ with $\angle D \ncong \angle F$

Prove: $\overline{EF} \cong \overline{DE}$


Step 1: <u>?</u> Assume $\overline{EF} \cong \overline{DE}$.

Step 2: _____ If $\overline{EF} \cong \overline{DE}$, then by the Isosceles Triangle Theorem, $\angle D \cong \angle F$.

Step 3: _? But $\angle D \not\cong \angle F$.

Step 4: <u>?</u> Therefore, $\overline{EF} \neq \overline{DE}$.

Prentice Hall Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.



Ε

Additional Vocabulary Support 5-6

Inequalities in One Triangle

The column on the left shows the steps used to solve an inequality using the Triangle Inequality Theorem. Use the column on the left to answer each question in the column on the right.

| ProblemTriangle Inequality TheoremA handyman wants to make a fence around a garden in the shape of a triangle. He plans to use a 6-ft-long piece of fencing and a 7-ft-long piece of fencing. How long could the third piece of fencing be? | Read the example. What do you need to find to solve the problem? the possible lengths of the third piece of fencing |
|---|---|
| Choose a variable to represent the length of the third piece of fencing: <i>x</i> . | 2. What is a <i>variable</i>? a symbol or letter that represents an unknown number 3. What does <i>represent</i> mean? to act as a substitute for |
| Set up three inequalities using the Triangle Inequality Theorem: 6 + 7 > x x + 6 > 7 x + 7 > 6 | 4. What is the Triangle Inequality Theorem? The sum of the lengths of any two sides of a triangle is greater than the length of the third side. |
| Solve the inequalities: 13 > x x > 1 x > -1 | 5. What does it mean to solve an inequality? to find the values of the variable that make the inequality true |
| Form a conclusion: The value of <i>x</i> must be less than 13 and greater than 1. So, the length of the third piece of fencing must be greater than 1 ft and less than 13 ft. | 6. Why is there more than one possible value of x? Many different lengths of fencing could be used to form the third side of the triangle. |

5-6

Think About a Plan

Inequalities in One Triangle

Prove this corollary to Theorem 5-11: The perpendicular segment from a point to a line is the shortest segment from the point to the line.


Given: $\overline{PT} \perp \overline{TA}$ **Prove:** PA > PT


| ŀ | , | |
|---|-----------------------|---|
| | $\mathbf{\mathbf{N}}$ | |
| | \mathbf{i} | |
| | \backslash | |
| | | |
| | | |
| . | \neg \land | |
| 1 | | 4 |

- Т **1.** What is $m \angle T$? Explain how you know this. 90; two perpendicular line segments form right angles, and right angles are 90°.
- **2.** What is $m \angle P + m \angle A + m \angle T$? Explain how you know this. 180; the Triangle Angle-Sum Theorem
- **3.** What is $m \angle P + m \angle A$? Explain how you know this. 90; I subtracted the value of $m \angle T$ from both sides of the equation $m \angle P + m \angle A + m \angle T = 180.$
- **4.** Write an inequality to show $m \angle A$. **0** < $m \angle A$ < **90**
- **5.** Write an inequality to show the relationship between $m \angle A$ and $m \angle T$. $m \angle A < m \angle T$
- **6.** Which side lies opposite $\angle A$ and which side lies opposite $\angle T$? \overline{PA} lies opposite $\angle T$, and \overline{PT} lies opposite $\angle A$.
- 7. What is Theorem 5-11? If two angles of a triangle are not congruent, then the longer side lies opposite the larger angle.
- 8. What can you conclude about *PA* and *PT*?

PA > PT

Date





For Exercises 7–10, list the sides of each triangle in order from shortest to longest.



9. $\triangle ABC$, with $m \angle A = 99$, $m \angle B = 44$, and $m \angle C = 37$ **BA**, **AC**, **CB**

10. $\triangle ABC$, with $m \angle A = 122$, $m \angle B = 22$, and $m \angle C = 36$ \overline{AC} , \overline{BA} , \overline{CB}


For Exercises 11 and 12, list the angles of each triangle in order from smallest to largest.

- **11.** $\triangle ABC$, where AB = 17, AC = 13, and $BC = 29 \angle B, \angle C, \angle A$
- **12.** \triangle *MNO*, where *MN* = 4, *NO* = 12, and *MO* = 10 $\angle O$, $\angle N$, $\angle M$

Prentice Hall Gold Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.

| Name | | _ Class | Date | |
|------|------------------------------|---------|------|-----|
| 5-6 | Practice (continued) | | For | m G |
| J-0 | Inequalities in One Triangle | | | |

Determine which side is shortest in the diagram.




Can a triangle have sides with the given lengths? Explain.


- **15.** 8 cm, 7 cm, 9 cm Yes; the sum of the lengths of any two sides is always greater than the length of the third side.
- 16. 7 ft, 13 ft, 6 ft No; the sum of the lengths of the two shorter sides is equal to the length of the third side; 6 + 7 = 13
- **17.** 20 in., 18 in., 16 in. Yes; the sum of the lengths of any two sides is always greater than the length of the third side.
- 18. 3 m, 11 m, 7 m No; the sum of the lengths of the two shorter sides is less than the length of the third side; 7 + 3 < 11

Algebra The lengths of two sides of a triangle are given. Describe the possible lengths for the third side.

- **19.** 5, 11 any length that is greater than 6 and less than 16
- **20.** 12, 12 any length that is greater than 0 and less than 24
- **21.** 25, 10 any length that is greater than 15 and less than 35
- 22. 6, 8 any length that is greater than 2 and less than 14
- **23.** Algebra List the sides in order from shortest to longest in $\triangle PQR$, with $m \angle P = 45$, $m \angle Q = 10x + 30$, and $m \angle R = 5x$. \overrightarrow{PQ} , \overrightarrow{QR} , \overrightarrow{PR}
- **24.** Algebra List the sides in order from shortest to longest in $\triangle ABC$, with $m \angle A = 80$, $m \angle B = 3x + 5$, and $m \angle C = 5x 1$. \overrightarrow{AC} , \overrightarrow{BA} , \overrightarrow{BC}
- 25. Error Analysis A student draws a triangle with a perimeter 36 cm. The student says that the longest side measures 18 cm. How do you know that the student is incorrect? Explain. The Triangle Inequality Theorem says that the sum of any two sides must be greater than the third side. If one side measures 18 cm and the perimeter is 36 cm, then the other two sides must sum to 18 cm, but they must add up to greater than 18.




For Exercises 2–5, list the angles of each triangle in order from smallest to largest.



5. \triangle *XYZ*, where *XY* = 25, *YZ* = 11, and *XZ* = 15 \angle *X*, \angle *Y*, \angle *Z*

For Exercises 6–8, list the sides of each triangle in order from shortest to longest.



- **8.** $\triangle MNO$, where $m \angle M = 56$, $m \angle N = 108$, and $m \angle O = 16$ \overline{MN} , \overline{NO} , \overline{MO}
- **9. Algebra** List the sides in order from shortest to longest in $\triangle XYZ$, with $m \perp X = 50$, $m \perp Y = 5x + 10$, and $m \perp Z = 5x$. \overline{YZ} , \overline{XY} , \overline{XZ}

Prentice Hall Foundations Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.

2x + 15

5-6

Practice (continued)

Form K

Inequalities in One Triangle

Can a triangle have sides with the given lengths? Explain.

10. 10 in., 13 in., 18 in.

To start, choose two sides and see if their sum exceeds the third side.

10 + 13 [$\stackrel{?}{\geq}$] 18 yes/ no (Circle the correct answer.)

Check the other two sums. Yes; the sum of the lengths of the two shorter sides is always greater than the length of the third side.

- 11. 6 m, 5 m, 12 m No; the sum of the lengths of the two shorter sides is less than the length of the third side; 6 + 5 < 12.
- **12.** 11 ft, 8 ft, 18 ft Yes; the sum of the lengths of the two shorter sides is always greater than the length of the third side.

Algebra The lengths of two sides of a triangle are given. Find the range of possible lengths for the third side.

13. 4, 8 any length that is greater than 4 and less than 12

To start, write the inequalities relating the known side lengths and the unknown side length.

14. 13, 8 any length that is greater than 5 and less than **21**

15. 10, 15 any length that is greater than 5 and less than **25**

- 16. Error Analysis A student draws a triangle with a perimeter of 12 in. The student says that the longest side measures 7 in. How do you know that the student is incorrect? Explain. If one side measures 7 in., the other two side measures must sum to 5 in., but the Triangle Inequality Theorem says that the sum of the measures must be greater than 7 in.
- **17. Algebra** $\triangle XYZ$ has the side lengths shown at the right. What values of *x* result in side lengths that could be the sides of a triangle? (*Hint:* Write and solve three inequalities.) $x > \frac{10}{3}$ 5x + 2 7

Prentice Hall Foundations Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.

| 54 | Stand | lardized Test Pro | ер | |
|---|---|--|--|---------------------------|
| D-O | 5-6 <u> Standardized lest Prep</u> Inequalities in One Triangle | | | |
| Multiple Ch | oice | | | |
| For Exercises | 1–6, choo | se the correct letter. | | |
| 1. Which of | the followi | ng could be lengths of | sides of a triangle? C | |
| A 11, 15 | 5, 27 | B 13, 14, 32 | C 16, 19, 34 | D 33, 22, 55 |
| $m \angle C = 2$ | 20. Which l | | $m \angle A = 120, m \angle B = 4$ from shortest to longest | |
| (F) \overline{CB} , \overline{I} | | | $(H) \overline{AC}, \overline{BA}, \overline{CB}$ | |
| $\bigcirc \overline{BA}, \overline{A}$ | $\overline{AC}, \overline{CB}$ | | $\bigcirc \overline{CB}, \overline{AC}, \overline{BA}$ | |
| | | ving side lengths: <i>RS</i> = der from smallest to lar | = 7, $ST = 13$, and $RT =$ rgest? D | 19. Which |
| $\land \angle R$, | $\angle S$, $\angle T$ | | \bigcirc $\angle S$, $\angle T$, $\angle R$ | |
| $\textcircled{B} \angle T$, | $\angle S$, $\angle R$ | | $\bigcirc \angle T$, $\angle R$, $\angle S$ | |
| 4. A triangle third side | | engths 21 and 17. Whic | h is a possible length fo | r the |
| F 2 | | G 4 | (H) 25 | 39 |
| | <i>LMN</i> . Wh | ich lists the angles in o st? D | rder from the | - <u>13</u> M |
| \bigcirc $\angle L$, | $\angle M$, $\angle N$ | | \bigcirc $\angle N$, $\angle M$, $\angle L$ | 7 7.1 |
| $\textcircled{B} \angle M$, | $\angle N$, $\angle L$ | | $\bigcirc \ \angle M, \angle L, \angle N$ | Ň |
| - | What are t 13 and 7? | | <i>x,</i> the third side of a tria | angle, if two |
| F 6 < . | x < 20 | G 7 < <i>x</i> < 13 | $\textcircled{H} 6 \le x \le 20$ | $\bigcirc 7 \le x \le 13$ |
| Short Resp | onse | | | |
| [2] <i>a > y;</i> is greater (Corollary [1] <i>a > y</i> triangle is angle (Co | the measu than the n to the Tria OR the me greater th rollary to t | Ship between <i>a</i> and <i>y</i> ? I ure of an exterior angle neasure of a remote in angle Exterior Angle The asure of an exterior ar an the measure of a re the Triangle Exterior Ar as stated nor explanation | e of a triangle terior angle neorem). ngle of a emote interior ngle Theorem). | x° a° |

Prentice Hall Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.




Enrichment

Inequalities in One Triangle

The First of the Greek Geometers

Euclid organized the known geometry of his day into one of history's all-time best sellers, The Elements. However, Euclid was not the father of Greek geometry. That honor belongs to a philosopher known as one of the Seven Wise Men of ancient Greece, who first introduced geometry to Greece. He founded the geometry of lines and was probably the first great mathematician in history.

To discover the identity of this great mathematician and philosopher, consider this diagram in which every angle that appears to be acute is acute, and every angle that appears to be obtuse is obtuse. Answer each question individually, and without the use of a ruler or a protractor.



Each statement below is true (T), false (F), or

undecidable (U). The answers to Exercises 1-3 will supply the hint to decode the first letter of the name, the answers to Exercises 4–6 to the second letter, and so on.

| A – TTT | B – TTF | C – TTU | D – TFT | E – TFF | F – TFU | G – TUT |
|---------|---------|---------|---------|---------|---------|---------|
| H – TUF | I – TUU | J – FTT | K – FTF | L – FTU | M – FFT | N – FFF |
| O – FFU | P – FUT | Q – FUF | R – FUU | S – UTT | T – UTF | U – UTU |
| V – UFT | W – UFF | X – UFU | Y – UUT | Z – UUF | | |

| Relation | T, U, or F | Relation | T, U, or F |
|---|------------|--|------------|
| 1. $BG > DF$ | <u>?</u> U | 10. $m \angle AGB > m \angle AGD$ | <u>?</u> F |
| 2. <i>CF</i> > <i>DF</i> | <u>?</u> T | 11. $m \angle CBG > m \angle BAG$ | <u>?</u> T |
| 3. $m \angle CEF > m \angle CFE$ | <u>?</u> F | 12. <i>AG</i> > <i>CH</i> | <u>?</u> U |
| 4. $m \angle BHC > m \angle CDH$ | <u>?</u> T | 13. <i>CF</i> > <i>HI</i> | <u>?</u> T |
| 5. <i>DG</i> > <i>DE</i> | <u>?</u> U | 14. $m \angle CFD > m \angle AFD$ | <u>?</u> F |
| 6. $m \angle DGF > m \angle DFE$ | <u>?</u> F | 15. <i>BH</i> > <i>BD</i> | <u>?</u> F |
| 7. <i>DG</i> > <i>IG</i> | <u>?</u> T | 16. <i>BH</i> > <i>EF</i> | <u>?</u> U |
| 8. $m \angle AFD > m \angle AEC$ | <u>?</u> T | 17. <i>CE</i> > <i>CF</i> | <u>?</u> T |
| 9. $m \angle CDF > m \angle GBD$ | <u>?</u> T | 18. $m \angle ACE > m \angle ACF$ | <u>?</u> T |
| | | | |

The name of the mathematician is \underline{T} \underline{H} A L E S (thā' lēz).

19. List at least five reasons that you used to determine whether the statements above were true, false, or undecidable.

Answers may vary. Sample: Theorem 5-10, Theorem 5-11, Angle Addition Postulate, Segment Addition Postulate, Comparison Property of Inequality, Transitive Property of Inequality, and an exterior angle of a triangle is greater than either remote interior angle.

5-6

Reteaching

Inequalities in One Triangle

For any triangle, if two sides are not congruent, then the larger angle is opposite the longer side (Theorem 5-10). Conversely, if two angles are not congruent, then the longer side is opposite the larger angle (Theorem 5-11).

Problem

Use the triangle inequality theorems to answer the questions.

a. Which is the largest angle of $\triangle ABC$?

 \overline{AB} is the longest side of $\triangle ABC$. $\angle C$ lies opposite \overline{AB} .


 $\angle C$ is the largest angle of $\triangle ABC$.


b. What is $m \angle E$? Which is the shortest side of $\triangle DEF$?

 $m \angle D + m \angle E + m \angle F = 180$ Triangle Angle-Sum Theorem $30 + m \angle E + 90 = 180$ Substitution

 $120 + m \angle E = 180$ Addition

 $m \angle E = 60$ Subtraction Property of Equality






 $\angle D$ is the smallest angle of $\triangle DEF$. Because \overline{FE} lies opposite $\angle D$,

 \overline{FE} is the shortest side of $\triangle DEF$.

Exercises

- **1.** Draw three triangles, one obtuse, one acute, and one right. Label the vertices. Exchange your triangles with a partner.
 - **a.** Identify the longest and shortest sides of each triangle.
 - **b.** Identify the largest and smallest angles of each triangle.
 - c. Describe the relationship between the longest and shortest sides and the largest and smallest angles for each of your partner's triangles.
 Check students' work. The longest side will be opposite the largest angle.
 The shortest side will be opposite the smallest angle.

The shortest side will be opposite the smallest angle. Which are the largest and smallest angles of each triangle?



Prentice Hall Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.

| Name | Class | Date |
|------|-------|------|
| | | |

5-6 **Reteaching** (continued)

Inequalities in One Triangle

For any triangle, the sum of the lengths of any two sides is greater than the length of the third side. This is the *Triangle Inequality Theorem*.

Problem

A. Can a triangle have side lengths 22, 33, and 25?

Compare the sum of two side lengths with the third side length.

 $22 + 33 > 25 \qquad 22 + 25 > 33 \qquad 25 + 33 > 22$

A triangle *can* have these side lengths.

B. Can a triangle have side lengths 3, 7, and 11?

Compare the sum of two side lengths with the third side length.

3 + 7 < 11 3 + 11 > 7 11 + 7 > 3

A triangle *cannot* have these side lengths.

C. Two sides of a triangle are 11 and 12 ft long. What could be the length of the third side?

Set up inequalities using *x* to represent the length of the third side.

x + 11 > 12x + 12 > 1111 + 12 > xx > 1x > -123 > x

The side length can be any value between 1 and 23 ft long.

Exercises

- **8.** Can a triangle have side lengths 2, 3, and 7? **no**
- 9. Can a triangle have side lengths 12, 13, and 7? yes
- 10. Can a triangle have side lengths 6, 8, and 9? yes
- **11.** Two sides of a triangle are 5 cm and 3 cm. What could be the length of the third side? **less than 8 cm and greater than 2 cm**
- Two sides of a triangle are 15 ft and 12 ft. What could be the length of the third side? less than 27 ft and greater than 3 ft


3)°

(6x -

Additional Vocabulary Support 5-7 Inequalities in Two Triangles

You want to use the Converse of the Hinge Theorem to find the possible values for *x* in the triangle at the right.

You wrote these steps to solve the problem on the note cards, but they got mixed up.



Use the note cards to write the steps in order.

1. First, think: The triangles ABC and PQR have two pairs of congruent sides. Identify

the included angles: $\angle B$ and $\angle Q$.

- 2. Second, <u>compare measures of the included angles.</u> PR > AC, so $m \angle Q > m \angle B$.
- 3. Third, write two inequalities: 6x 3 < 57 and 6x 3 > 0.
- 4. Fourth, solve the first inequality: 6x < 60, so x < 10.
- 5. Next, solve the second inequality: 6x > 3, so x > 0.5.
- 6. Then, write an inequality for the possible values of x: 0.5 < x < 10.

Date

80

5-7

Think About a Plan

Inequalities in Two Triangles

Reasoning The legs of a right isosceles triangle are congruent to the legs of an isosceles triangle with an 80° vertex angle. Which triangle has a greater perimeter? How do you know?


- 1. How can you use a sketch to help visualize the problem? Draw a sketch.
- 2. The triangles have two pairs of congruent sides. For the right triangle, what is the measure of the included angle? How do you know this?
 90; it is a right angle.
- 3. For the second triangle, what is the measure of the included angle? How do you know this?
 80; it is given that the vertex angle, the angle between the legs, or congruent sides, is 80°.

- 4. How could you find the perimeter of each triangle?Add the lengths of the legs and the base.
- 5. How does the sum of the lengths of the legs in the right triangle compare to the sum of the lengths of the legs in the other triangle?They are the same.
- 6. Write formulas for the perimeters of each triangle. Use the variable ℓ for leg length, b₁ for base length of the right triangle, and b₂ for base length of the second triangle. *P*(right triangle) = ℓ + ℓ + b₁; *P*(second triangle) = ℓ + ℓ + b₂
- 7. What values do you need to compare to find the triangle with the greater perimeter?
 base lengths, or b₁ and b₂
- How can you use the Hinge Theorem to find which base length is longer?
 The longer base length will be opposite the larger included angle.
- **9.** Which base length is longer? b_1 , or the base length of the right triangle
- **10.** Which triangle has the greater perimeter? the right isosceles triangle

| Name | | Class | Date | |
|-------------|----------|-------|--------|--|
| 57 | Practice | | Form G | |
| D -/ | | | | |


Inequalities in Two Triangles

Write an inequality relating the given side lengths. If there is not enough information to reach a conclusion, write *no conclusion*.



- 4. A crocodile opens his jaws at a 30° angle. He closes his jaws, then opens them again at a 36° angle. In which case is the distance between the tip of his upper jaw and the tip of his lower jaw greater? Explain. The distance is greater when the jaw is opened 36°. The jawbones are congruent pairs of sides of a triangle. The jaw joint is the included angle between the sides. The distance between the tips of the upper jaw and lower jaw is the length of a third side of the triangle. This is greatest when the angle opposite it is greatest.
- **5.** At which time is the distance between the tip of the hour hand and the tip of the minute hand greater, 2:20 or 2:25? **2:25**

Find the range of possible values for each variable.



9. In the triangles at the right, AB = DC and $m \angle ABC < m \angle DCB$. Explain why AC < BD. It is given that AB = DC. BC = BC by the Refl. Prop. of =. Therefore, these two triangles have two pairs of congruent sides. The included angles in $\triangle ABC$ and $\triangle BDC$ are $\angle ABC$ and $\angle DCB$. It is given that $m \angle ABC < m \angle DCB$, so by the Hinge Theorem, AC < BD.

D

Date

Position A


Form G

Practice (continued)

Inequalities in Two Triangles

Copy and complete with > or <. Explain your reasoning.

10. $m \angle POQ$ <u>?</u> $m \angle MON$ <; the measure of $\angle MON$ is 46, because it forms a straight angle with $\angle MOP$ and $\angle POQ$.



Position B

11. *MN* ? *PO*

>; because $\triangle MPO$ is an isosceles triangle, MO = PO. $\triangle MNO$ and $\triangle POQ$ have two pairs of congruent sides. In $\triangle MON$ the included angle is $\angle MON$ and in $\triangle POQ$ the included angle is $\angle POQ$. $m \angle MON > m \angle POQ$, so by the Hinge Theorem, MN > PQ.

12. *MP* ? *OP*

>; the longest leg of a \triangle is opposite the angle with the greatest measure.

13. Jogger A and Jogger B start at the same point. Jogger A travels 0.9 mi due east,

then turns 120° clockwise, then travels another 3 mi. Jogger B travels

0.9 mi due west, then turns 115° counterclockwise, then travels another 3 mi.


Do the joggers end in the same place? Explain. No; the direct distance between the start and end points is the length of the third leg of each jogger's Δ . For Joggers A and B, the 🗟 have two pairs of congruent legs. The measure of the included angle is less for Jogger A than for Jogger B, so the direct distance between the start and end points is less for Jogger A than for Jogger B.

- 14. In the diagram at the right, in which position are the tips of the scissors farther apart? **Position B**
- **15.** The legs of an isosceles triangle with a 65° vertex angle are congruent with the sides of an equilateral triangle.

Which triangle has a greater perimeter? How do you know?

The isosceles Δ ; the Δ of an equilateral Δ all measure 60. Because 65 > 60, the third side of the isosceles Δ is longer than the third side of the equilateral Δ . So, the isosceles \triangle will have a greater perimeter.

Write an inequality relating the given angle measures. If there is not enough information to reach a conclusion, write no conclusion.



Prentice Hall Gold Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.

Form K

Inequalities in Two Triangles

Write an inequality relating the given side lengths. If there is not enough information to reach a conclusion, write no conclusion.

1. *AB* and *CB* **AB < CB**

To start, determine whether the triangles have two pairs of congruent sides.


$$\overline{AD} \cong \overline{CD}$$
$$\overline{DB} \cong \underline{?} \quad \overline{DB}$$

Then compare the hinge angles.

Practice




2. JL and MO JL > MO





4. Two identical laptops are shown at the right. In which laptop is the distance from the top edge of the screen to the front edge of the keyboard greater? Explain.

Laptop B; the lengths of the laptops' keyboards and screens are the same. Laptop B is open wider, so the hinge angle is greater than it is for Laptop A.




3. *ST* and *BT* **no conclusion**






Algebra Find the range of possible values for each variable.




Prentice Hall Foundations Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.



Would a jogger run a greater distance on Path A or Path B? Explain.

Path A; the paths have two pairs of congruent sides, but Path A angles off at 26°, while Path B angles off at 25°. The longer side is the one opposite the greater angle.




Write an inequality relating the given angle measures.

11. $m \angle M$ and $m \angle R$ $m \angle M > m \angle R$

12. $m \angle U$ and $m \angle X$ $m \angle U < m \angle X$

10.5

U



y <u>9</u> 10.5 Y 12 Z

 \overline{MN} , \overline{MO} , \overline{PR} , and \overline{QR} are <u>?</u>. congruent NO > PQ

Prentice Hall Foundations Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.


Standardized Test Prep

Inequalities in Two Triangles

Multiple Choice

For Exercises 1–5, choose the correct letter.

1. At which time is the distance between the tip of the hour hand and the tip of the minute hand on a clock the greatest? C



4. Four pairs of identical scissors lie on a table. Scissors 1 is opened 30°, scissors 2 is opened 29°, scissors 3 is opened 59°, and scissors 4 is opened 74°. In which pair of scissors is the distance between the tips of the scissor blades greatest?

(F) scissors 1 (G) scissors 2

(H) scissors 3


I scissors 4

5. In $\triangle ABC$ and $\triangle DEF$, AB = DE, CA = FD, and BC < EF. Which of the following must be true? **B**

| | $\bigcirc m \angle C < m \angle F$ |
|---|---|
| $\textcircled{B} m \angle A < m \angle D$ | $\textcircled{D} m \angle B = m \angle E$ |

Short Response

- 6. What value must x be greater than, and what value must x be less than?
 [2] x must be greater than 3 AND x must be less than 17.
 [1] x must be greater than 3 OR x must be less than 17.
 - [0] No correct value for x is given.



Enrichment

Inequalities in Two Triangles

Comparing Distances


Triangle inequalities can be used to solve real-world problems like the following: Samantha works at a bakery, and delivers pastries to local businesses.

On Tuesdays and Thursdays, she walks due west out of the bakery and travels 150 ft to the Sewing Shop. From there, she turns 45° toward the south, and travels another 150 ft to the gas station. From the gas station she travels 107 ft due east to Howard's Flowers. Howard's Flowers is due south of the Sewing Shop.

On Mondays and Wednesdays, Samantha travels 150 ft due south of the bakery to Richard's Records. From there, she makes a 40° turn toward the west and travels 107 ft to Dualla's Hardware.

On Fridays, Samantha makes the Monday-Wednesday route, but also goes to Melki's Meats. From the hardware store, she turns 133° to her right and travels 150 ft northeast to Melki's.

 Make a drawing of Samantha's delivery routes. Label all angles and all distances between buildings.



- **2.** Use your drawing to answer the following questions. Assume a straight path between each set of points.
 - a. Which is greater, the distance between the Sewing Shop and Howard's Flowers, or the distance between Richard's Records and Melki's Meats? the distance between Richard's Records and Melki's Meats
 - b. Which is greater, the distance between the bakery and Howard's Flowers, or the distance between Howard's Flowers and the gas station? the distance between the bakery and Howard's Flowers
- 3. One day Samantha has to make a delivery from the bakery to Richard's Records, then to Melki's Meats. What is the minimum distance she must walk to get to Melki's via Richard's? Explain.
 At least 257 ft; the distance between Richard's and Melki's is more than the distance between the Sewing Shop and Howard's Flowers, which is 107 ft. The distance between the bakery and Richard's is 150 ft. So, she must walk at least 150 + 107 = 257 ft.

-7 Reteaching

Inequalities in Two Triangles

Consider $\triangle ABC$ and $\triangle XYZ$. If $\overline{AB} \cong \overline{XY}$, $\overline{BC} \cong \overline{YZ}$, and $m \angle Y > m \angle B$, then XZ > AC. This is the *Hinge Theorem* (SAS Inequality Theorem).

 $B \xrightarrow{A} C \xrightarrow{Y} \xrightarrow{H} Z$

Problem


Which length is greater, GI or MN?

Identify congruent sides: $\overline{MO} \cong \overline{GH}$ and $\overline{NO} \cong \overline{HI}$.

Compare included angles: $m \angle H > m \angle O$.

By the Hinge Theorem, the side opposite the larger included angle is longer.

So, GI > MN.



Problem

At which time is the distance between the tip of a clock's hour hand and the tip of its minute hand greater, 3:00 or 3:10?


Think of the hour hand and the minute hand as two sides of a triangle whose lengths never change, and the distance between the tips of the hands as the third side. 3:00 and 3:10 can then be represented as triangles with two pairs of congruent sides. The distance between the tips of the hands is the side of the triangle opposite the included angle.

At 3:00, the measure of the angle formed by the hour hand and minute hand is 90° . At 3:10, the measure of the angle is less than 90° .

So, the distance between the tip of the hour hand and the tip of the minute hand is greater at 3:00.

Exercises

- What is the inequality relationship between *LP* and *XA* in the figure at the right? XA > LP
- 2. At which time is the distance between the tip of a clock's hour hand and the tip of its minute hand greater, 5:00 or 5:15? 5:00



Prentice Hall Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.

5-7 Reteaching (continued) Inequalities in Two Triangles

Consider $\triangle LMN$ and $\triangle PQR$. If $\overline{LM} \cong \overline{PQ}$, $\overline{MN} \cong \overline{QR}$, and PR > LN, then $m \angle Q > m \angle M$. This is the *Converse of the Hinge Theorem* (SSS Inequality Theorem).


Problem

TR > ZX. What is the range of possible values for *x*?

The triangles have two pairs of congruent sides, because RS = XY and TS = ZY. So, by the Converse of the Hinge Theorem, $m \angle S > m \angle Y$.

Write an inequality:

| 72 > 5x + 2 | Converse of the Hinge Theorem |
|-------------|-------------------------------|
| 70 > 5x | Subtract 2 from each side. |
| 14 > x | Divide each side by 5. |




Write another inequality:

| $m \angle Y > 0$ | The measure of an angle of a triangle is greater than 0. |
|-------------------------------|--|
| 5x + 2 > 0 | Substitute. |
| 5x > -2 | Subtract 2 from each side. |
| $x > -\frac{2}{5}$ | Divide each side by 5. |
| So, $-\frac{2}{5} < x < 14$. | |

Exercises

Find the range of possible values for each variable.




5. Reasoning An equilateral triangle has sides of length 5, and an isosceles triangle has side lengths of 5, 5, and 4. Write an inequality for *x*, the measure of the vertex angle of the isosceles triangle. 60 > x > 0

Chapter 5 Quiz 1


Lessons 5-1 through 5-4

Do you know HOW?

Find the value of *x*.



In the large triangle, is \overline{PR} a *perpendicular bisector*, an *angle bisector*, a *median*, an *altitude*, or *none of these*? Explain.



 $\triangle ABC$ has vertices at A(1, 3), B(4, 3), and C(4, -5).

- **9.** Find the coordinates of the circumcenter of $\triangle ABC$. (2.5, -1)
- **10.** Find the coordinates of the orthocenter of $\triangle ABC$. **(4, 3)**

Do you UNDERSTAND?

11. Writing Explain how to construct the circumcenter of a triangle. Use a compass and straightedge to construct the perpendicular bisectors of each side of the triangle. The intersection point of the three bisectors is the circumcenter.

Chapter 5 Quiz 2

Lessons 5-5 through 5-7

Do you know HOW?

Write a convincing argument that uses indirect reasoning.

1. The sum of three different positive integers is 12. Show that one of them must be greater than 4.

Sample: Assume none are greater than 4. The greatest sum we could make with three different integers less than or equal to 4 is 2 + 3 + 4 = 9. This contradicts our assumption. So, one of the integers must be greater than 4.

Class

2. A parallelogram can have no more than two obtuse angles.


Sample: Assume that a parallelogram can have more than two obtuse angles. Two pairs of angles need to be congruent by the definition of a parallelogram. Thus, the parallelogram would need to have four obtuse angles. The sum of the angles of a parallelogram is 360°. If the parallelogram had four angles that were all greater than 90°, their sum would be greater than 360°. This contradicts our assumption. Therefore, a parallelogram can have no more than two obtuse angles.

Use the figure at the right. Complete each statement with >, <, or =.

- **3.** $m \angle BAD$? $m \angle ABD$ <
- 4. $m \angle CBD$? $m \angle BCD$ >
- 5. $m \angle ABD$? $m \angle CBD$ <
- 6. In △LMO, m∠L = 40 and m∠M = 60. List the angles and sides in order from smallest to largest. ∠L, ∠M, ∠O; MO, LO, ML
- **7.** The lengths of two sides of a triangle are 8 ft and 10 ft. Write an inequality to show the possible values for *x*, the length of the third side. 2 < x < 18

Do you UNDERSTAND?

Reasoning Is it possible for a triangle to have sides with the given lengths? Explain.





Prentice Hall Gold Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved. _____

Chapter 5 Test

Do you know HOW?

Find the value of *x*.





Identify the two statements that contradict each other.

- **3.** I. $\angle A$ and $\angle B$ are obtuse angles. II. $m \angle A = 110$ III. $\angle A$ and $\angle B$ are supplementary. I and III
- **4.** I. *ABCD* is a quadrilateral. II. *ABCD* is a square. III. $m \angle A > m \angle D$ II and III


List the angles of $\triangle ABC$ from smallest to largest.

5. AB = 3, BC = 4, CA = 5 $\angle C, \angle A, \angle B$ **6.** AB = 20, BC = 12, CA = 10 $\angle B, \angle A, \angle C$


 $\angle C, \angle A, \angle B$ $\angle B, \angle A, \angle C$ List the sides of $\triangle ABC$ from shortest to longest.


- 7. $m \angle A = 30, m \angle B = 60, m \angle C = 90$ BC, AC, AB
- 8. $m \angle A = 100, m \angle B = 20, m \angle C = 60$ $\overrightarrow{AC}, \overrightarrow{AB}, \overrightarrow{BC}$

Algebra Find the value of *x*.



11.





 $\triangle ABC$ has the vertices A(1, 4), B(-3, 4), and C(1, 1). Find the coordinates of each point of concurrency.


13. circumcenter of $\triangle ABC$ (-1, 2.5)

14. orthocenter of $\triangle ABC$ (1, 4)

Prentice Hall Gold Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.

| Name | Class | Date | |
|----------------------------|-------|------|-------|
| Chapter 5 Test (continued) | | F | orm G |

In each triangle, *O* is the centroid. Find the value of *x*.



Do you UNDERSTAND?

17. Reasoning Use indirect reasoning to show that an equilateral triangle cannot have a right angle.

Sample: Suppose an equilateral triangle has a right angle. Because all sides of an equilateral triangle are congruent, all angles of an equilateral triangle are congruent. So, the sum of the angles will be 270°. But the sum of the angles of a triangle is 180°. This is a contradiction, and therefore an equilateral triangle cannot have a right angle.

18. The base of an isosceles triangle has a length of 25. What can you say about the lengths of the legs?The lengths of the legs are equal, and the sum of the lengths must be greater than 25.

The lengths of the legs are equal, and the sum of the lengths must be greater than 25 So, each leg must be greater than 12.5.

19. Reasoning Use indirect reasoning to show that a triangle cannot have more than one obtuse angle.


Sample: Suppose a triangle has two obtuse angles. Then those angles will each have measures greater than 90. The sum of the all the angles of the triangle will be greater than 180. But this is a contradiction because the sum of the angles of a triangle is 180. Therefore, a triangle cannot have more than one obtuse angle.

20. Writing Explain how the Triangle Midsegment Theorem can be used for indirect measurement.

Sample: Suppose that a distance you want to measure can be the midsegment of a triangle or the side of a triangle and you know the other measurements of the triangle. You can use the relationship between the midsegment and the opposite side, so the measurements that you do know help you determine the measurement that you do not know.

21. In the figure at the right, what can you conclude about point *B*? Explain.

Point *B* is the incenter of the triangle. It is the intersection of the angle bisectors of the triangle.




Chapter 5 Quiz 1


Lessons 5-1 through 5-4

Do you know HOW?

Find the value of *x*.



3. Find the coordinates of the circumcenter of the triangle below.



Use the figure at the right for Exercises 5-7.


5. Is AQ a perpendicular bisector or an altitude?
Explain.
Altitude: AQ is to but does not bisect BC

Altitude; \overline{AQ} is \perp to but does not bisect \overline{BC} .


- **6.** Is *RB* a median or an angle bisector? Explain. angle bisector; $m \angle CBR = m \angle RBA$
- **7.** What kind of segment is \overline{CP} ? **median**


Do you UNDERSTAND?


- 8. Writing Explain how you find the orthocenter of a triangle. Draw the altitudes of each side of the triangle. The intersection point of the three altitudes is the orthocenter.
- **9.** Suppose EP = PG. Explain how you can find $m \angle PQG$. If EP = PG, \overline{PQ} is the midsegment and $\overline{EF} \parallel \overline{PQ}$. By the Corresp. \triangle Thm., $\angle F \cong \angle PQG$. $m \angle F = 85$. Therefore, $m \angle PQG = 85$.



4. PM = 4x + 7 and PN = 12x - 5. Find *PL*.







Prentice Hall Foundations Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.

75

Form K


Chapter 5 Quiz 2

Lessons 5-5 through 5-7

Do you know HOW?


Write the first step of an indirect proof of the given statement.

- **1.** Point *M* is the midpoint of \overline{AB} . Point *M* is not the midpoint of \overline{AB}
- **3.** Identify the two statements that contradict each other.



I. $\triangle ABC$ is a right triangle. **II.** \overline{AC} is twice the length of \overline{BC} . **III.** $m \angle A = m \angle B = m \angle C$

5. List the sides of $\triangle DEF$ from shortest to longest.




For questions 7 and 8, use the figure to the right. Write an inequality relating the given side lengths.

- **7.** $\angle EAB$ and $\angle EBC$ $\angle EAB < \angle EBC$
- **8.** $\angle ACE$ and $\angle ECD$ $\angle ACE > \angle ECD$





Class

4. List the angles in $\triangle PQR$ from smallest to largest.




6. Write an inequality relating the measures of $\angle ADB$ and $\angle BDC$.





Do you UNDERSTAND?

9. Reasoning Is it possible for a triangle to have sides of 6 inches, 12 inches, and 17 inches? Explain.



Prentice Hall Foundations Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.


Class

Chapter 5 Test


Form K


Do you know HOW?

Find the value of *x*.




3. Find the coordinates of the circumcenter of the triangle below.





4. XW = 3a + 25 and XV = -2a + 15. Find *XU*.



DM = 8

Κ

FM = 2x

MJ = 2y

Ε

EM = 6

D


L

F

In $\triangle DEF$, *M* is the centroid.

- 5. Find *MK* and *DK*. **4**; **12**
- 6. Find *LM* and *LE*. 3; 9
- 7. Write an expression for *FJ*. FJ = 3x or 2x + 2y
- **8.** $\triangle ABC$ has vertices A(-3, 4), B(6, 4), and C(2, -6). What are the coordinates of the orthocenter of $\triangle ABC$? (2, 2)
- **9.** If you want to prove the Pythagorean Theorem using indirect proof, what assumption must you first make if the legs of the right triangle are labeled *a* and *b* and the hypotenuse is labeled *c*? $a^2 + b^2 \neq c^2$
- **10.** Identify the two statements that contradict each other.


I. $\triangle XYZ$ is acute. II. $\triangle XYZ$ is isosceles. III. $m \angle X > m \angle Y > m \angle Z$ II and III




Prentice Hall Foundations Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.

| Name | Class | Date |
|----------------------------|-------|--------|
| | | |
| Chapter 5 Test (continued) | | Form K |
| | | |
| | | |


11. List the angles of $\triangle PQR$ from smallest to largest. $\angle Q, \angle P, \angle R$



12. List the sides of $\triangle DEF$ from shortest to longest. *EF*, *DE*, *DF*




13. Write an inequality relating $m \angle K$ and $m \angle O$. $m \angle K > m \angle O$



Do you UNDERSTAND?

For Exercises 14 and 15, use the figure at the right.

- **14. Reasoning** In $\triangle ABC$, *G* is the midpoint of *AB*, *H* is the midpoint of *BC*, and *I* is the midpoint of *AC*. What are the three pairs of parallel segments? Explain. I can connect the midpoints to find the midsegments. Because each midpoint is equidistant from the vertices, the segments that connect them will be parallel to the sides of $\triangle ABC$: $\overline{HI} \parallel \overline{AB}$, $\overline{GI} \parallel \overline{BC}$, and $\overline{GH} \parallel \overline{AC}$.
- 15. Writing What kind of triangle is △IGH? Explain. The sum of the ∠ measures in a △ is 180. m∠C = 180 - 35 - 55 = 90, so ∠C is a right ∠. ∠IGH is also a right ∠ because GI || BC and GH || AC, so △IGH is a right △.
- **16. Writing** If $m \angle ABH > m \angle GHB$, explain why AH > GB in the figure at right. It is given that AB = GH. BH = BH by the Reflexive Property of Equality. Therefore, these two triangles have two pairs of congruent sides. The included angles are $\angle ABH$ and $\angle GHB$. It is given that $m \angle ABH > m \angle GHB$, so by the Hinge Theorem, AH > GB.
- 17. Reasoning If *EF* and *PQ* both have a slope of 2, what can you conclude? *EF* and *PQ* are parallel. *FQ* and *QG* are congruent. Therefore, *PQ* is a midsegment of *△EFG*.



G C H

Class Date

Performance Tasks

Chapter 5

Task 1

Draw $\triangle ABC$. Construct the perpendicular bisector of each side. Label the point of concurrency D.

Draw $\triangle UVW$. Construct the angle bisectors of each vertex angle. Label the point of concurrency X.

Student draws $\triangle ABC$. Student constructs the perpendicular bisectors and labels the point of concurrency D. Student draws $\triangle UVW$.

Student constructs the angle bisectors and labels the point of concurrency X.

[4] Student completes all four requirements. [3] Student performs three of the four requirements. [2] Student completes one triangle only. [1] Student constructs two triangles but constructs only one perpendicular bisector and one angle bisector. [0] Student leaves the page blank or provides incorrect work.

Task 2

Terri wants to make a triangular design on her driveway. She wants to paint an 8-ft green line on one side, a 17-ft blue line on the second side, and an 8-ft yellow line on the third side. Write a convincing argument using indirect reasoning to show that Terri's design is not possible.

Sample: Assume that Terri can make the triangular design with sides of 8 ft, 8 ft, and 17 ft. Then a triangle is possible with sides 8, 8, and 17. But 8 + 8 is NOT greater than 17, so by the Triangle Inequality Theorem, no such triangle exists. Therefore, the design is not possible.

[4] Student writes a complete proof using an assumption that leads to a contradiction. [3] Student starts with an assumption that could lead to the contradiction and uses the Triangle Inequality Theorem, but the argument contains some minor flaws. [2] Student directly states that the Triangle Inequality Theorem does not allow for such a triangle, but fails to begin with an assumption that leads to a contradiction. [1] Student writes the assumption that leads to a contradiction (assumption that the triangle can be made). [0] Student leaves the page blank or provides incorrect work.

Performance Tasks (continued)

Chapter 5

Task 3

Draw $\triangle MNO$ such that its circumcenter lies outside the triangle. Construct the necessary segments to find the circumcenter. Label the circumcenter *L*. Make a statement about where the orthocenter lies in relation to your triangle. Construct the segments needed to find the orthocenter. Label the orthocenter *K*.

Student draws obtuse $\triangle MNO$. Student constructs segments and finds the circumcenter of MNO, labeling it *L*. Student states that the orthocenter will also lie outside the triangle. Student constructs segments and finds the orthocenter of MNO, labeling it *K*.

[4] Student completes all four requirements. [3] Student completes three of the requirements. [2] Student completes two of the requirements. [1] Student completes one of the requirements. [0] Student fails to complete any of the requirements or submits completely incorrect work.

Task 4

Draw an illustration of the Triangle Hinge Theorem. Use two triangles. Be sure to label the triangles in such a way that the important requirements of the Triangle

Hinge Theorem can be understood from the diagram.

Student draws two triangles that have two pairs of congruent sides but that contain an included angle that is not congruent. Student uses tick marks or labels and congruence statements (such as $\overline{AB} \cong \overline{DE}$) to show the matching congruent sides. Student labels the longer length on the triangle with a greater included angle (showing, for example, that the triangle with the smaller included angle has an opposite side length of 3 and the triangle with the greater included angle has an opposite side length of 5).

[4] Student completes all the requirements with neat and clear work. [3] Student completes all the requirements, but the work is sloppy or unclear. [2] Student draws appropriate triangles and marks congruencies, notes that there is a relationship between the different opposite sides, but fails to clearly express the relationship.
[1] Student draws two appropriate triangles but fails to label congruencies and the relationship between the included angle and opposite side. [0] Student response is incorrect or blank.

_____ Class _____ Date _____

Cumulative Review

Chapters 1–5

Multiple Choice

| 1. What is the value of <i>i</i> | x in the diagram at the | right? C | \sum | |
|---|-------------------------------|--------------|-------------------------------------|--|
| A 4 | C 16 | | 32 | |
| B 8 | D 32 | | <u> </u> | |
| 2. Which best describe | s $\angle 1$ and $\angle 2$? | | | |
| (F) vertical angles | | | 1 | |
| G corresponding a | ngles | | 1/2 | |
| (H) alternate exterio | or angles | | \leftarrow $1/2$ \rightarrow | |
| Iinear pair | | | | |
| 3. Which side lengths v | vould not make a trian | gle? B | | |
| (A) 3, 4, 5 | B 3, 6, 2 | C 8, 8, 8 | D 10, 25, 30 | |
| 4 . What is the value of y | v in the diagram at the | right? | 1 | |
| F 90 | (H) 6 | | | |
| G 29 | 3 | | $(16y+2)^{\circ}$ $(13y+1)^{\circ}$ | |
| 5. What is the next num | nber in the sequence? | В | | |
| 8, -3, 5, -6, 2, -9, . | | | | |
| A) -20 | B −1 | C 1 | D 8 | |
| 6. Which is not a point | of concurrency in a tri | angle? H | | |
| (F) incenter | G orthocenter | (H) altitude | centroid | |
| 7. How can you prove t are congruent? C | hat the two triangles a | t the right | | |
| A SSS | C SAS | | | |
| B ASA | D AAS | | | |
| 8. Which line is perpendicular to $3x + 5y = 2$? F | | | | |
| (F) 5x - 3y = -3 | G $3x - 5y = -3$ | H x - 3y = 3 | $\bigcirc 3x + 5y = -3$ | |

Prentice Hall Geometry • Teaching Resources Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved.

Class Date

Cumulative Review (continued)

Chapters 1–5

Short Response

9. What would be the first step of any indirect proof. Explain.

Answers may vary. Sample: [2] Write a negation of the statement that is to be proven. For example, if you are trying to prove, "If a number ends in 6, then it is divisible by 2," the first step of an indirect proof would be, "If a number ends in 6, then it is not divisible by 2." [1] correct answer or explanation [0] incorrect answer, incorrect explanation, or no response


- **10.** Which two statements contradict each other? Explain.
 - **I.** $\triangle ABC$ is scalene.
 - **II.** $\triangle ABC$ is an isosceles right triangle.
 - III. $m \angle B = 45^{\circ}$

[2] Statements I and II; a scalene triangle has three different side lengths, but an isosceles right triangle has two congruent sides. [1] correct answer or explanation [0] incorrect answer, incorrect explanation, or no response

11. A triangle has two sides that measure 6 and 8. Write an inequality that shows a range for the length of the third side, *x*. Explain.

[2] 2 < x < 14; the Triangle Inequality Theorem states that the sum of any two sides of a triangle must be greater than the third side. [1] correct answer or explanation [0] incorrect answer, incorrect explanation, or no response

12. What can you conclude from the figure at the right? [2] Answers may vary. Sample: \overline{MP} is a midsegment, $\overline{MP} \| \overline{NO}$, $\angle LMP \cong \angle LNO, \angle LPM \cong \angle LON.$ [1] correct answer or explanation [0] incorrect answer, incorrect explanation, or no response



Extended Response

13. Draw $\triangle ABC$. Construct the centroid and label it *D*. Construct the incenter

and label it I.

[4] Student draws $\triangle ABC$. Student constructs the centroid and labels it D. Student constructs the incenter and labels it I. [3] Student completes all the constructions but does not adequately label the figure. [2] Student constructs either the centroid or the incenter completely. [1] Student draws medians and angle bisectors, but does not complete the work. [0] Student response is blank, or completely wrong.

Chapter 5 Project Teacher Notes: Moving Entertainment

About the Project

Students explore the geometry of pop-up cards, using triangles and special segments.

Introducing the Project

- Ask students whether they have ever seen pop-up cards or books.
- Have pop-up books or cards on hand for students to experiment with.

Activity 1: Building

Students must be familiar with the following vocabulary: *altitude, median, angle bisector,* and *perpendicular bisector.* Encourage students to crease the folds firmly for best results. Students should use paper that is heavier than notebook paper for their pop-ups. Construction paper works well for the final product.

Activity 2: Experimenting

Remind students always to cut the folded edge of the paper. It is simplest to push the cut shape through by holding the card like a tent.

Activity 3: Designing

Have students use different lengths for the perpendicular bisectors to see the effect on the pop-up. As they make their own pop-ups, encourage students to experiment with shapes other than triangles and to use jagged cuts or curves for different effects.

Finishing the Project

You may wish to plan a project day on which students share their completed projects. Students who have made pop-up books could share their books with younger students. The class also could teach younger students how to make simple pop-ups. Have students discuss the most original pop-up and the parts of making pop-ups that students found the easiest and the most difficult.

Name

Chapter 5 Project: Moving Entertainment

Beginning the Chapter Project

Pop-up cards and books, in which a flat piece of paper transforms into a three-dimensional creation, enchant children and adults alike. Other books and cards with movable parts offer things to spin or pull, or make a movement in some way. Surprisingly, "movable books" date back to the thirteenth century; however, pop-ups or movable parts were not used in children's books until late in the eighteenth century.

In this project you will explore the geometry of triangles by using pop-ups. You will make pop-up cards and then use the language of geometry to tell others how to make them.

Activities

Activity 1: Building

Follow the directions to make a triangle pop-up card.


- Fold two pieces of paper in half. Set one aside.
- Hold one paper with the fold on the left, and fold down the upper left corner, forming a triangle. Open up the paper to the inside, and label $\triangle ABC$ and altitude \overline{BD} .
- What kind of triangle is $\triangle ABC$? isosceles
- In addition to being an altitude, what other word could describe \overline{BD} ? perpendicular bisector
- Pull *D* toward you, and close the card so that $\triangle ABC$ folds inside the card like the figure at the right. The folds along *AB* and *BD* must be reversed. When you open the card, $\triangle ABC$ will pop up.
- Glue the other paper you folded in the first step to the outside of your card. Do not put glue on the pop-up triangle area.
- Decorate the card and pop-up. You can cut out a figure or an object, fold it vertically, and glue it along *BD*, and it will pop up.

Activity 2: Experimenting

Follow the directions to make a "talking mouth" pop-up card.

- Fold two pieces of paper in half. Set one aside.
- Find the midpoint *A* of the folded side.
- Draw *AB* perpendicular to the fold.
- Draw isosceles $\triangle CBD$, which has base \overline{CD} on the fold and altitude \overline{AB} .
- Cut along \overline{AB} ; fold on \overline{BC} and \overline{BD} .
- Open the card, and pull each of the triangles to the inside of the card, as you did in the previous activity. When your card is closed, it should look like the figure at the right.
- When you open the card, the mouth should pop open.
- Experiment with a non-isosceles triangle $\triangle CBD$.
- Finish your "talking mouth" card by gluing paper on the outside and decorating the card. Draw an animal around the talking mouth pop-up.

Copyright © by Pearson Education, Inc., or its affiliates. All Rights Reserved. 84



median, angle bisector,





Chapter 5 Project: Moving Entertainment (continued)

Activity 3: Designing

Follow the directions to make another kind of triangle pop-up.

- Fold two pieces of paper in half. Set one aside.
- Label the fold \overline{BC} . Label the midpoint *A* of \overline{BC} .
- Draw the perpendicular bisectors of \overline{AB} and \overline{AC} , labeling them \overline{DE} and \overline{FG} , as in the figure at the right.
- Cut along \overline{DE} and \overline{FG} .
- Fold on \overline{AE} and \overline{AG} .
- Open the card, and pull the triangles to the inside. When your card is closed, it should look like the figure at the right.
- Glue paper on the outside, and decorate your card.

Now, design a new kind of pop-up and create a pop-up card. Using your geometry vocabulary, write instructions for how to create your pop-up.

Finishing the Project

Make a display of your pop-up cards, or combine pop-up cards into a pop-up book. Include pop-ups that were designed in the activities as well as some that you created yourself. Include instructions for making your pop-ups. Your display also could include a history of pop-ups.

Reflect and Revise


Ask a classmate to review your project with you. Together, check that your pop-ups work when the page is opened, that they are all illustrated, and that you have included some original designs that have clear instructions.

Extending the Project

Research the Japanese art of paper folding called origami. Use a pattern or design of your own to create a piece of origami architecture.

Prentice Hall Geometry • Teaching Resources

85





Class

Chapter 5 Project Manager: Moving Entertainment

Getting Started

Read about the project. As you work on it, you will need several sheets of $8\frac{1}{2}$ -in.-by-11-in. paper. You also will need some heavier paper, such as construction paper or card stock, a ruler, scissors, and markers or colored pencils.

| Checklist | Suggestions |
|---|---|
| Activity 1: triangle pop-up | For best results, use construction paper or other heavy paper for your final product. |
| Activity 2: talking mouth | □ Always cut on the folded edge. |
| Activity 3: original pop-up | Consider using other shapes besides triangles, or using jagged edges and curves, to make your own pop-up. |
| □ Pop-up book or display | □ Books or the Internet are good resources for ideas. |

Scoring Rubric

- 4 All elements of the project are clearly and accurately presented. Your pop-ups are well constructed and your diagrams and written instructions are clear and use geometric language appropriately. Your display or book is organized, attractive, and complete.
- **3** Your pop-ups, diagrams, and written instructions are adequate. Some elements of the project are unclear or inaccurate.
- 2 Significant portions of the project are unclear or inaccurate.
- 1 Major elements of the project are incomplete or missing.
- **0** Project is not handed in, or work does not follow instructions.

Your Evaluation of Project Evaluate your work, based on the Scoring Rubric.

Teacher's Evaluation of Project